

## PE anti-human/mouse Granzyme B Recombinant Antibody

<b>Catalog# / Size</b>	372207 / 25 tests 372208 / 100 tests
<b>Clone</b>	QA16A02
<b>Regulatory Status</b>	RUO
<b>Other Names</b>	Granzyme 2, cytotoxic T-lymphocyte-associated serine esterase 1, GZMB, CCP1, Asp-aseGranzyme 2, cytotoxic T-lymphocyte-associated serine esterase 1, GZMB, CCP1, Asp-ase
<b>Isotype</b>	Mouse IgG1, κ
<b>Description</b>	Granzyme B is a 32 kD serine protease, also known as granzyme-2, serine protease B, CCP1, Asp-ase, and CTLA-1. Granzyme B is abundantly stored in the granules of cytotoxic T lymphocytes and NK cells. Low level of expression has been reported in granulocytes, B cells, and activated dendritic cells. Granzyme B is crucial for rapid induction of cell death and apoptosis through interaction with mannose-6-phosphate receptor.

### Product Details

<b>Verified Reactivity</b>	Human, Mouse
<b>Antibody Type</b>	Recombinant
<b>Host Species</b>	Mouse
<b>Formulation</b>	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide and BSA (origin USA)
<b>Preparation</b>	The antibody was purified by affinity chromatography and conjugated with PE under optimal conditions.
<b>Concentration</b>	Lot-specific (to obtain lot-specific concentration and expiration, please enter the lot number in our <a href="#">Certificate of Analysis</a> online tool.)
<b>Storage &amp; Handling</b>	The antibody solution should be stored undiluted between 2°C and 8°C, and protected from prolonged exposure to light. <b>Do not freeze.</b>
<b>Application</b>	<a href="#">ICFC - Quality tested</a>
<b>Recommended Usage</b>	Each lot of this antibody is quality control tested by <a href="#">intracellular immunofluorescent staining with flow cytometric analysis</a> . For flow cytometric staining, the suggested use of this reagent is 5 µl per million cells in 100 µl staining volume or 5 µl per 100 µl of whole blood.
<b>Excitation Laser</b>	Blue Laser (488 nm) Green Laser (532 nm)/Yellow-Green Laser (561 nm)
<b>Product Citations</b>	<ol style="list-style-type: none"> <li>Dong MB, <i>et al.</i> 2020. Cell. 178(5):1189-1204.e23.. <a href="#">PubMed</a></li> <li>Taranto D, <i>et al.</i> 2021. Curr Protoc. 1:e147. <a href="#">PubMed</a></li> <li>Zhao Z, <i>et al.</i> 2022. Adv Sci (Weinh). 9:e2201293. <a href="#">PubMed</a></li> <li>Wang W, <i>et al.</i> 2022. Cell Rep. 41:111582. <a href="#">PubMed</a></li> <li>Liang Y, <i>et al.</i> 2022. Theranostics. 12:7729. <a href="#">PubMed</a></li> <li>Li J, <i>et al.</i> 2022. Front Immunol. 13:1043484. <a href="#">PubMed</a></li> <li>Lin J, <i>et al.</i> 2023. Nat Commun. 14:224. <a href="#">PubMed</a></li> <li>Jiang X, <i>et al.</i> 2023. Cell Discov. 9:7. <a href="#">PubMed</a></li> <li>Chen M, <i>et al.</i> 2023. Cell Biosci. 13:19. <a href="#">PubMed</a></li> <li>Khojandi N, <i>et al.</i> 2021. Cancer Immunol Res. 9:214. <a href="#">PubMed</a></li> <li>Allen SD, <i>et al.</i> 2021. Biomaterials. 269:120635. <a href="#">PubMed</a></li> <li>Cai Z, <i>et al.</i> 2023. Adv Sci (Weinh). 10:e2207155. <a href="#">PubMed</a></li> </ol>
<b>RRID</b>	AB_2687031 (BioLegend Cat. No. 372207) AB_2687031 (BioLegend Cat. No. 372208)

### Antigen Details

<b>Structure</b>	32 kD serine protease
<b>Distribution</b>	Cytotoxic T cells, NK cells, and neutrophils, low on granulocytes, B cells and activated dendritic cells
<b>Function</b>	Granzyme B is able to induce target cell apoptosis by activating caspase independent pathways. Granzyme B is induced in CD8 <sup>+</sup> T lymphocytes with ConA/ IL-2 and CD4 <sup>+</sup> T lymphocytes with anti CD3/CD28 or CD3/CD46.
<b>Interaction</b>	Caspase-3
<b>Ligand/Receptor</b>	Mannose-6-phosphate receptor
<b>Cell Type</b>	T cells, NK cells, Neutrophils
<b>Biology Area</b>	Cell Biology, Immunology, Innate Immunity, Neuroscience
<b>Molecular Family</b>	Proteases, Enzymes and Regulators
<b>Antigen References</b>	<ol style="list-style-type: none"> <li>1. Estebanez-Perpina E, <i>et al.</i> 2000. <i>Biol Chem.</i> 381:1203.</li> <li>2. Griffiths GM. And S. Isaaz, <i>et al.</i> 1993. <i>J. Cell Biol.</i> 120:885.</li> <li>3. Spaeny-Dekking EH, <i>et al.</i> 1998. <i>J. Immunol.</i> 160:3610.</li> <li>4. Wagner C, <i>et al.</i> 2008. <i>Mol. Immunol.</i> 45:1761.</li> </ol>
<b>Gene ID</b>	<a href="#">3002</a> <a href="#">14939</a>


## Related Protocols

- [Surface and Intracellular Cytokine Staining for Flow Cytometry - Video](#)
- [Intracellular Flow Cytometry Staining Protocol](#)

## Other Formats

Purified anti-human/mouse Granzyme B Recombinant Antibody, APC anti-human/mouse Granzyme B Recombinant Antibody, FITC anti-human/mouse Granzyme B Recombinant Antibody, PE anti-human/mouse Granzyme B Recombinant Antibody, PE/Cyanine7 anti-human/mouse Granzyme B Recombinant Antibody, Alexa Fluor® 700 anti-human/mouse Granzyme B Recombinant Antibody, Pacific Blue™ anti-human/mouse Granzyme B Recombinant Antibody, PerCP/Cyanine5.5 anti-human/mouse Granzyme B Recombinant Antibody, PE/Dazzle™ 594 anti-human/mouse Granzyme B Recombinant Antibody, Alexa Fluor® 647 anti-human/mouse Granzyme B Recombinant Antibody, APC/Fire™ 750 anti-human/mouse Granzyme B Recombinant Antibody, PE/Cyanine5 anti-human/mouse Granzyme B Recombinant Antibody, APC/Cyanine7 anti-human/mouse Granzyme B Recombinant Antibody, PerCP/Fire™ 780 anti-human/mouse Granzyme B Recombinant Antibody

## Product Data



Human peripheral blood mononuclear cells were stained with CD8 Pacific Blue™, fixed and permeabilized, and then stained with Granzyme B PE (clone QA16A02, top) or mouse IgG1, κ PE isotype control (bottom).

For Research Use Only. Not for diagnostic or therapeutic use.

This product is supplied subject to the terms and conditions, including the limited license, located at [www.biolegend.com/terms](http://www.biolegend.com/terms) ("Terms") and may be used only as provided in the Terms. Without limiting the foregoing, BioLegend products may not be used for any Commercial Purpose as defined in the Terms, resold in any form, used in manufacturing, or reverse engineered, sequenced, or otherwise studied or used to learn its design or composition without express written approval of BioLegend. Regardless of the information given in this document, user is solely responsible for determining any license requirements necessary for user's intended use and assumes all risk and liability arising from use of the product. BioLegend is not responsible for patent infringement or any other risks or liabilities whatsoever resulting from the use of its products.

BioLegend, the BioLegend logo, and all other trademarks are property of BioLegend, Inc. or their respective owners, and all rights are reserved.

8999 BioLegend Way, San Diego, CA 92121 [www.biolegend.com](http://www.biolegend.com)  
Toll-Free Phone: 1-877-Bio-Legend (246-5343) Phone: (858) 768-5800 Fax: (877) 455-9587