

# CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

## CPU Mega List

Below is a list of all single and multiple socket CPU types that appear in the charts. By clicking the column CPUs, you can also filter your search by selecting one of the drop down categories or by using the range processor name will take you to the chart it appears in and will highlight it for you.

--	--	--	--	--	--

Last Updated: 6th of May 2024

Columns

Show  entries

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
	Min... Max...	Min... Max...	Min... Max...	Min... Max...	
<a href="#">AMD Ryzen Threadripper PRO</a>	96	154,658	3,952	350	sTR5

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">[Dual CPU] AMD EPYC 7J13</a>	64	119,134	2,594	NA	Unknown
<a href="#">AMD EPYC 9R14</a>	96	116,475	2,920	NA	Unknown
<a href="#">[Dual CPU] AMD EPYC 7643</a>	48	115,676	2,689	225	SP3
<a href="#">[Dual CPU] AMD EPYC 7763</a>	64	115,666	2,509	280	SP3
<a href="#">[Dual CPU] AMD EPYC 7T83</a>	64	114,770	2,532	280	SP3
<a href="#">[Dual CPU] AMD EPYC 9334</a>	32	114,216	3,075	NA	SP5
<a href="#">AMD EPYC 9654P</a>	96	113,949	2,616	360	SP5
<a href="#">[Dual CPU] AMD EPYC 7713</a>	64	113,896	2,575	225	SP3
<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3995WX</a>	64	113,693	2,559	280	sWRX8
<a href="#">[Dual CPU] AMD EPYC 9274F</a>	24	112,474	3,336	NA	SP5
<a href="#">[Dual CPU] Intel Xeon Platinum 8462Y+</a>	32	111,884	3,085	300	FCLGA4677
<a href="#">AMD EPYC 9554</a>	64	111,635	2,929	360	SP5
<a href="#">AMD EPYC 9554P</a>	64	109,858	2,932	360	SP5
<a href="#">[Dual CPU] AMD EPYC 7Y83</a>	64	108,281	2,622	280	SP3
<a href="#">[Dual CPU] AMD EPYC 9354</a>	32	108,029	2,727	280	SP5
<a href="#">AMD EPYC 9634</a>	84	107,944	2,924	290	SP5
<a href="#">[Dual CPU] Intel Xeon Gold 6448Y</a>	32	106,832	3,391	225	FCLGA4677
<a href="#">AMD EPYC 9474F</a>	48	105,003	3,183	360	SP5
<a href="#">[Dual CPU] AMD EPYC 7573X</a>	32	103,531	2,650	280	SP3
<a href="#">[Dual CPU] AMD EPYC 7773X</a>	64	103,367	2,379	280	SP3
<a href="#">[Dual CPU] AMD EPYC 7B12</a>	64	102,240	2,145	240	SP3
<a href="#">[Dual CPU] AMD EPYC 7K83</a>	64	102,053	2,458	NA	Unknown
<a href="#">[Dual CPU] AMD EPYC 75F3</a>	32	101,429	2,664	280	SP3
<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3975WX</a>	32	98,811	2,676	280	sWRX8
<a href="#">[Dual CPU] AMD EPYC 7543</a>	32	98,074	2,621	240	SP3
<a href="#">[Dual CPU] AMD EPYC 7H12</a>	64	97,573	2,022	280	SP3
<a href="#">[Dual CPU] AMD EPYC 7742</a>	64	97,501	2,157	225	SP3
<a href="#">[Dual CPU] AMD EPYC 7662</a>	64	97,178	2,089	225	SP3
<a href="#">AMD Ryzen Threadripper 7970X</a>	32	96,565	4,107	350	sTR5
<a href="#">[Dual CPU] AMD EPYC 7513</a>	32	96,409	2,730	200	SP3

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">[Dual CPU] AMD EPYC 9174F</a>	16	90,483	3,439	320	SP5
<a href="#">Intel Xeon Platinum 8470 @2.00GHz</a>	52	89,850	3,153	350	FCLGA4677
<a href="#">AMD EPYC 9534</a>	64	88,716	2,409	280	SP5
<a href="#">[Quad CPU] Intel Xeon Platinum 8176M @ 2.10GHz</a>	28	88,102	2,379	165	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Platinum 8368 @ 2.40GHz</a>	38	88,038	2,345	270	FCLGA4189
<a href="#">[Dual CPU] AMD EPYC 7443</a>	24	87,675	2,979	200	SP3
<a href="#">Intel Xeon Max 9480</a>	56	87,420	2,926	350	FCLGA4677
<a href="#">[Dual CPU] Intel Xeon Platinum 8375C @ 2.90GHz</a>	32	85,892	2,470	300	FCLGA4189
<a href="#">AMD EPYC 7J13</a>	64	84,786	2,450	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon Gold 6430</a>	32	84,745	2,622	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon Gold 6418H</a>	24	84,526	2,901	185	FCLGA4677
<a href="#">AMD EPYC 7763</a>	64	84,522	2,525	280	SP3
<a href="#">[Dual CPU] AMD EPYC 9184X</a>	16	84,253	3,222	320	SP5
<a href="#">[Quad CPU] Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	83,793	2,297	165	FCLGA3647
<a href="#">AMD Ryzen Threadripper PRO 3995WX</a>	64	83,709	2,599	280	sWRX8
<a href="#">AMD Ryzen Threadripper PRO 7965WX</a>	24	83,239	4,093	350	sTR5
<a href="#">AMD Ryzen Threadripper 7960X</a>	24	82,987	4,067	350	sTR5
<a href="#">[Dual CPU] Intel Xeon Gold 5418Y</a>	24	82,949	3,106	185	FCLGA4677
<a href="#">AMD EPYC 7663</a>	56	82,883	2,616	240	SP3
<a href="#">AMD EPYC 7V13</a>	64	82,878	2,729	240	SP3
<a href="#">[Dual CPU] Intel Xeon Platinum 8358 @ 2.60GHz</a>	32	82,733	2,336	250	FCLGA4189
<a href="#">AMD EPYC 7713</a>	64	82,666	2,637	225	SP3
<a href="#">[Dual CPU] Intel Xeon Gold 6444Y</a>	16	82,257	3,326	270	FCLGA4677
<a href="#">[Dual CPU] AMD EPYC 7532</a>	32	82,196	2,139	200	SP3
<a href="#">[Dual CPU] Intel Xeon Platinum 8358P @ 2.60GHz</a>	32	82,052	2,378	240	FCLGA4189
<a href="#">[Dual CPU] Intel Xeon Platinum</a>	32	81,817	2,439	250	FCLGA4189

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">@ 2.60GHz</a>					
<a href="#">[Dual CPU] Intel Xeon Gold 6548Y+</a>	32	75,088	2,044	205	FCLGA4677
<a href="#">[Dual CPU] AMD EPYC 7413</a>	24	74,990	2,248	180	SP3
<a href="#">Intel Xeon Platinum 8461V</a>	48	74,982	2,855	300	FCLGA4677
<a href="#">[Dual CPU] Intel Xeon Platinum 8336C</a>	32	74,875	2,054	230	FCLGA4189
<a href="#">[Dual CPU] AMD EPYC 7R32</a>	48	74,520	1,918	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon Gold 6342 @ 2.80GHz</a>	24	74,003	2,376	230	FCLGA4189
<a href="#">[Dual CPU] AMD EPYC 7343</a>	16	73,934	2,806	190	SP3
<a href="#">[Dual CPU] AMD EPYC 7542</a>	32	73,885	2,073	225	SP3
<a href="#">AMD EPYC 9274F</a>	24	73,463	3,347	NA	SP5
<a href="#">[Quad CPU] Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	72,905	2,379	150	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6526Y</a>	16	72,849	3,207	195	FCLGA4677
<a href="#">AMD EPYC 7662</a>	64	72,653	2,117	225	SP3
<a href="#">[Dual CPU] AMD EPYC 73F3</a>	16	72,363	2,831	240	SP3
<a href="#">[Dual CPU] AMD EPYC 7552</a>	48	72,235	1,527	200	SP3
<a href="#">[Dual CPU] Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	71,984	2,534	185	FCLGA4189
<a href="#">AMD EPYC 7573X</a>	32	70,868	2,663	280	SP3
<a href="#">AMD EPYC 7702</a>	64	69,872	2,086	200	SP3
<a href="#">AMD EPYC 7H12</a>	64	69,633	1,774	280	SP3
<a href="#">[Dual CPU] Intel Xeon Gold 6426Y</a>	16	69,543	3,128	185	FCLGA4677
<a href="#">AMD EPYC 7742</a>	64	69,183	2,160	225	SP3
<a href="#">[Quad CPU] Intel Xeon E7-8890 v4 @ 2.20GHz</a>	24	69,143	2,175	165	LGA2011-v3
<a href="#">AMD EPYC 9254</a>	24	68,988	3,259	200	SP5
<a href="#">[Dual CPU] Intel Xeon Platinum 8352Y @ 2.20GHz</a>	32	68,643	1,913	205	FCLGA4189
<a href="#">[Dual CPU] Intel Xeon Gold 6338 @ 2.00GHz</a>	32	68,563	2,185	205	FCLGA4189
<a href="#">AMD EPYC 75F3</a>	32	68,505	2,775	280	SP3
<a href="#">Intel Xeon Platinum 8571N</a>	52	68,385	1,969	300	FCLGA4677

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">@ 3.00GHz</a>					
<a href="#">Intel Xeon w9-3475X</a>	36	65,288	3,465	300	FCLGA4677
<a href="#">[Quad CPU] Intel Xeon Gold 6226 @ 2.70GHz</a>	12	64,957	2,260	125	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Silver 4416+</a>	20	64,909	2,676	165	FCLGA4677
<a href="#">AMD EPYC 9334</a>	32	64,841	2,367	NA	SP5
<a href="#">AMD EPYC 7R32</a>	48	64,727	1,922	NA	Unknown
<a href="#">Intel Core i9-14900KS</a>	24	64,406	4,924	150	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon Platinum 8280 @ 2.70GHz</a>	28	64,291	2,356	205	FCLGA3647
<a href="#">[Quad CPU] Intel Xeon Gold 6136 @ 3.00GHz</a>	12	64,289	2,176	150	FCLGA3647
<a href="#">[Quad CPU] Intel Xeon Gold 6150 @ 2.70GHz</a>	18	64,115	1,921	165	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6258R @ 2.70GHz</a>	28	63,984	2,346	205	FCLGA3647
<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3955WX</a>	16	63,885	2,439	280	sWRX8
<a href="#">AMD EPYC 7702P</a>	64	63,633	2,110	200	SP3
<a href="#">[Dual CPU] Intel Xeon Gold 5416S</a>	16	63,499	3,310	150	FCLGA4677
<a href="#">[Dual CPU] AMD EPYC 7402</a>	24	63,380	1,952	180	SP3
<a href="#">AMD Ryzen Threadripper 3970X</a>	32	63,276	2,667	280	sTRX4
<a href="#">AMD Ryzen Threadripper PRO 3975WX</a>	32	62,990	2,660	280	sWRX8
<a href="#">AMD Ryzen 9 7950X</a>	16	62,927	4,288	170	AM5
<a href="#">AMD EPYC 9224</a>	24	62,900	2,943	200	Unknown
<a href="#">AMD EPYC 7543</a>	32	62,569	2,669	240	SP3
<a href="#">Intel Xeon Platinum 8454H</a>	32	62,530	2,839	270	FCLGA4677
<a href="#">AMD Ryzen 9 7950X3D</a>	16	62,526	4,147	120	AM5
<a href="#">Intel Xeon Platinum 8380 @ 2.30GHz</a>	40	62,318	2,385	270	FCLGA4189
<a href="#">AMD EPYC 8434P</a>	48	62,182	2,445	200	SP6
<a href="#">[Dual CPU] Intel Xeon Platinum 8268 @ 2.90GHz</a>	24	62,130	2,347	205	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6330 @ 2.00GHz</a>	28	62,066	1,790	205	FCLGA4189

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">[Dual CPU] Intel Xeon Platinum 8180 @ 2.50GHz</a>	28	59,385	2,133	205	FCLGA3647
<a href="#">Intel Core i9-13900K</a>	24	59,331	4,634	125	FCLGA1700
<a href="#">AMD EPYC 7513</a>	32	59,285	2,442	200	SP3
<a href="#">AMD EPYC 7473X</a>	24	59,280	2,751	240	SP3
<a href="#">Intel Xeon w7-2495X</a>	24	59,227	3,614	225	FCLGA4677
<a href="#">[Dual CPU] Intel Xeon Gold 5318Y @ 2.10GHz</a>	24	59,185	2,106	165	FCLGA4189
<a href="#">Intel Xeon W-3375 @ 2.50GHz</a>	38	59,069	2,643	270	FCLGA4189
<a href="#">Intel Xeon W-3365 @ 2.70GHz</a>	32	59,038	2,625	270	FCLGA4189
<a href="#">AMD Ryzen 9 7945HX3D</a>	16	58,829	4,165	55	FL1
<a href="#">Intel Xeon Gold 6421N</a>	32	58,797	2,978	185	FCLGA4677
<a href="#">Intel Core i9-13900KF</a>	24	58,677	4,625	125	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon Platinum 8171M @ 2.60GHz</a>	26	57,780	2,109	165	FCLGA3647
<a href="#">Intel Xeon Gold 5420+</a>	28	57,593	3,418	205	FCLGA4677
<a href="#">Intel Xeon Gold 6423N</a>	28	57,434	2,998	195	FCLGA4677
<a href="#">[Dual CPU] AMD EPYC 7551</a>	32	57,388	1,755	180	SP3
<a href="#">[Quad CPU] Intel Xeon E7-8895 v2 @ 2.80GHz</a>	15	57,307	2,010	155	FCLGA2011
<a href="#">Intel Xeon Gold 6414U</a>	32	57,200	2,610	250	FCLGA4677
<a href="#">AMD EPYC 7443P</a>	24	57,193	2,915	200	SP3
<a href="#">Intel Xeon w7-3455</a>	24	57,164	3,350	270	FCLGA4677
<a href="#">[Dual CPU] Intel Xeon Gold 6238R @ 2.20GHz</a>	28	57,049	2,152	165	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6346 @ 3.10GHz</a>	16	56,721	2,448	205	FCLGA4189
<a href="#">[Dual CPU] Intel Xeon Gold 6240R @ 2.40GHz</a>	24	55,974	2,358	165	FCLGA3647
<a href="#">AMD EPYC 7443</a>	24	55,901	2,900	200	SP3
<a href="#">Intel Xeon Platinum 8375C @ 2.90GHz</a>	32	55,705	2,479	300	FCLGA4189
<a href="#">AMD EPYC 9174F</a>	16	55,485	3,318	320	SP5
<a href="#">Intel Xeon w7-2475X</a>	20	55,354	3,706	225	FCLGA4677
<a href="#">[Dual CPU] Intel Xeon Platinum</a>	24	55,297	2,472	165	FCLGA3647

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks ▼

<a href="#">2.40GHz</a>					
<a href="#">[Dual CPU] Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	54,073	1,989	165	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6254 @ 3.10GHz</a>	18	53,981	2,338	200	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6326 @ 2.90GHz</a>	16	53,888	2,354	185	FCLGA4189
<a href="#">[Dual CPU] Intel Xeon Platinum 8176 @ 2.10GHz</a>	28	53,835	2,040	165	FCLGA3647
<a href="#">[Dual CPU] AMD EPYC 7282</a>	16	53,774	2,055	120	SP3
<a href="#">[Dual CPU] Intel Xeon Silver 4316 @ 2.30GHz</a>	20	53,687	2,150	150	FCLGA4189
<a href="#">Intel Core i7-14700K</a>	20	53,676	4,482	125	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon Gold 6242R @ 3.10GHz</a>	20	53,595	2,380	205	FCLGA3647
<a href="#">[Dual CPU] AMD EPYC 7601</a>	32	53,468	1,757	180	SP3
<a href="#">Intel Core i7-14700KF</a>	20	53,445	4,481	125	FCLGA1700
<a href="#">[Quad CPU] Intel Xeon E5-4667 v4 @ 2.20GHz</a>	18	53,402	1,584	135	FCLGA2011-3
<a href="#">[Dual CPU] Intel Xeon Platinum 8160M @ 2.10GHz</a>	24	53,398	2,217	150	FCLGA3647
<a href="#">AMD EPYC 8324P</a>	32	53,373	2,366	180	SP6
<a href="#">AMD Ryzen 9 7940HX</a>	16	53,113	3,923	55	AM5 (LGA 1719)
<a href="#">AMD EPYC 7532</a>	32	53,051	2,043	200	SP3
<a href="#">Intel Xeon Gold 5412U</a>	24	52,942	3,140	185	FCLGA4677
<a href="#">Intel Xeon Gold 6438N</a>	32	52,789	2,315	205	FCLGA4677
<a href="#">[Dual CPU] Intel Xeon Gold 6230R @ 2.10GHz</a>	26	52,596	2,313	150	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Platinum 8270CL @ 2.70GHz</a>	26	52,386	2,382	205	FCLGA3647
<a href="#">Intel Xeon Gold 6348 @ 2.60GHz</a>	28	52,276	2,459	235	FCLGA4189
<a href="#">AMD EPYC 7F72</a>	24	52,110	2,370	240	SP3
<a href="#">[Dual CPU] Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	52,066	2,065	165	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6266C @ 3.00GHz</a>	22	51,998	1,970	205	FCLGA3647

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">@ 2.30GHz</a>					
<a href="#">AMD Ryzen Threadripper PRO 5955WX</a>	16	50,023	3,337	280	sWRX8
<a href="#">[Dual CPU] AMD EPYC 72F3</a>	8	50,017	3,034	180	SP3
<a href="#">[Dual CPU] Intel Xeon Gold 6252 @ 2.10GHz</a>	24	49,891	2,255	150	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	49,872	2,401	205	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Silver 4514Y</a>	16	49,792	2,235	150	FCLGA4677
<a href="#">[Dual CPU] Intel Xeon Gold 6154 @ 3.00GHz</a>	18	49,715	2,190	200	FCLGA3647
<a href="#">AMD Ryzen Threadripper PRO 7945WX</a>	12	49,603	4,093	350	sTR5
<a href="#">Intel Core i9-14900F</a>	24	49,584	4,564	65	FCLGA1700
<a href="#">Apple M2 Ultra 24 Core</a>	24	49,573	4,171	NA	Unknown
<a href="#">Intel Xeon Platinum 8347C @ 2.10GHz</a>	36	49,386	2,445	210	LGA4189
<a href="#">[Dual CPU] Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	49,282	2,037	150	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6252N @ 2.30GHz</a>	24	49,269	1,942	150	FCLGA3647
<a href="#">AMD EPYC 7K62</a>	48	49,104	2,093	NA	SP3
<a href="#">[Dual CPU] Intel Xeon Silver 4410Y</a>	12	49,077	3,147	150	FCLGA4677
<a href="#">[Dual CPU] Intel Xeon Silver 4410T</a>	10	49,016	3,013	150	FCLGA4677
<a href="#">Intel Core i9-14900</a>	24	48,968	4,613	65	FCLGA1700
<a href="#">AMD EPYC 7R12</a>	48	48,934	2,079	200	SP3
<a href="#">AMD Ryzen 9 7900</a>	12	48,788	4,153	65	AM5
<a href="#">[Dual CPU] Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	48,775	2,019	NA	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Platinum 8252C @ 3.80GHz</a>	12	48,676	2,683	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon Gold 6246R @ 3.40GHz</a>	16	48,396	2,402	205	FCLGA3647
<a href="#">Intel Xeon Gold 6314U @ 2.30GHz</a>	32	48,013	2,217	205	FCLGA4189
<a href="#">Intel Core i9-13900</a>	24	47,999	4,348	65	FCLGA1700
<a href="#">AMD EPYC 7452</a>	32	47,951	1,980	155	SP3



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">@ 2.10GHz</a>					
<a href="#">Intel Xeon Platinum 8368Q @ 2.60GHz</a>	38	46,681	2,568	270	FCLGA4189
<a href="#">Intel Xeon w5-3435X</a>	16	46,623	3,476	324	FCLGA4677
<a href="#">Intel Core i7-13700K</a>	16	46,539	4,365	125	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon Gold 6143 @ 2.80GHz</a>	16	46,473	2,392	205	FCLGA3647
<a href="#">Intel Xeon Gold 6338N @ 2.20GHz</a>	32	46,443	2,165	185	FCLGA4189
<a href="#">Intel Core i7-13700KF</a>	16	46,356	4,355	125	FCLGA1700
<a href="#">Intel Core i7-14700</a>	20	46,351	4,233	65	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon Gold 6152 @ 2.10GHz</a>	22	46,151	2,048	140	FCLGA3647
<a href="#">Intel Core i7-13790F</a>	16	46,110	4,171	65	FCLGA1700
<a href="#">AMD EPYC 73F3</a>	16	46,103	2,883	240	SP3
<a href="#">AMD EPYC 7402</a>	24	46,028	2,127	180	SP3
<a href="#">Intel Xeon Gold 6526Y</a>	16	46,025	3,242	195	FCLGA4677
<a href="#">[Quad CPU] Intel Xeon E7-8867 v3 @ 2.50GHz</a>	16	46,001	1,730	165	FCLGA2011
<a href="#">AMD Ryzen 9 7845HX</a>	12	45,945	3,984	55	FL1
<a href="#">Intel Xeon W-3345 @ 3.00GHz</a>	24	45,694	2,426	250	FCLGA4189
<a href="#">[Dual CPU] Intel Xeon Silver 4314 @ 2.40GHz</a>	16	45,686	2,204	135	FCLGA4189
<a href="#">AMD Ryzen 9 5950X</a>	16	45,673	3,468	105	AM4
<a href="#">Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	45,517	2,522	185	FCLGA4189
<a href="#">Intel Xeon w7-3445</a>	20	45,188	3,108	270	FCLGA4677
<a href="#">Intel Xeon Silver 4416+</a>	20	45,127	3,222	165	FCLGA4677
<a href="#">[Quad CPU] Intel Xeon E7-4890 v2 @ 2.80GHz</a>	15	45,066	1,798	155	LGA 2011-1
<a href="#">Intel Core i7-14700F</a>	20	44,907	4,343	65	FCLGA1700
<a href="#">Intel Xeon Gold 6538N</a>	32	44,895	1,725	205	FCLGA4677
<a href="#">[Dual CPU] Intel Xeon Gold 6230 @ 2.10GHz</a>	20	44,839	2,120	125	FCLGA3647
<a href="#">Intel Core i9-13900HX</a>	24	44,659	4,148	55	FCBGA1964
<a href="#">[Dual CPU] Intel Xeon Gold 5415+</a>	8	44,535	3,232	150	FCLGA4677
<a href="#">Intel Xeon Gold 5418Y</a>	24	44,487	1,961	185	FCLGA4677

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">@ 2.00GHz</a>					
<a href="#">Intel Xeon Gold 6330 @ 2.00GHz</a>	28	43,056	2,034	205	FCLGA4189
<a href="#">AMD EPYC 7D12</a>	32	42,762	1,892	85	Unknown
<a href="#">[Dual CPU] Intel Xeon Gold 6246 @ 3.30GHz</a>	12	42,206	2,490	165	FCLGA3647
<a href="#">Intel Xeon Gold 6312U @ 2.40GHz</a>	24	42,124	2,344	185	FCLGA4189
<a href="#">AMD EPYC 7313P</a>	16	42,032	2,704	155	SP3
<a href="#">[Dual CPU] Intel Xeon Gold 5220 @ 2.20GHz</a>	18	41,925	2,211	125	FCLGA3647
<a href="#">Intel Xeon Gold 6426Y</a>	16	41,625	3,035	185	FCLGA4677
<a href="#">Intel Xeon W-3275 @ 2.50GHz</a>	28	41,554	2,718	205	FCLGA3647
<a href="#">Intel Xeon Gold 6354 @ 3.00GHz</a>	18	41,445	2,450	205	FCLGA4189
<a href="#">[Dual CPU] Intel Xeon E5-2696 v4 @ 2.20GHz</a>	22	41,412	2,129	150	FCLGA2011-3
<a href="#">Intel Core i9-12900K</a>	16	41,369	4,172	241	FCLGA1700
<a href="#">Intel Core i9-12900KF</a>	16	41,150	4,167	241	FCLGA1700
<a href="#">[Quad CPU] Intel Xeon E5-4650 v4 @ 2.20GHz</a>	14	41,126	1,628	105	FCLGA2011-3
<a href="#">[Dual CPU] Intel Xeon Gold 5218N @ 2.30GHz</a>	16	41,082	1,785	110	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 5218R @ 2.10GHz</a>	20	41,071	2,195	125	FCLGA3647
<a href="#">Apple M1 Ultra 20 Core</a>	20	41,025	3,867	60	Unknown
<a href="#">[Dual CPU] Intel Xeon Gold 6242 @ 2.80GHz</a>	16	40,853	2,184	150	FCLGA3647
<a href="#">Intel Xeon Platinum 8275CL @ 3.00GHz</a>	24	40,794	2,386	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon Gold 6122 @ 1.80GHz</a>	20	40,707	2,202	120	FCLGA3647
<a href="#">[Quad CPU] Intel Xeon Gold 6134 @ 3.20GHz</a>	8	40,698	2,221	130	FCLGA3647
<a href="#">AMD Ryzen Threadripper PRO 5945WX</a>	12	40,670	3,352	280	sWRX8
<a href="#">Intel Xeon Gold 6416H</a>	18	40,606	2,860	165	FCLGA4677
<a href="#">Intel Core i9-14900T</a>	24	40,485	4,201	35	FCLGA1700
<a href="#">Apple M3 Max 16 Core</a>	16	40,384	4,780	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">@ 2.50GHz</a>					
<a href="#">Intel Xeon W-3335 @ 3.40GHz</a>	16	39,293	2,673	250	FCLGA4189
<a href="#">Intel Core i5-14600K</a>	14	39,245	4,290	125	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon E5-2698 v4 @ 2.20GHz</a>	20	39,207	2,092	135	FCLGA2011-3
<a href="#">Intel Core i7-13700F</a>	16	39,191	4,138	65	FCLGA1700
<a href="#">AMD Ryzen 9 5900X</a>	12	39,188	3,471	105	AM4
<a href="#">AMD EPYC 7313</a>	16	39,091	2,417	155	SP3
<a href="#">Intel Xeon W-3275M @ 2.50GHz</a>	28	38,930	2,709	205	FCLGA3647
<a href="#">AMD Ryzen 9 3950X</a>	16	38,802	2,705	105	AM4
<a href="#">Intel Core i7-14650HX</a>	16	38,580	3,891	157	FCBGA1964
<a href="#">AMD EPYC 7551P</a>	32	38,362	1,780	180	SP3
<a href="#">Intel Xeon Platinum 8180 @ 2.50GHz</a>	28	38,259	2,142	205	FCLGA3647
<a href="#">Intel Core i7-13850HX</a>	20	38,212	3,853	55	FCBGA1964
<a href="#">[Dual CPU] Intel Xeon Gold 6146 @ 3.20GHz</a>	12	38,208	2,340	165	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon E5-2697 v4 @ 2.30GHz</a>	18	38,140	2,105	145	FCLGA2011-3
<a href="#">Intel Core i5-13600K</a>	14	38,112	4,151	125	FCLGA1700
<a href="#">Intel Core i7-14700HX</a>	20	38,065	3,928	55	FCBGA1964
<a href="#">[Dual CPU] Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	37,891	2,055	135	FCLGA2011-3
<a href="#">Intel Core i5-13600KF</a>	14	37,883	4,139	125	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon E7-8880 v4 @ 2.20GHz</a>	22	37,875	1,647	150	FCLGA2011
<a href="#">Intel Xeon w5-2455X</a>	12	37,874	3,557	200	FCLGA4677
<a href="#">Intel Xeon Gold 6346 @ 3.10GHz</a>	16	37,722	2,479	205	FCLGA4189
<a href="#">Intel Core i7-13700</a>	16	37,608	4,145	65	FCLGA1700
<a href="#">Intel Xeon Gold 5320 @ 2.20GHz</a>	26	37,558	1,826	185	FCLGA4189
<a href="#">[Dual CPU] Intel Xeon Gold 6149 @ 3.10GHz</a>	16	37,551	2,057	NA	FCLGA3647
<a href="#">Intel Xeon Gold 6238R @ 2.20GHz</a>	28	37,511	2,362	165	FCLGA3647
<a href="#">Intel Xeon W-3175X @ 3.10GHz</a>	28	37,167	2,148	255	FCLGA3647
<a href="#">Intel Core i9-12900F</a>	16	36,981	4,070	65	FCLGA1700

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">AMD EPYC 8124P</a>	16	35,766	2,369	125	SP6
<a href="#">Intel Xeon Gold 6248R @ 3.00GHz</a>	24	35,626	2,286	205	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6130H @ 2.10GHz</a>	16	35,440	2,229	125	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon E5-2695 v4 @ 2.10GHz</a>	18	35,277	1,915	120	FCLGA2011-3
<a href="#">Intel Xeon Gold 6326 @ 2.90GHz</a>	16	35,224	2,338	185	FCLGA4189
<a href="#">[Dual CPU] Intel Xeon Gold 6250 @ 3.90GHz</a>	8	35,164	2,705	185	FCLGA3647
<a href="#">Intel Core i9-12900TE</a>	16	35,057	3,926	35	FCLGA1700
<a href="#">Intel Xeon Gold 6242R @ 3.10GHz</a>	20	34,963	2,424	205	FCLGA3647
<a href="#">[Dual CPU] AMD EPYC 7252</a>	8	34,911	2,095	120	SP3
<a href="#">[Dual CPU] Intel Xeon Gold 5218T @ 2.10GHz</a>	16	34,851	1,992	105	Unknown
<a href="#">AMD Ryzen 7 PRO 7745</a>	8	34,767	4,101	65	AM5 (LGA 1719)
<a href="#">[Dual CPU] Intel Xeon Gold 6334 @ 3.60GHz</a>	8	34,757	2,516	165	FCLGA4189
<a href="#">AMD Ryzen 9 PRO 5945</a>	12	34,756	3,501	NA	AM4
<a href="#">Intel Core i7-13700E</a>	16	34,728	3,272	65	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon Gold 6132 @ 2.60GHz</a>	14	34,657	2,188	140	FCLGA3647
<a href="#">Intel Core i7-12700K</a>	12	34,636	4,035	190	FCLGA1700
<a href="#">AMD Ryzen 7 7700</a>	8	34,605	4,064	65	AM5
<a href="#">Intel Core i9-12900HX</a>	16	34,595	3,861	55	FCBGA1964
<a href="#">[Dual CPU] Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	34,583	1,787	150	LGA2011-1
<a href="#">Intel Core i5-14600</a>	14	34,544	4,045	65	FCLGA1700
<a href="#">Intel Xeon Platinum 8268 @ 2.90GHz</a>	24	34,483	2,255	205	FCLGA3647
<a href="#">Intel Core i7-12700KF</a>	12	34,454	4,020	190	FCLGA1700
<a href="#">AMD Ryzen 9 5900</a>	12	34,392	3,449	65	AM4
<a href="#">AMD Ryzen 7 7800X3D</a>	8	34,363	3,756	120	AM5
<a href="#">Intel Core i9-12900</a>	16	34,353	4,051	65	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon Gold 5218 @ 2.30GHz</a>	16	34,232	2,131	125	FCLGA3647

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">@ 2.30GHz</a>					
<a href="#">Intel Xeon Gold 6230R @ 2.10GHz</a>	26	33,724	2,236	150	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6244 @ 3.60GHz</a>	8	33,625	2,559	150	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6248 @ 2.50GHz</a>	20	33,619	1,931	150	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Silver 4310 @ 2.10GHz</a>	12	33,582	1,925	120	FCLGA4189
<a href="#">AMD Ryzen Threadripper PRO 3945WX</a>	12	33,506	2,702	280	sWRX8
<a href="#">Intel Xeon Gold 5220R @ 2.20GHz</a>	24	33,370	2,399	150	FCLGA3647
<a href="#">Intel Xeon Gold 6240R @ 2.40GHz</a>	24	33,353	2,312	165	FCLGA3647
<a href="#">Intel Xeon Gold 5318Y @ 2.10GHz</a>	24	33,283	2,083	165	FCLGA4189
<a href="#">AMD EPYC 7302</a>	16	33,002	2,013	155	SP3
<a href="#">[Dual CPU] Intel Xeon E5-2696 v3 @ 2.30GHz</a>	18	32,981	2,061	145	LGA2011-v3
<a href="#">AMD Ryzen 7 PRO 8700GE</a>	8	32,862	3,959	35	AM5
<a href="#">Intel Core i9-10980XE @ 3.00GHz</a>	18	32,856	2,650	165	FCLGA2066
<a href="#">AMD Ryzen 7 7745HX</a>	8	32,838	3,959	55	AM5 (LGA 1719)
<a href="#">Intel Xeon Gold 6278C @ 2.60GHz</a>	26	32,835	2,019	185	FCLGA3647
<a href="#">Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	32,811	2,096	205	FCLGA3647
<a href="#">Intel Xeon Platinum 8280 @ 2.70GHz</a>	28	32,781	2,029	205	FCLGA3647
<a href="#">AMD Ryzen 9 3900XT</a>	12	32,739	2,749	105	AM4
<a href="#">AMD Ryzen 9 3900X</a>	12	32,657	2,707	105	AM4
<a href="#">Intel Core i5-14500</a>	14	32,648	4,003	154	FCLGA1700
<a href="#">Intel Core i7-12800HX</a>	16	32,640	3,767	55	FCBGA1964
<a href="#">AMD EPYC 7302P</a>	16	32,612	1,870	155	SP3
<a href="#">AMD Ryzen 7 PRO 8700G</a>	8	32,522	3,998	65	AM5
<a href="#">AMD Ryzen Threadripper 2990WX</a>	32	32,492	2,294	250	sTR4
<a href="#">Intel Core i9-12950HX</a>	16	32,449	3,826	55	FCBGA1964
<a href="#">Intel Core i5-13600</a>	14	32,389	4,056	65	FCLGA1700
<a href="#">[Quad CPU] Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	32,381	2,013	130	FCLGA2011

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">@ 2.30GHz</a>					
<a href="#">Intel Core i9-13900HK</a>	14	31,483	4,022	45	FCBGA1744
<a href="#">[Dual CPU] Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	31,474	1,626	135	FCLGA2011-3
<a href="#">Intel Xeon Silver 4316 @ 2.30GHz</a>	20	31,341	1,928	150	FCLGA4189
<a href="#">Intel Xeon Platinum 8259CL @ 2.50GHz</a>	24	31,142	1,955	210	LGA 3647
<a href="#">AMD EPYC 7371</a>	16	31,094	2,377	NA	SP3
<a href="#">Intel Core i7-12850HX</a>	16	30,863	3,718	55	FCBGA1964
<a href="#">AMD Ryzen 9 3900</a>	12	30,836	2,619	65	AM4
<a href="#">Intel Core i7-12700</a>	12	30,831	3,916	65	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon Platinum 8153 @ 2.00GHz</a>	16	30,722	1,643	125	FCLGA3647
<a href="#">Intel Xeon W-2295 @ 3.00GHz</a>	18	30,721	2,620	165	FCLGA2066
<a href="#">AMD Ryzen 9 7940H</a>	8	30,710	4,028	54	FP7 FP7r2 FP
<a href="#">Intel Core i7-12700F</a>	12	30,652	3,877	65	FCLGA1700
<a href="#">Intel Xeon W-3245 @ 3.20GHz</a>	16	30,638	2,571	205	FCLGA3647
<a href="#">Intel Xeon Platinum 8171M @ 2.60GHz</a>	26	30,632	2,222	165	FCLGA3647
<a href="#">Intel Core i9-9960X @ 3.10GHz</a>	16	30,563	2,614	165	FCLGA2066
<a href="#">Intel Core i5-14500HX</a>	14	30,549	3,812	55	FCBGA1964
<a href="#">AMD EPYC Embedded 7292P</a>	16	30,542	2,091	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon Platinum 8253 @ 2.20GHz</a>	16	30,507	1,754	125	FCLGA3647
<a href="#">AMD Ryzen 9 7940HS</a>	8	30,501	3,912	54	FP7 FP7r2 FP
<a href="#">[Dual CPU] Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	30,483	1,825	120	FCLGA2011-3
<a href="#">Intel Xeon Gold 6246R @ 3.40GHz</a>	16	30,468	2,341	205	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6126 @ 2.60GHz</a>	12	30,397	2,109	125	FCLGA3647
<a href="#">Intel Core i9-13905H</a>	14	30,392	3,663	45	FCBGA1792
<a href="#">Intel Xeon Gold 6254 @ 3.10GHz</a>	18	30,381	2,376	200	FCLGA3647
<a href="#">Intel Xeon E-2488</a>	8	30,368	4,276	95	FCLGA1700
<a href="#">Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	30,347	2,239	165	FCLGA3647

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">@ 2.20GHz</a>					
<a href="#">Intel Xeon Gold 6248 @ 2.50GHz</a>	20	29,504	2,291	150	FCLGA3647
<a href="#">Intel Core i7-12700E</a>	12	29,384	3,777	65	FCLGA1700
<a href="#">AMD Ryzen Threadripper 2950X</a>	16	29,378	2,457	180	sTR4
<a href="#">Intel Xeon Silver 4314 @ 2.40GHz</a>	16	29,346	2,238	135	FCLGA4189
<a href="#">Intel Core i9-13900H</a>	14	29,233	3,866	45	FCBGA1744
<a href="#">Intel Core i5-13500HX</a>	14	29,102	3,623	55	FCBGA1964
<a href="#">[Dual CPU] Intel Xeon Silver 4214R @ 2.40GHz</a>	12	29,080	1,989	100	FCLGA3647
<a href="#">AMD Ryzen 9 8945HS</a>	8	29,058	3,839	45	FP7 FP7r2 FP
<a href="#">Intel Xeon w5-3423</a>	12	29,024	3,047	270	FCLGA4677
<a href="#">AMD Ryzen 7 7840HS</a>	8	29,009	3,789	54	FP7 FP7r2 FP
<a href="#">Intel Xeon Gold 6148 @ 2.40GHz</a>	20	28,999	2,156	150	FCLGA3647
<a href="#">AMD Ryzen 7 8845HS</a>	8	28,989	3,764	45	FP7 FP7r2 FP
<a href="#">Intel Xeon Gold 6210U @ 2.50GHz</a>	20	28,915	2,203	150	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6234 @ 3.30GHz</a>	8	28,888	2,402	130	FCLGA3647
<a href="#">Intel Xeon Silver 4410T</a>	10	28,859	3,094	150	FCLGA4677
<a href="#">[Dual CPU] Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	28,840	2,075	160	FCLGA2011-3
<a href="#">Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	28,825	2,077	150	FCLGA3647
<a href="#">Intel Core i5-13600HX</a>	14	28,758	3,834	55	FCBGA1964
<a href="#">Intel Core i9-7960X @ 2.80GHz</a>	16	28,754	2,504	165	FCLGA2066
<a href="#">Intel Xeon Gold 6238 @ 2.10GHz</a>	22	28,668	1,878	140	FCLGA3647
<a href="#">Intel Xeon Gold 6154 @ 3.00GHz</a>	18	28,632	2,239	200	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 6134 @ 3.20GHz</a>	8	28,563	2,203	130	FCLGA3647
<a href="#">AMD Ryzen 5 7600X</a>	6	28,561	4,155	105	AM5
<a href="#">Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	28,549	2,311	205	FCLGA3647
<a href="#">Intel Core Ultra 9 185H</a>	16	28,484	3,761	45	FCBGA2049
<a href="#">[Dual CPU] Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	28,481	1,957	120	FCLGA2011-3
<a href="#">AMD Ryzen 7 7840H</a>	8	28,468	3,729	54	FP7 FP7r2 FP

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon W-2195 @ 2.30GHz</a>	18	27,907	2,443	140	FCLGA2066
<a href="#">Intel Xeon W-2275 @ 3.30GHz</a>	14	27,895	2,748	165	FCLGA2066
<a href="#">Intel Core i9-12900HK</a>	14	27,881	3,674	45	FCBGA1744
<a href="#">Intel Core i9-10940X @ 3.30GHz</a>	14	27,860	2,669	165	FCLGA2066
<a href="#">Intel Xeon E-2468</a>	8	27,806	4,126	65	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	27,797	1,748	105	FCLGA2011-3
<a href="#">Intel Core i5-12600K</a>	10	27,740	3,953	150	FCLGA1700
<a href="#">AMD Ryzen Threadripper 2990X</a>	32	27,606	2,259	250	TR4
<a href="#">Apple M3 Pro 12 Core</a>	12	27,585	4,817	NA	Unknown
<a href="#">AMD Ryzen Threadripper 1950X</a>	16	27,574	2,276	180	sTR4
<a href="#">AMD Ryzen 7 PRO 8840HS</a>	8	27,510	3,771	28	FP7 FP7r2 FP
<a href="#">Intel Xeon Gold 6212U @ 2.40GHz</a>	24	27,470	2,013	165	FCLGA3647
<a href="#">Intel Core i5-13490F</a>	10	27,467	3,899	65	FCLGA1700
<a href="#">AMD EPYC 7571</a>	32	27,445	1,934	120	SP3
<a href="#">Intel Core i7-13700H</a>	14	27,443	3,663	45	FCBGA1744
<a href="#">Intel Core i5-12600KF</a>	10	27,437	3,934	150	FCLGA1700
<a href="#">Intel Xeon Gold 5317 @ 3.00GHz</a>	12	27,387	2,361	150	FCLGA4189
<a href="#">Intel Xeon Gold 6150 @ 2.70GHz</a>	18	27,337	2,144	165	FCLGA3647
<a href="#">Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	27,336	2,091	NA	FCLGA3647
<a href="#">Intel Core i7-13800H</a>	14	27,313	3,596	45	FCBGA1744
<a href="#">Intel Xeon D-2775TE @ 2.00GHz</a>	16	27,299	2,203	100	FCBGA2579
<a href="#">AMD EPYC 72F3</a>	8	27,252	3,070	180	SP3
<a href="#">AMD Ryzen 5 PRO 7645</a>	6	27,250	3,894	65	AM5 (LGA 1719)
<a href="#">Intel Core i7-13700T</a>	16	27,247	3,894	35	FCLGA1700
<a href="#">AMD Ryzen 5 7600</a>	6	27,226	3,924	65	AM5 (LGA 1719)
<a href="#">Intel Xeon Gold 6252 @ 2.10GHz</a>	24	27,148	1,883	150	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	27,097	1,921	105	FCLGA2011-3
<a href="#">Intel Xeon Gold 6208U @ 2.90GHz</a>	16	27,085	2,265	150	FCLGA3647
<a href="#">Intel Xeon Gold 6230 @ 2.10GHz</a>	20	27,069	2,269	125	FCLGA3647
<a href="#">[Quad CPU] Intel Xeon E5-4650 @ 2.50GHz</a>	8	27,008	1,549	130	LGA2011



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">@ 2.60GHz</a>					
<a href="#">AMD Ryzen 7 5700X3D</a>	8	26,280	2,975	105	AM4
<a href="#">Intel Core i9-10920X @ 3.50GHz</a>	12	26,278	2,727	165	FCLGA2066
<a href="#">Intel Core i7-12700H</a>	14	26,250	3,593	45	FCBGA1744
<a href="#">AMD Ryzen 7 PRO 7840HS</a>	8	26,214	3,454	54	FP7 FP7r2 FP
<a href="#">Intel Xeon W-2265 @ 3.50GHz</a>	12	26,115	2,819	165	FCLGA2066
<a href="#">Intel Core i5-13600T</a>	14	26,096	3,848	35	FCLGA1700
<a href="#">AMD Ryzen 7 PRO 5845</a>	8	26,057	3,441	65	AM4
<a href="#">[Dual CPU] Intel Xeon Silver 4214 @ 2.20GHz</a>	12	26,054	1,786	85	FCLGA3647
<a href="#">Intel Core i9-7940X @ 3.10GHz</a>	14	25,987	2,491	165	FCLGA2066
<a href="#">[Dual CPU] Intel Xeon E7-8880 v2 @ 2.50GHz</a>	15	25,966	1,316	130	LGA 2011-1
<a href="#">Intel Core i9-12900E</a>	16	25,921	3,455	65	FCLGA1700
<a href="#">Intel Core i5-14400F</a>	10	25,920	3,743	148	FCLGA1700
<a href="#">Intel Xeon W-3323 @ 3.50GHz</a>	12	25,875	2,617	220	FCLGA4189
<a href="#">AMD EPYC 7451</a>	24	25,863	1,955	180	SP3
<a href="#">[Dual CPU] Intel Xeon E5-4650 v4 @ 2.20GHz</a>	14	25,851	1,630	105	FCLGA2011-3
<a href="#">AMD Ryzen 7 5800</a>	8	25,848	3,394	65	AM4
<a href="#">AMD Ryzen 5 PRO 8600GE</a>	6	25,776	3,908	35	AM5
<a href="#">Intel Core i7-13620H</a>	10	25,765	3,699	45	FCBGA1744
<a href="#">[Dual CPU] Intel Xeon Gold 5118 @ 2.30GHz</a>	12	25,681	1,718	105	FCLGA3647
<a href="#">AMD EPYC 7351P</a>	16	25,657	1,788	155	SP3
<a href="#">AMD Ryzen 7 8840U</a>	8	25,646	3,806	28	FP7 FP7r2 FP
<a href="#">Intel Xeon E5-2698R v4 @ 2.20GHz</a>	20	25,605	2,243	NA	FCLGA2011-3
<a href="#">Intel Xeon W-3235 @ 3.30GHz</a>	12	25,602	2,639	180	FCLGA3647
<a href="#">AMD EPYC 7272</a>	12	25,568	1,948	120	SP3
<a href="#">AMD Ryzen Threadripper 2920X</a>	12	25,557	2,489	180	sTR4
<a href="#">[Dual CPU] Intel Xeon Silver 4116 @ 2.10GHz</a>	12	25,538	1,675	85	FCLGA3647
<a href="#">Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	25,518	1,957	145	FCLGA2011-3

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">@ 2.80GHz</a>					
<a href="#">Intel Xeon Gold 5415+</a>	8	25,012	3,219	150	FCLGA4677
<a href="#">Intel Xeon E5-2699A v4 @ 2.40GHz</a>	22	25,000	1,915	145	FCLGA2011-3
<a href="#">Intel Core i7-12800H</a>	14	24,992	3,510	45	FCBGA1744
<a href="#">AMD Ryzen 7 7840U</a>	8	24,963	3,590	30	Unknown
<a href="#">Intel Xeon Gold 6142 @ 2.60GHz</a>	16	24,938	2,133	150	FCLGA3647
<a href="#">Intel Core i5-13400</a>	10	24,928	3,692	154	FCLGA1700
<a href="#">AMD EPYC 7501</a>	32	24,925	1,925	155	SP3
<a href="#">Intel Core Ultra 7 155H</a>	16	24,896	3,554	28	Unknown
<a href="#">AMD Ryzen 9 6900HX</a>	8	24,847	3,443	45	FP7
<a href="#">Intel Xeon Gold 6434</a>	8	24,836	2,759	195	FCLGA4677
<a href="#">Intel Xeon Gold 6246 @ 3.30GHz</a>	12	24,829	2,468	165	FCLGA3647
<a href="#">AMD Ryzen 7 PRO 7840U</a>	8	24,829	3,701	30	Unknown
<a href="#">Intel Xeon E5-2696 v4 @ 2.20GHz</a>	22	24,813	2,144	150	FCLGA2011-3
<a href="#">Intel Xeon Gold 6143 @ 2.80GHz</a>	16	24,786	2,248	205	FCLGA3647
<a href="#">Intel Xeon Gold 5218R @ 2.10GHz</a>	20	24,742	2,234	125	FCLGA3647
<a href="#">Intel Xeon E E-2486</a>	6	24,713	4,062	95	FCLGA1700
<a href="#">Intel Xeon Gold 6152 @ 2.10GHz</a>	22	24,680	2,085	140	FCLGA3647
<a href="#">Intel Core i7-11700K @ 3.60GHz</a>	8	24,644	3,410	125	FCLGA1200
<a href="#">AMD Ryzen 7 7840S</a>	8	24,635	3,680	54	FP7 FP7r2 FP
<a href="#">Intel Core i5-12600HE</a>	12	24,599	3,772	65	BGA 1744
<a href="#">AMD Ryzen 7 5700G</a>	8	24,589	3,284	65	AM4
<a href="#">Intel Xeon W-1370P @ 3.60GHz</a>	8	24,540	3,527	125	FCLGA1200
<a href="#">Intel Core i5-12600HX</a>	12	24,522	3,700	55	FCBGA1964
<a href="#">AMD Ryzen 7 PRO 5750G</a>	8	24,449	3,315	65	AM4
<a href="#">Intel Xeon Gold 6140 @ 2.30GHz</a>	18	24,445	2,109	140	FCLGA3647
<a href="#">[Quad CPU] Intel Xeon E7- 8870 @ 2.40GHz</a>	10	24,434	1,124	130	LGA1567
<a href="#">[Dual CPU] Intel Xeon E5-4660 v4 @ 2.20GHz</a>	16	24,421	1,575	120	FCLGA2011-3
<a href="#">[Dual CPU] Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	24,331	1,774	120	LGA2011-v3
<a href="#">Apple M3 Pro 11 Core</a>	11	24,288	4,717	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks ▼

<a href="#">@ 3.20GHz</a>					
<a href="#">Intel Xeon W-2170B @ 2.50GHz</a>	14	24,033	2,296	NA	FCLGA-2066
<a href="#">Intel Core i7-11700KF @ 3.60GHz</a>	8	24,015	3,385	125	FCLGA1200
<a href="#">Intel Xeon Silver 4410Y</a>	12	23,971	2,308	150	FCLGA4677
<a href="#">Intel Xeon W-1390 @ 2.80GHz</a>	8	23,902	3,414	80	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	23,848	1,619	120	LGA2011-v3
<a href="#">Intel Xeon Gold 6122 @ 1.80GHz</a>	20	23,781	2,157	120	FCLGA3647
<a href="#">Intel Core Ultra 5 135H</a>	14	23,765	3,501	28	FCBGA2049
<a href="#">Intel Xeon E-2388G @ 3.20GHz</a>	8	23,711	3,458	95	FCLGA1200
<a href="#">AMD Ryzen 9 6900HS</a>	8	23,708	3,298	35	FP7
<a href="#">Intel Xeon W-11865MRE @ 2.60GHz</a>	8	23,702	3,310	45	FCBGA1787
<a href="#">Intel Core i7-13705H</a>	14	23,682	3,639	45	FCBGA1792
<a href="#">[Dual CPU] Intel Xeon Silver 4210 @ 2.20GHz</a>	10	23,671	1,808	85	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon Gold 5115 @ 2.40GHz</a>	10	23,646	1,851	85	FCLGA3647
<a href="#">AMD Ryzen 7 3800XT</a>	8	23,625	2,802	105	AM4
<a href="#">Intel Xeon E5-2698 v4 @ 2.20GHz</a>	20	23,617	2,186	135	FCLGA2011-3
<a href="#">Intel Core i9-7920X @ 2.90GHz</a>	12	23,616	2,506	140	FCLGA2066
<a href="#">AMD Ryzen 9 5980HX</a>	8	23,583	3,344	45	FP6
<a href="#">AMD EPYC 7351</a>	16	23,566	1,821	155	SP3
<a href="#">Intel Xeon W-1370 @ 2.90GHz</a>	8	23,520	3,483	80	FCLGA1200
<a href="#">AMD Ryzen 7 6800H</a>	8	23,517	3,255	45	FP7
<a href="#">[Dual CPU] Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	23,513	1,731	105	FCLGA2011-3
<a href="#">Intel Xeon Gold 6138 @ 2.00GHz</a>	20	23,476	2,056	125	FCLGA3647
<a href="#">AMD EPYC 7F32</a>	8	23,453	2,466	180	SP3
<a href="#">Intel Xeon W-2175 @ 2.50GHz</a>	14	23,378	2,469	140	FCLGA2066
<a href="#">[Quad CPU] Intel Xeon E5-4610 @ 2.40GHz</a>	6	23,354	1,474	95	FCLGA2011
<a href="#">[Dual CPU] Intel Xeon E5-2696 v2 @ 2.50GHz</a>	12	23,339	1,677	120	LGA2011
<a href="#">Intel Xeon E-2456</a>	6	23,330	4,209	80	FCLGA1700

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core i5-13500H</a>	12	22,897	3,543	45	Unknown
<a href="#">AMD Ryzen 7 6800HS</a>	8	22,870	3,208	35	FP7
<a href="#">Intel Core i7-11700B @ 3.20GHz</a>	8	22,851	3,360	65	Unknown
<a href="#">AMD Ryzen 9 PRO 6950HS</a>	8	22,797	3,406	35	FP7
<a href="#">Intel Xeon E-2436</a>	6	22,775	4,151	65	FCLGA1700
<a href="#">Intel Core i5-12600H</a>	12	22,742	3,572	45	FCBGA1744
<a href="#">[3-Way CPU] Intel Xeon E7-8860 v4 @ 2.20GHz</a>	18	22,737	757	140	FCLGA2011
<a href="#">Intel Core i5-14500T</a>	14	22,729	3,910	35	FCLGA1700
<a href="#">Intel Xeon Platinum P-8124 @ 3.00GHz</a>	18	22,674	2,059	240	FCLGA3647
<a href="#">Intel Xeon Silver 4310 @ 2.10GHz</a>	12	22,642	2,187	120	FCLGA4189
<a href="#">Intel Xeon W-11955M @ 2.60GHz</a>	8	22,638	3,294	45	FCBGA1787
<a href="#">Intel Core i9-10900KF @ 3.70GHz</a>	10	22,628	3,119	125	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon E5-2673 v3 @ 2.40GHz</a>	12	22,604	1,648	110	LGA2011-v3
<a href="#">AMD Ryzen 9 5900HX</a>	8	22,599	3,196	45	FP6
<a href="#">AMD Ryzen 7 3700X</a>	8	22,574	2,661	65	AM4
<a href="#">Intel Core i9-11900F @ 2.50GHz</a>	8	22,574	3,422	65	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon E5-4640 v4 @ 2.10GHz</a>	12	22,559	1,573	105	FCLGA2011-3
<a href="#">Intel Core i9-10900X @ 3.70GHz</a>	10	22,515	2,683	165	FCLGA2066
<a href="#">Intel Xeon W-1290P @ 3.70GHz</a>	10	22,478	3,178	125	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon Silver 4210R @ 2.40GHz</a>	10	22,464	1,811	100	FCLGA3647
<a href="#">AMD EPYC 7551</a>	32	22,463	1,745	180	SP3
<a href="#">AMD Ryzen 9 PRO 6950H</a>	8	22,447	3,203	45	FP7
<a href="#">Intel Core i9-10850K @ 3.60GHz</a>	10	22,446	3,079	125	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon Silver 4215 @ 2.50GHz</a>	8	22,379	1,810	85	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	22,336	1,951	135	FCLGA2011-3
<a href="#">Intel Xeon W-2255 @ 3.70GHz</a>	10	22,330	2,715	165	FCLGA2066
<a href="#">[Dual CPU] Intel Xeon E5-2618L v4 @ 2.20GHz</a>	10	22,319	1,947	75	FCLGA2011-3

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">[Dual CPU] Intel Xeon Gold 5215 @ 2.50GHz</a>	10	22,066	1,953	85	FCLGA3647
<a href="#">Apple M1 Max 10 Core 3200 MHz</a>	10	22,023	3,838	NA	Unknown
<a href="#">AMD Ryzen 7 PRO 6850HS</a>	8	21,998	3,268	35	FP7
<a href="#">Intel Xeon Gold 5218 @ 2.30GHz</a>	16	21,986	2,237	125	FCLGA3647
<a href="#">AMD Ryzen 7 PRO 5750GE</a>	8	21,961	3,304	35	AM4
<a href="#">Intel Xeon Gold 6132 @ 2.60GHz</a>	14	21,947	2,131	140	FCLGA3647
<a href="#">AMD Ryzen 7 6800HS Creator Edition</a>	8	21,944	3,247	35	FP7
<a href="#">AMD Ryzen 5 5600X</a>	6	21,909	3,361	65	AM4
<a href="#">AMD Ryzen 5 PRO 5645</a>	6	21,904	3,441	NA	AM4
<a href="#">[Dual CPU] Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	21,875	1,718	120	LGA2011-v3
<a href="#">[Dual CPU] Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	21,856	1,576	105	LGA2011-v3
<a href="#">Intel Xeon Gold 6262 @ 1.90GHz</a>	24	21,823	1,701	135	Unknown
<a href="#">Intel Core i9-9900X @ 3.50GHz</a>	10	21,820	2,564	165	FCLGA2066
<a href="#">[Dual CPU] Intel Xeon E5-2695 v2 @ 2.40GHz</a>	12	21,819	1,596	115	LGA 2011
<a href="#">Apple M1 Pro 10 Core 3200 MHz</a>	10	21,809	3,809	NA	Unknown
<a href="#">Intel Xeon Gold 6130T @ 2.10GHz</a>	16	21,804	1,698	125	FCLGA3647
<a href="#">AMD Ryzen 9 5900HS</a>	8	21,761	3,171	35	FP6
<a href="#">[Quad CPU] AMD Opteron 6376</a>	8	21,745	1,185	115	Socket G34
<a href="#">Intel Core i7-12700T</a>	12	21,679	3,643	35	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	21,671	1,958	120	LGA2011-v3
<a href="#">AMD Ryzen 5 7640U</a>	6	21,622	3,547	28	FP7 FP7r2 FP
<a href="#">AMD EPYC 7281</a>	16	21,621	1,626	155	SP3
<a href="#">Intel Xeon E7-8891 v3 @ 2.80GHz</a>	10	21,615	1,715	165	LGA2011-v3
<a href="#">AMD Ryzen 5 8500G</a>	6	21,604	3,892	65	AM5
<a href="#">Apple M2 Pro 10 Core 3480 MHz</a>	10	21,602	4,105	NA	Unknown
<a href="#">Intel Core i9-10910 @ 3.60GHz</a>	10	21,602	3,166	125	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	21,591	1,846	130	FCLGA2011

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">[Dual CPU] Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	21,347	1,784	115	FCLGA2011
<a href="#">AMD Ryzen 9 5980HS</a>	8	21,320	3,200	35	FP6
<a href="#">Intel Core i5-12500H</a>	12	21,302	3,481	45	FCBGA1744
<a href="#">Intel Core i5-12600</a>	6	21,284	3,819	65	LGA 1700
<a href="#">[Dual CPU] Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	21,271	1,981	110	LGA 2011
<a href="#">Intel Xeon E-2378G @ 2.80GHz</a>	8	21,218	3,389	80	FCLGA1200
<a href="#">Intel Core i9-7900X @ 3.30GHz</a>	10	21,175	2,568	140	FCLGA2066
<a href="#">AMD Ryzen 7 5800HS Creator Edition</a>	8	21,166	3,100	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	21,162	2,017	130	LGA 2011
<a href="#">Intel Core i5-13400T</a>	10	21,147	3,507	82	FCLGA1700
<a href="#">AMD Ryzen 7 5800H</a>	8	21,085	3,049	45	FP6
<a href="#">Intel Core i7-11700F @ 2.50GHz</a>	8	21,054	3,291	65	FCLGA1200
<a href="#">Intel Xeon W-2155 @ 3.30GHz</a>	10	21,045	2,605	140	FCLGA2066
<a href="#">[Dual CPU] Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	21,020	1,878	90	FCLGA2011-3
<a href="#">Intel Core i7-7900X @ 3.30GHz</a>	10	21,008	2,455	140	FCLGA2066
<a href="#">Intel Xeon E5-2697 v4 @ 2.30GHz</a>	18	20,979	2,002	145	FCLGA2011-3
<a href="#">Intel Xeon Silver 4310T @ 2.30GHz</a>	10	20,973	2,288	105	FCLGA4189
<a href="#">Intel Xeon Gold 6250 @ 3.90GHz</a>	8	20,915	2,703	185	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon E5-2667 v3 @ 3.20GHz</a>	8	20,907	1,960	135	LGA2011-v3
<a href="#">Intel Xeon E5-2686 v4 @ 2.30GHz</a>	18	20,906	1,819	145	FCLGA2011-3
<a href="#">AMD Ryzen 7 PRO 6860Z</a>	8	20,863	3,167	28	Unknown
<a href="#">AMD Ryzen 7 PRO 6850U</a>	8	20,855	3,238	28	FP7
<a href="#">Intel Xeon E5-2697R v4 @ 2.30GHz</a>	18	20,843	2,007	145	FCLGA2011-3
<a href="#">Intel Xeon Gold 5315Y @ 3.20GHz</a>	8	20,820	2,480	140	FCLGA4189
<a href="#">AMD Ryzen 5 PRO 5650G</a>	6	20,803	3,252	65	AM4
<a href="#">Intel Xeon Gold 6136 @ 3.00GHz</a>	12	20,796	2,207	150	FCLGA3647
<a href="#">AMD EPYC 7262</a>	8	20,795	2,036	155	SP3

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">AMD Ryzen 5 5500GT</a>	6	20,423	3,213	65	AM4
<a href="#">Intel Xeon Gold 6130 @ 2.10GHz</a>	16	20,411	2,067	125	FCLGA3647
<a href="#">[Quad CPU] Intel Xeon E7- 4860 @ 2.27GHz</a>	10	20,367	1,092	130	LGA1567
<a href="#">Intel Xeon E5-4667 v4 @ 2.20GHz</a>	18	20,319	1,757	135	FCLGA2011-3
<a href="#">Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	20,298	1,897	145	LGA2011-v3
<a href="#">[Dual CPU] Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	20,294	1,722	135	FCLGA2011-3
<a href="#">Intel Core i5-1250P</a>	12	20,287	3,539	28	BGA1700
<a href="#">Intel Xeon D-1747NTE @ 2.50GHz</a>	10	20,279	2,208	80	FCBGA2227
<a href="#">Intel Core i7-1370P</a>	14	20,241	3,581	28	FCBGA1744
<a href="#">[Dual CPU] Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12	20,233	1,522	120	LGA2011-v3
<a href="#">AMD Ryzen 7 5800HS</a>	8	20,171	3,045	35	FP6
<a href="#">Intel Xeon W-1290 @ 3.20GHz</a>	10	20,123	3,091	80	FCLGA1200
<a href="#">AMD Ryzen 7 4700G</a>	8	20,123	2,743	65	AM4
<a href="#">[Dual CPU] Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	20,061	2,276	135	FCLGA2011-3
<a href="#">Intel Core i9-9820X @ 3.30GHz</a>	10	20,045	2,453	165	FCLGA2066
<a href="#">Intel Core i5-1340PE</a>	12	20,041	3,690	28	FCBGA1744
<a href="#">Intel Core i9-10900F @ 2.80GHz</a>	10	20,028	3,033	65	FCLGA1200
<a href="#">Intel Xeon Gold 6144 @ 3.50GHz</a>	8	19,993	2,509	150	FCLGA3647
<a href="#">[Quad CPU] Intel Xeon E7-4830 @ 2.13GHz</a>	8	19,981	1,012	105	LGA1567
<a href="#">[Dual CPU] Intel Xeon E5-2650L v3 @ 1.80GHz</a>	12	19,950	1,334	65	LGA2011-v3
<a href="#">Intel Core i5-12500</a>	6	19,907	3,696	65	LGA 1700
<a href="#">AMD Ryzen 5 5600G</a>	6	19,898	3,191	65	AM4
<a href="#">Intel Core i9-10900 @ 2.80GHz</a>	10	19,878	3,030	65	FCLGA1200
<a href="#">AMD Ryzen 7 4700GE</a>	8	19,831	2,681	35	AM4
<a href="#">Intel Xeon W-1350P @ 4.00GHz</a>	6	19,821	3,539	65	FCLGA1200
<a href="#">AMD Ryzen 5 5600GT</a>	6	19,820	3,294	65	AM4
<a href="#">Intel Core i7-11700 @ 2.50GHz</a>	8	19,787	3,120	95	FCLGA1200
<a href="#">AMD Ryzen 7 PRO 4700G</a>	8	19,786	2,668	65	AM4

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">AMD Ryzen 5 5500</a>	6	19,452	3,060	65	AM4
<a href="#">Intel Core i7-1360P</a>	12	19,428	3,594	28	FCBGA1744
<a href="#">AMD Ryzen 5 8540U</a>	6	19,425	3,726	28	FP7 FP7r2
<a href="#">Intel Core i5-12400</a>	6	19,420	3,529	65	LGA 1700
<a href="#">AMD EPYC 7252</a>	8	19,411	2,020	120	SP3
<a href="#">[Dual CPU] Intel Xeon Silver 4208 @ 2.10GHz</a>	8	19,398	1,789	85	FCLGA3647
<a href="#">Intel Core i5-1350P</a>	12	19,378	3,586	28	FCBGA1744
<a href="#">Intel Xeon D-2183IT @ 2.20GHz</a>	16	19,377	1,719	100	FCBGA2518
<a href="#">Intel Xeon Gold 6137 @ 3.90GHz</a>	16	19,365	2,499	205	FCLGA-3647
<a href="#">[Dual CPU] Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	19,352	1,591	115	FCLGA2011
<a href="#">[Dual CPU] Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	19,344	1,723	85	FCLGA2011-3
<a href="#">AMD Ryzen 5 7540U</a>	6	19,213	3,722	28	FP7 FP7r2
<a href="#">AMD Ryzen 9 4900H</a>	8	19,167	2,706	45	FP6
<a href="#">Intel Xeon D-2752TER @ 1.80GHz</a>	12	19,102	1,990	77	FCBGA2579
<a href="#">Intel Xeon Silver 4309Y @ 2.80GHz</a>	8	19,100	2,420	105	FCLGA4189
<a href="#">AMD Ryzen 5 PRO 6650H</a>	6	19,094	3,203	45	FP7
<a href="#">AMD Ryzen 9 4900HS</a>	8	19,046	2,604	35	FP6
<a href="#">[Dual CPU] Intel Xeon E5-4640 v2 @ 2.20GHz</a>	10	19,028	1,373	95	LGA 2011
<a href="#">Intel Xeon W-1350 @ 3.30GHz</a>	6	19,015	3,494	80	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10	18,991	1,567	95	LGA 1356
<a href="#">Intel Xeon Gold 6244 @ 3.60GHz</a>	8	18,980	2,546	150	FCLGA3647
<a href="#">Intel Xeon E5-2676 v4 @ 2.40GHz</a>	16	18,978	1,730	145	FCLGA2011-3
<a href="#">Intel Core i5-13420H</a>	8	18,978	3,489	45	FCBGA1744
<a href="#">Intel Core i9-11900T @ 1.50GHz</a>	8	18,968	3,326	35	FCLGA1200
<a href="#">Intel Xeon E5-2698 v3 @ 2.30GHz</a>	16	18,960	1,927	135	LGA2011-v3
<a href="#">Intel Core i5-1340P</a>	12	18,939	3,545	28	FCBGA1744
<a href="#">AMD Ryzen 5 6600H</a>	6	18,926	3,207	45	FP7
<a href="#">AMD Ryzen Z1</a>	6	18,900	3,785	30	Unknown



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">AMD Ryzen 7 4800H</a>	8	18,577	2,616	45	FP6
<a href="#">Intel Xeon W-1270P @ 3.80GHz</a>	8	18,553	3,023	95	FCLGA1200
<a href="#">AMD Ryzen 7 5800U</a>	8	18,517	3,040	15	FP6
<a href="#">Intel Xeon E-2356G @ 3.20GHz</a>	6	18,496	3,260	80	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	18,491	1,423	95	LGA 2011
<a href="#">Intel Core i5-12450HX</a>	8	18,491	3,381	148	FCBGA1964
<a href="#">AMD Ryzen 7 PRO 4750GE</a>	8	18,471	2,684	35	AM4
<a href="#">AMD Ryzen 7 4800HS</a>	8	18,462	2,583	45	FP6
<a href="#">AMD Ryzen 5 7535HS</a>	6	18,425	3,187	35	FP7
<a href="#">Intel Xeon W-1290T @ 1.90GHz</a>	10	18,409	2,974	35	FCLGA1200
<a href="#">AMD Ryzen 7 5825U</a>	8	18,384	3,059	15	AM4
<a href="#">AMD Ryzen 5 PRO 5650GE</a>	6	18,362	3,175	35	AM4
<a href="#">AMD Ryzen 5 6600HS Creator Edition</a>	6	18,358	3,118	35	FP7
<a href="#">Intel Xeon Silver 4214R @ 2.40GHz</a>	12	18,342	1,968	100	FCLGA3647
<a href="#">Intel Core i9-9900KF @ 3.60GHz</a>	8	18,324	2,933	95	FCLGA1151-2
<a href="#">Intel Core i9-9900K @ 3.60GHz</a>	8	18,319	2,932	95	FCLGA1151-2
<a href="#">Intel Xeon w3-2425</a>	6	18,284	3,062	130	FCLGA4677
<a href="#">Intel Xeon W-11855M @ 3.20GHz</a>	6	18,272	3,274	45	FCBGA1787
<a href="#">[Dual CPU] Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	18,250	1,529	95	LGA 2011
<a href="#">Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	18,244	1,612	150	LGA2011-1
<a href="#">AMD Ryzen 5 3600X</a>	6	18,213	2,653	95	AM4
<a href="#">AMD Ryzen 5 PRO 7540U</a>	6	18,192	3,560	30	FP7 FP7r2
<a href="#">Intel Xeon W-2145 @ 3.70GHz</a>	8	18,171	2,610	140	FCLGA2066
<a href="#">Intel Xeon E5-2686 v3 @ 2.00GHz</a>	18	18,148	1,910	120	LGA2011-v3
<a href="#">Intel Xeon Gold 5120T @ 2.20GHz</a>	14	18,127	1,849	105	FCLGA3647
<a href="#">Intel Core i5-11600 @ 2.80GHz</a>	6	18,101	3,289	65	FCLGA1200
<a href="#">Intel Core i7-9800X @ 3.80GHz</a>	8	18,082	2,570	165	FCLGA2066
<a href="#">Intel Xeon D-2187NT @ 2.00GHz</a>	16	18,070	1,425	110	FCBGA2518
<a href="#">AMD 4700S</a>	8	18,070	2,396	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon W-1270 @ 3.40GHz</a>	8	17,641	3,026	80	FCLGA1200
<a href="#">Intel Core i5-11500B @ 3.30GHz</a>	6	17,624	3,208	65	Unknown
<a href="#">AMD Ryzen 5 PRO 3600</a>	6	17,606	2,528	65	AM4
<a href="#">Intel Core i5-12600T</a>	6	17,576	3,480	35	FCLGA1700
<a href="#">[Dual CPU] Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	17,573	1,769	90	LGA2011-v3
<a href="#">AMD Ryzen 7 2700X</a>	8	17,534	2,422	105	AM4
<a href="#">Intel Core i7-1270P</a>	12	17,496	3,405	28	BGA1700
<a href="#">Intel Xeon E5-2680R v4 @ 2.40GHz</a>	14	17,487	1,904	120	FCLGA2011-3
<a href="#">Intel Xeon W-11555MRE @ 2.60GHz</a>	6	17,484	3,201	45	FCBGA1787
<a href="#">[Dual CPU] Intel Xeon Gold 5222 @ 3.80GHz</a>	4	17,470	2,306	105	FCLGA3647
<a href="#">AMD Ryzen 7 4980U Microsoft Surface Edition</a>	8	17,469	2,752	15	FP6
<a href="#">Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	17,430	1,474	135	FCLGA2011-3
<a href="#">Intel Core i7-6950X @ 3.00GHz</a>	10	17,420	2,340	140	LGA2011-v3
<a href="#">Intel Core i5-11500 @ 2.70GHz</a>	6	17,396	3,137	65	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	17,388	1,673	95	FCLGA2011
<a href="#">Intel Xeon E-2288G @ 3.70GHz</a>	8	17,359	2,902	95	FCLGA1151-2
<a href="#">Intel Core 5 120U</a>	10	17,340	3,712	15	FCBGA1744
<a href="#">[Quad CPU] Intel Xeon E7- 8837 @ 2.67GHz</a>	8	17,333	1,011	130	LGA1567
<a href="#">Intel Xeon E-2378 @ 2.60GHz</a>	8	17,310	3,278	65	FCLGA1200
<a href="#">Intel Xeon W-2140B @ 3.20GHz</a>	8	17,290	2,551	NA	FCLGA2066
<a href="#">Intel Core i5-1240P</a>	12	17,268	3,285	28	FCBGA1744
<a href="#">Intel Core i7-1260P</a>	12	17,242	3,322	28	FCBGA1744
<a href="#">Intel Core i7-7820X @ 3.60GHz</a>	8	17,194	2,521	140	FCLGA2066
<a href="#">Intel Core Ultra 5 125U</a>	12	17,186	3,409	15	FCBGA2049
<a href="#">[Dual CPU] Intel Xeon E5-2630 v3 @ 2.40GHz</a>	8	17,171	1,710	85	LGA2011-v3
<a href="#">AMD Ryzen 5 4400G</a>	6	17,160	2,711	65	AM4
<a href="#">Apple M1 Pro 8 Core 3200 MHz</a>	8	17,147	3,776	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">[Quad CPU] Intel Xeon E5-4617 @ 2.90GHz</a>	6	16,902	NA	130	LGA 2011
<a href="#">[Dual CPU] Intel Xeon E5-2450 v2 @ 2.50GHz</a>	8	16,884	1,639	95	LGA 1356
<a href="#">[Dual CPU] Intel Xeon Platinum 8156 @ 3.60GHz</a>	4	16,852	2,245	105	FCLGA3647
<a href="#">Intel Core i7-12700TE</a>	12	16,833	2,661	35	FCLGA1700
<a href="#">AMD Ryzen 5 6600U</a>	6	16,792	3,189	25	FP7
<a href="#">AMD Ryzen Threadripper 1900X</a>	8	16,789	2,325	180	sTR4
<a href="#">[Dual CPU] Intel Xeon Platinum 8256 @ 3.80GHz</a>	4	16,787	2,336	105	FCLGA3647
<a href="#">Intel Xeon E-2336 @ 2.90GHz</a>	6	16,768	3,226	65	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon E5-2690 @ 2.90GHz</a>	8	16,749	1,676	135	LGA2011
<a href="#">AMD Ryzen 5 PRO 6650U</a>	6	16,734	3,188	28	FP7
<a href="#">AMD Ryzen 7 4800U</a>	8	16,715	2,577	15	FP6
<a href="#">AMD Ryzen Embedded V2748</a>	8	16,706	2,680	54	FP6
<a href="#">Intel Core i7-11600H @ 2.90GHz</a>	6	16,685	3,106	45	FCBGA1787
<a href="#">Intel Xeon Gold 5118 @ 2.30GHz</a>	12	16,652	1,803	105	FCLGA3647
<a href="#">Intel Xeon Gold 6134 @ 3.20GHz</a>	8	16,621	2,225	130	FCLGA3647
<a href="#">Intel Core i7-10700E @ 2.90GHz</a>	8	16,599	2,882	65	FCLGA1200
<a href="#">Intel Core i5-12500T</a>	6	16,580	3,520	35	FCLGA1700
<a href="#">Intel Core i9-9900 @ 3.10GHz</a>	8	16,556	2,837	65	FCLGA1151-2
<a href="#">Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	16,533	1,931	135	LGA2011-v3
<a href="#">AMD Ryzen 5 7535U</a>	6	16,526	3,089	28	FP7
<a href="#">[Quad CPU] Intel Xeon X7560 @ 2.27GHz</a>	8	16,464	1,148	130	LGA1567
<a href="#">Intel Core i7-10700 @ 2.90GHz</a>	8	16,460	2,906	65	FCLGA1200
<a href="#">Intel Core i7-10700F @ 2.90GHz</a>	8	16,457	2,882	65	FCLGA1200
<a href="#">Intel Xeon Silver 4214Y @ 2.20GHz</a>	12	16,442	1,822	85	FCLGA3647
<a href="#">Intel Xeon E-2278GE @ 3.30GHz</a>	8	16,401	2,691	80	FCLGA1151-2
<a href="#">[Dual CPU] Intel Xeon Gold 5122 @ 3.60GHz</a>	4	16,396	2,206	105	FCLGA3647
<a href="#">AMD Ryzen 7 1800X</a>	8	16,384	2,198	95	AM4

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	16,183	1,734	105	FCLGA2011-3
<a href="#">Intel Core i5-11500H @ 2.90GHz</a>	6	16,169	3,083	45	FCBGA1787
<a href="#">Intel Core i5-12400T</a>	6	16,155	3,384	74	FCLGA1700
<a href="#">Intel Core i3-1220PE</a>	8	16,146	3,474	35	FCBGA1744
<a href="#">AMD Ryzen 5 4500</a>	6	16,134	2,597	65	AM4
<a href="#">Intel Xeon E5-2669 v3 @ 2.30GHz</a>	12	16,107	1,502	120	LGA2011-v3
<a href="#">AMD Ryzen Embedded V2718</a>	8	16,075	2,240	15	FP6
<a href="#">Intel Core Ultra 7 155U</a>	12	16,069	3,538	15	FCBGA2049
<a href="#">AMD Ryzen 5 4600G</a>	6	16,051	2,658	65	AM4
<a href="#">[Quad CPU] AMD Opteron 6172</a>	12	16,032	919	115	G34
<a href="#">[Dual CPU] Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	16,028	1,286	70	FCLGA2011
<a href="#">Intel Xeon W-11865MLE @ 1.50GHz</a>	8	15,958	2,808	25	FCBGA1787
<a href="#">[Dual CPU] Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	15,940	1,702	85	FCLGA2011-3
<a href="#">AMD Ryzen 7 4850U Mobile</a>	8	15,920	2,654	15	FP6
<a href="#">[Dual CPU] Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	15,898	1,972	130	FCLGA2011
<a href="#">AMD Ryzen 7 5700U</a>	8	15,855	2,595	15	FP6
<a href="#">AMD Ryzen 5 4600GE</a>	6	15,823	2,630	35	AM4
<a href="#">Intel Core i9-13900TE</a>	24	15,819	2,209	35	FCLGA1700
<a href="#">Intel Xeon Gold 5117 @ 2.00GHz</a>	14	15,816	1,531	105	Unknown
<a href="#">Intel Core i5-11260H @ 2.60GHz</a>	6	15,760	2,930	45	FCBGA1787
<a href="#">[Quad CPU] AMD Opteron 6168</a>	12	15,745	845	115	G34
<a href="#">Intel Core i5-11400H @ 2.70GHz</a>	6	15,736	3,010	45	FCBGA1787
<a href="#">AMD Ryzen 7 2700</a>	8	15,719	2,179	65	AM4
<a href="#">[Dual CPU] Intel Xeon Silver 4108 @ 1.80GHz</a>	8	15,718	1,630	85	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon E5-2689 @ 2.60GHz</a>	8	15,713	1,596	115	LGA 2011
<a href="#">Intel Xeon W-10885M @ 2.40GHz</a>	8	15,711	2,758	45	FCBGA1440
<a href="#">[Dual CPU] Intel Xeon E5-2670 @ 2.60GHz</a>	8	15,709	1,498	115	LGA2011

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">AMD Ryzen 5 PRO 7530U</a>	6	15,309	3,042	15	FP6
<a href="#">AMD Ryzen 7 PRO 2700</a>	8	15,280	2,189	65	AM4
<a href="#">Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	15,244	1,806	120	LGA2011-v3
<a href="#">AMD Ryzen 7 PRO 4750U</a>	8	15,207	2,509	15	FP6
<a href="#">Intel Xeon Silver 4116T @ 2.10GHz</a>	12	15,187	1,781	85	FCLGA3647
<a href="#">Intel Core i7-1355U</a>	10	15,170	3,560	15	FCBGA1744
<a href="#">Intel Core i9-10885H @ 2.40GHz</a>	8	15,161	2,757	45	FCBGA1440
<a href="#">Intel Xeon Silver 4116 @ 2.10GHz</a>	12	15,122	1,644	85	FCLGA3647
<a href="#">Intel Xeon D-2166NT @ 2.00GHz</a>	12	15,105	1,751	85	FCBGA2518
<a href="#">[Dual CPU] Intel Xeon E5-4610 v4 @ 1.80GHz</a>	10	15,084	1,144	105	FCLGA2011-3
<a href="#">Intel Core i7-1365U</a>	10	15,082	3,564	15	FCBGA1744
<a href="#">AMD Ryzen 5 5560U</a>	6	15,063	2,824	15	AM4
<a href="#">Intel Xeon Silver 4210R @ 2.40GHz</a>	10	15,046	1,790	100	FCLGA3647
<a href="#">Intel Xeon E-2286M @ 2.40GHz</a>	8	15,046	2,725	45	FCBGA1440
<a href="#">Intel Core i9-10900T @ 1.90GHz</a>	10	15,023	2,454	35	FCLGA1200
<a href="#">Intel Xeon Silver 4215R @ 3.20GHz</a>	8	15,004	2,262	130	FCLGA3647
<a href="#">AMD EPYC 7301</a>	16	14,991	1,363	155	SP3
<a href="#">AMD Ryzen 5 5625U</a>	6	14,968	2,887	15	FP6
<a href="#">AMD EPYC 7251</a>	8	14,935	1,671	120	SP3
<a href="#">AMD Ryzen 5 PRO 5650U</a>	6	14,925	2,938	15	FP6
<a href="#">Intel Core i7-10875H @ 2.30GHz</a>	8	14,916	2,734	45	FCBGA1440
<a href="#">Intel Xeon E5-2658A v3 @ 2.20GHz</a>	12	14,879	1,688	105	FCLGA2011-3
<a href="#">Intel Xeon D-1733NT @ 2.00GHz</a>	8	14,849	2,198	53	FCBGA2227
<a href="#">Intel Xeon E5-1681 v3 @ 2.90GHz</a>	10	14,820	2,040	135	LGA2011-v3
<a href="#">AMD Ryzen 7 1700</a>	8	14,818	1,999	65	AM4
<a href="#">AMD Ryzen 5 PRO 4400GE</a>	6	14,795	2,664	35	Unknown
<a href="#">[Dual CPU] Intel Xeon E5-2630L v3 @ 1.80GHz</a>	8	14,794	1,607	55	LGA2011-v3
<a href="#">Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	14,749	1,673	120	LGA2011-v3
<a href="#">AMD Ryzen 5 7430U</a>	6	14,730	3,044	15	AM4

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">2.30GHz</a>					
<a href="#">Intel Xeon W-2135 @ 3.70GHz</a>	6	14,464	2,607	140	FCLGA2066
<a href="#">Intel Core i7-6900K @ 3.20GHz</a>	8	14,449	2,338	140	FCLGA2011-3
<a href="#">AMD Ryzen 5 4600H</a>	6	14,449	2,434	45	FP6
<a href="#">Intel Xeon Silver 4215 @ 2.50GHz</a>	8	14,439	2,060	85	FCLGA3647
<a href="#">AMD Ryzen 5 PRO 4655GE</a>	6	14,436	2,662	35	AM4
<a href="#">Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	14,434	1,583	105	FCLGA2011-3
<a href="#">Intel Core i3-1220P</a>	10	14,427	3,413	28	FCBGA1744
<a href="#">Intel Core i5-12500TE</a>	6	14,411	2,923	35	FCLGA1700
<a href="#">Intel Xeon Silver 4123 @ 3.00GHz</a>	8	14,405	1,967	105	Unknown
<a href="#">Intel Xeon W-2235 @ 3.80GHz</a>	6	14,388	2,644	130	FCLGA2066
<a href="#">AMD Ryzen 3 PRO 8300G</a>	4	14,351	3,838	65	AM5
<a href="#">Intel Core i5-10600K @ 4.10GHz</a>	6	14,331	2,923	125	FCLGA1200
<a href="#">Intel Xeon E5-2666 v3 @ 2.90GHz</a>	10	14,329	1,972	135	LGA2011-v3
<a href="#">Intel Xeon E5-2673 v3 @ 2.40GHz</a>	12	14,325	1,739	110	LGA2011-v3
<a href="#">Intel Core i7-8086K @ 4.00GHz</a>	6	14,317	2,854	95	FCLGA1151-2
<a href="#">Intel Core i7-9700KF @ 3.60GHz</a>	8	14,315	2,883	95	FCLGA1151-2
<a href="#">Intel Xeon E5-2697 v2 @ 2.70GHz</a>	12	14,289	1,793	130	FCLGA2011
<a href="#">Intel Xeon E5-4660 v3 @ 2.10GHz</a>	14	14,256	1,558	120	FCLGA2011-3
<a href="#">Intel Xeon D-1732TE @ 1.90GHz</a>	8	14,254	2,015	52	FCBGA2227
<a href="#">Intel Core i5-10600KF @ 4.10GHz</a>	6	14,253	2,920	125	FCLGA1200
<a href="#">Intel Core i3-12100E</a>	4	14,250	3,481	60	FCLGA1700
<a href="#">AMD Ryzen 5 4600HS</a>	6	14,230	2,398	35	FP6
<a href="#">AMD Ryzen 3 PRO 8300GE</a>	4	14,227	3,772	35	AM5
<a href="#">Apple M1 8 Core 3200 MHz</a>	8	14,184	3,703	15.1	Unknown
<a href="#">Intel Xeon E5-1680 v4 @ 3.40GHz</a>	8	14,164	2,313	140	FCLGA2011-3
<a href="#">Intel Core i7-1260U</a>	10	14,161	3,214	9	FCBGA1781
<a href="#">[Dual CPU] Intel Xeon E5-2660 @ 2.20GHz</a>	8	14,146	1,357	95	LGA2011
<a href="#">Intel Core i3-12100F</a>	4	14,146	3,468	58	FCLGA1700
<a href="#">Intel Core i9-9980HK @ 2.40GHz</a>	8	14,122	2,530	45	FCBGA1440
<a href="#">[Dual CPU] Intel Xeon E5-2665 @ 2.40GHz</a>	8	14,117	1,355	115	LGA2011

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">@ 1.90GHz</a>					
<a href="#">Intel Core i9-9880H @ 2.30GHz</a>	8	13,812	2,521	45	FCBGA1440
<a href="#">Intel Core i7-1255U</a>	10	13,762	3,294	15	FCBGA1744
<a href="#">Intel Core i5-1240U</a>	10	13,745	3,086	29	FCBGA1744
<a href="#">[Quad CPU] AMD Opteron 6278</a>	16	13,733	1,007	115	Unknown
<a href="#">[Dual CPU] Intel Xeon E5-4650 @ 2.70GHz</a>	8	13,713	1,430	130	LGA2011
<a href="#">[Dual CPU] Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	13,708	1,579	80	FCLGA2011
<a href="#">Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	13,697	1,715	105	FCLGA2011-3
<a href="#">Intel Core i5-10600 @ 3.30GHz</a>	6	13,678	2,926	65	FCLGA1200
<a href="#">Intel Core i7-8700K @ 3.70GHz</a>	6	13,649	2,732	95	FCLGA1151-2
<a href="#">Intel Xeon W-1250 @ 3.30GHz</a>	6	13,639	2,844	80	FCLGA1200
<a href="#">Intel Core i5-11400T @ 1.30GHz</a>	6	13,626	2,569	35	FCLGA1200
<a href="#">Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	13,616	1,635	120	LGA2011-v3
<a href="#">Intel Xeon E-2374G @ 3.70GHz</a>	4	13,607	3,416	80	FCLGA1200
<a href="#">Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	13,595	1,691	120	LGA2011-v3
<a href="#">Intel Xeon E5-1660 v4 @ 3.20GHz</a>	8	13,570	2,194	140	FCLGA2011-3
<a href="#">Intel Xeon D-1587 @ 1.70GHz</a>	16	13,566	1,327	65	FCBGA1667
<a href="#">Intel Xeon E-2176G @ 3.70GHz</a>	6	13,555	2,699	80	FCLGA1151-2
<a href="#">Intel Xeon W-1270TE @ 2.00GHz</a>	8	13,553	2,796	35	FCLGA1200
<a href="#">Intel Core i3-12100</a>	4	13,546	3,431	60	FCLGA1700
<a href="#">AMD Ryzen 5 PRO 2600</a>	6	13,509	2,275	65	AM4
<a href="#">Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	13,487	1,711	105	LGA2011-v3
<a href="#">Intel Xeon Silver 4210 @ 2.20GHz</a>	10	13,480	1,715	85	FCLGA3647
<a href="#">Intel Core i5-1235U</a>	10	13,471	3,226	15	FCBGA1744
<a href="#">Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	13,471	1,884	130	FCLGA2011
<a href="#">[Dual CPU] AMD Opteron 6348</a>	6	13,470	1,344	115	Unknown
<a href="#">Intel Xeon E-2136 @ 3.30GHz</a>	6	13,451	2,671	80	FCLGA1151-2
<a href="#">AMD Ryzen 5 4600U</a>	6	13,445	2,436	15	FP6
<a href="#">Intel Xeon Gold 6128 @ 3.40GHz</a>	6	13,427	2,227	115	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	13,421	1,184	95	LGA 2011

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core i5-10500 @ 3.10GHz</a>	6	13,177	2,805	65	FCLGA1200
<a href="#">Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	13,163	1,809	105	LGA2011-v3
<a href="#">Intel Xeon Silver 4114 @ 2.20GHz</a>	10	13,143	1,716	85	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon E5-2637 v3 @ 3.50GHz</a>	4	13,140	2,043	135	LGA2011-v3
<a href="#">Intel Xeon E5-1680 v3 @ 3.20GHz</a>	8	13,132	2,098	140	LGA2011-v3
<a href="#">Intel Core i3-13100T</a>	4	13,073	3,402	69	FCLGA1700
<a href="#">AMD Ryzen 5 1600X</a>	6	13,069	2,200	95	AM4
<a href="#">AMD Ryzen 5 5500U</a>	6	13,063	2,442	15	FP6
<a href="#">Intel Core i5-11500T @ 1.50GHz</a>	6	13,048	2,552	35	FCLGA1200
<a href="#">AMD Ryzen Embedded V2516</a>	6	13,016	2,439	15	FP6
<a href="#">Intel Core i5-1334U</a>	10	12,973	3,400	15	FCBGA1744
<a href="#">Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	12,969	2,030	135	FCLGA2011-3
<a href="#">Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12	12,944	1,726	120	LGA2011-v3
<a href="#">Intel Xeon E-2334 @ 3.40GHz</a>	4	12,929	3,340	65	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon X5690 @ 3.47GHz</a>	6	12,899	1,714	130	LGA1366
<a href="#">AMD Ryzen 3 5300G</a>	4	12,896	3,037	65	AM4
<a href="#">Intel Core i7-7800X @ 3.50GHz</a>	6	12,882	2,393	140	FCLGA2066
<a href="#">[Dual CPU] Intel Xeon E5-2650 @ 2.00GHz</a>	8	12,872	1,246	95	LGA2011
<a href="#">Intel Core i7-8700 @ 3.20GHz</a>	6	12,866	2,645	65	FCLGA1151-2
<a href="#">Intel Core i7-10700T @ 2.00GHz</a>	8	12,835	2,591	35	FCLGA1200
<a href="#">Intel Core i7-5960X @ 3.00GHz</a>	8	12,801	1,988	140	LGA2011-v3
<a href="#">AMD Ryzen 5 3500</a>	6	12,794	2,502	65	AM4
<a href="#">[Dual CPU] AMD Opteron 6386 SE</a>	16	12,761	1,297	140	Socket G34
<a href="#">AMD Ryzen 3 PRO 7330U</a>	4	12,758	3,183	15	FP6
<a href="#">Intel Xeon E5-1680 v2 @ 3.00GHz</a>	8	12,739	2,111	130	LGA 2011
<a href="#">AMD Ryzen 5 PRO 4650U</a>	6	12,731	2,432	15	FP6
<a href="#">Intel Xeon W-10855M @ 2.80GHz</a>	6	12,728	2,781	45	FCBGA1440
<a href="#">[Dual CPU] Intel Xeon E5-2667 @ 2.90GHz</a>	6	12,708	1,572	130	LGA2011
<a href="#">Intel Core i3-12100T</a>	4	12,676	3,283	35	FCLGA1700



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
<input type="text"/>	<input type="text"/> -	<input type="text"/> -	<input type="text"/> -	<input type="text"/> -	<input type="text"/>

 CPU Benchmarks ▼

<a href="#">3.33GHz</a>					
<a href="#">Intel Xeon E5-2618L v4 @ 2.20GHz</a>	10	12,429	1,975	75	FCLGA2011-3
<a href="#">Intel Xeon E5-2649 v3 @ 2.30GHz</a>	10	12,399	1,674	105	LGA2011-v3
<a href="#">[Dual CPU] Intel Xeon Silver 4112 @ 2.60GHz</a>	4	12,390	1,762	85	FCLGA3647
<a href="#">[Dual CPU] AMD Opteron 6380</a>	8	12,377	1,133	115	G34
<a href="#">[Dual CPU] AMD Opteron 6378</a>	8	12,352	1,018	115	G34
<a href="#">Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	12,346	1,930	90	FCLGA2011-3
<a href="#">Intel Core i3-12100TE</a>	4	12,314	3,101	35	FCLGA1700
<a href="#">AMD Ryzen 5 1600</a>	6	12,285	2,066	65	AM4
<a href="#">[Dual CPU] AMD Opteron 6376</a>	8	12,278	1,131	115	Socket G34
<a href="#">[Dual CPU] Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	12,267	1,530	80	LGA 1356
<a href="#">Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	12,263	2,016	130	LGA 2011
<a href="#">Apple A17 Pro</a>	6	12,262	4,532	NA	Unknown
<a href="#">Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	12,246	2,040	150	FCLGA2011
<a href="#">Intel Xeon W-1250E @ 3.50GHz</a>	6	12,212	2,588	80	FCLGA1200
<a href="#">Intel Core i5-10400F @ 2.90GHz</a>	6	12,205	2,548	65	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	12,183	1,374	60	LGA 1356
<a href="#">Intel Core i5-10505 @ 3.20GHz</a>	6	12,179	2,816	65	FCLGA1200
<a href="#">Intel Core i5-10400 @ 2.90GHz</a>	6	12,134	2,571	65	FCLGA1200
<a href="#">Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	12,128	1,947	110	LGA 2011
<a href="#">Intel Xeon E5-2692 v2 @ 2.20GHz</a>	12	12,119	1,571	115	LGA 2011
<a href="#">Intel Xeon D-2141I @ 2.20GHz</a>	8	12,117	1,713	65	FCBGA2518
<a href="#">AMD Ryzen 5 PRO 4500U</a>	6	12,117	2,491	15	FP6
<a href="#">Intel Core i7-1250U</a>	10	12,114	2,830	9	FCBGA1781
<a href="#">[Quad CPU] AMD Opteron 6282 SE</a>	16	12,083	894	140	Unknown
<a href="#">[Dual CPU] Intel Xeon E7- 4850 @ 2.00GHz</a>	10	12,053	923	130	LGA1567
<a href="#">[Dual CPU] Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	12,040	1,917	130	LGA 2011
<a href="#">Intel Xeon E-2278GEI @ 2.00GHz</a>	8	12,024	2,428	35	FCLGA1151-3

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

MHz					
<a href="#">Intel Xeon D-2146NT @ 2.30GHz</a>	8	11,736	1,802	80	FCBGA2518
<a href="#">Intel Core i7-11370H @ 3.30GHz</a>	4	11,729	2,944	35	FCBGA1449
<a href="#">Microsoft SQ3 @ 3.0 GHz</a>	8	11,715	2,393	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon E5-2450L @ 1.80GHz</a>	8	11,713	1,048	70	LGA 1356
<a href="#">Intel Xeon Platinum 8481C @ 2.70GHz</a>	4	11,681	2,479	350	Unknown
<a href="#">[Dual CPU] Intel Xeon X5675 @ 3.07GHz</a>	6	11,680	1,513	95	LGA1366
<a href="#">Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	11,676	1,745	85	FCLGA2011-3
<a href="#">AMD Ryzen 5 5500H</a>	4	11,671	3,004	45	FP6
<a href="#">[Dual CPU] Intel Xeon E5-2623 v3 @ 3.00GHz</a>	4	11,655	1,944	105	LGA2011-v3
<a href="#">Intel Core i3-13100E</a>	4	11,650	2,750	65	FCLGA1700
<a href="#">Intel Xeon D-1577 @ 1.30GHz</a>	16	11,645	1,319	45	FCBGA1667
<a href="#">QTI SM8650</a>	8	11,642	3,038	NA	Unknown
<a href="#">AMD Ryzen 3 3100</a>	4	11,616	2,420	65	AM4
<a href="#">[Dual CPU] Intel Xeon E5-2640 @ 2.50GHz</a>	6	11,615	1,348	95	LGA2011
<a href="#">Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	11,613	1,483	115	FCLGA2011
<a href="#">Intel Xeon E-2186M @ 2.90GHz</a>	6	11,594	2,571	45	FCBGA1440
<a href="#">Intel Xeon E5-2648L v4 @ 1.80GHz</a>	14	11,547	1,435	75	FCLGA2011-3
<a href="#">Intel Xeon E5-4669 v4 @ 2.20GHz</a>	22	11,523	1,366	135	FCLGA2011-3
<a href="#">[Dual CPU] Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	11,504	1,347	80	FCLGA1356
<a href="#">[Dual CPU] Intel Xeon E5-4620 @ 2.20GHz</a>	8	11,474	974	95	LGA 2011
<a href="#">Intel Core i7-6850K @ 3.60GHz</a>	6	11,466	2,403	140	FCLGA2011-3
<a href="#">Intel Xeon E5-1650 v4 @ 3.60GHz</a>	6	11,449	2,380	140	FCLGA2011-3
<a href="#">AMD Ryzen 3 5425U</a>	4	11,432	2,935	15	FP6
<a href="#">[Dual CPU] Intel Xeon E5-4617 @ 2.90GHz</a>	6	11,387	1,640	130	LGA 2011
<a href="#">Intel Xeon Silver 4208 @ 2.10GHz</a>	8	11,371	1,773	85	FCLGA3647

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon E-2226G @ 3.40GHz</a>	6	11,093	2,821	80	FCLGA1151-2
<a href="#">Intel Core i5-1230U</a>	10	11,084	2,778	9	FCBGA1781
<a href="#">AMD Ryzen 3 4100</a>	4	11,084	2,528	65	AM4
<a href="#">Intel Xeon Silver 4209T @ 2.20GHz</a>	8	11,080	1,693	70	FCLGA3647
<a href="#">Intel Xeon E5-2628L v4 @ 1.90GHz</a>	12	11,079	1,433	75	FCLGA2011-3
<a href="#">AMD Ryzen 3 PRO 5450U</a>	4	11,066	2,740	15	FP6
<a href="#">Intel Xeon E5-4650 v2 @ 2.40GHz</a>	10	11,064	1,501	95	FCLGA2011
<a href="#">Intel Core i3-1215U</a>	6	11,042	3,336	15	FCBGA1744
<a href="#">Apple A12X Bionic</a>	8	11,035	2,655	NA	Unknown
<a href="#">AMD Ryzen 3 5400U</a>	4	11,029	2,735	15	FP6
<a href="#">Intel Core i5-11320H @ 3.20GHz</a>	4	11,004	2,953	35	FCBGA1449
<a href="#">AMD Ryzen 3 PRO 4350GE</a>	4	10,964	2,528	35	AM4
<a href="#">Intel Core i5-11300H @ 3.10GHz</a>	4	10,956	2,811	35	FCBGA1449
<a href="#">AMD Ryzen 3 4300G</a>	4	10,955	2,555	65	AM4
<a href="#">AMD Ryzen 5 4500U</a>	6	10,947	2,437	15	FP6
<a href="#">AMD Ryzen 3 PRO 4350G</a>	4	10,933	2,547	65	AM4
<a href="#">AMD Ryzen 3 PRO 4200GE</a>	4	10,930	2,540	35	Unknown
<a href="#">AMD Ryzen 3 7330U</a>	4	10,903	3,009	15	FP6
<a href="#">Intel Xeon E-2176M @ 2.70GHz</a>	6	10,893	2,471	45	FCBGA1440
<a href="#">[Dual CPU] Intel Xeon X5670 @ 2.93GHz</a>	6	10,891	1,407	95	LGA1366
<a href="#">Intel Xeon E5-2618L v3 @ 2.30GHz</a>	8	10,881	1,905	75	LGA2011-v3
<a href="#">Intel Core i7-9750H @ 2.60GHz</a>	6	10,878	2,433	45	FCBGA1440
<a href="#">Intel Xeon E5-4650 v3 @ 2.10GHz</a>	12	10,838	1,384	105	FCLGA2011-3
<a href="#">Intel Core i7-1195G7 @ 2.90GHz</a>	4	10,829	3,028	28	FCBGA1449
<a href="#">Intel Core i5-10500E @ 3.10GHz</a>	6	10,827	2,436	65	FCLGA1200
<a href="#">[Dual CPU] Intel Xeon Bronze 3206R @ 1.90GHz</a>	8	10,797	1,154	85	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6	10,788	1,278	80	FCLGA2011
<a href="#">[Dual CPU] Intel Xeon E5-2440 @ 2.40GHz</a>	6	10,776	1,151	95	LGA 1356

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon E-2126G @ 3.30GHz</a>	6	10,545	2,629	80	FCLGA1151-2
<a href="#">Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	10,528	1,514	95	LGA 2011
<a href="#">Intel Xeon E5-4620 v3 @ 2.00GHz</a>	10	10,525	1,486	105	FCLGA2011-3
<a href="#">Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	10,523	1,469	95	LGA 2011
<a href="#">[Dual CPU] Intel Xeon X5660 @ 2.80GHz</a>	6	10,519	1,352	95	LGA1366
<a href="#">Intel Core i3-1210U</a>	6	10,513	3,367	9	BGA1781
<a href="#">Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	10,479	1,644	55	FCLGA2011-3
<a href="#">Intel Core i7-1185G7 @ 3.00GHz</a>	4	10,468	2,825	15	BGA1526
<a href="#">Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	10,465	2,085	135	LGA2011-v3
<a href="#">Intel Xeon D-1567 @ 2.10GHz</a>	12	10,447	1,156	65	FCBGA1667
<a href="#">Samsung s5e9945</a>	10	10,442	2,812	NA	Unknown
<a href="#">Intel Xeon E5-2630 v3 @ 2.40GHz</a>	8	10,434	1,764	85	LGA2011-v3
<a href="#">Intel Xeon E5-1650 v3 @ 3.50GHz</a>	6	10,422	2,124	140	LGA2011-v3
<a href="#">Intel Core i5-9600 @ 3.10GHz</a>	6	10,387	2,735	65	FCLGA1151-2
<a href="#">Intel Xeon E5-4640 v3 @ 1.90GHz</a>	12	10,372	1,514	105	FCLGA2011-3
<a href="#">QTI QCS8550</a>	8	10,369	3,332	NA	Unknown
<a href="#">Intel Xeon Silver 4109T @ 2.00GHz</a>	8	10,348	1,445	70	FCLGA3647
<a href="#">Intel Core i7-5930K @ 3.50GHz</a>	6	10,322	2,048	140	LGA2011-v3
<a href="#">[Dual CPU] AMD Opteron 6274</a>	8	10,313	974	115	G34
<a href="#">Intel Core i7-9700TE @ 1.80GHz</a>	8	10,280	2,201	35	FCLGA1151-2
<a href="#">Intel Xeon E5-1660 v2 @ 3.70GHz</a>	6	10,278	2,102	130	LGA 2011
<a href="#">Intel Core i7-1165G7 @ 2.80GHz</a>	4	10,276	2,821	15	BGA1526
<a href="#">Intel Core i7-8850H @ 2.60GHz</a>	6	10,275	2,392	45	FCBGA1440
<a href="#">Intel Core i3-10325 @ 3.90GHz</a>	4	10,268	2,863	65	FCLGA1200
<a href="#">[Dual CPU] AMD Opteron 6366 HE</a>	8	10,265	1,167	85	Unknown
<a href="#">Intel Core i5-1155G7 @ 2.50GHz</a>	4	10,212	2,915	28	FCBGA1449
<a href="#">Intel Core i5-8600K @ 3.60GHz</a>	6	10,200	2,593	95	FCLGA1151-2
<a href="#">Intel Xeon Silver 4110 @ 2.10GHz</a>	8	10,183	1,594	85	FCLGA3647
<a href="#">Intel Core i7-8700T @ 2.40GHz</a>	6	10,181	2,295	35	FCLGA1151-2
<a href="#">Intel Xeon D-1541 @ 2.10GHz</a>	8	10,163	1,698	45	FCBGA1667
<a href="#">[Dual CPU] Intel Xeon X5650 @</a>	6	10,158	1,320	95	LGA1366

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">Intel Xeon E5-2628L v3 @ 2.00GHz</a>	10	9,949	1,483	75	LGA2011-v3
<a href="#">[Dual CPU] Intel Xeon E5-2648L @ 1.80GHz</a>	8	9,940	899	70	LGA 2011
<a href="#">[Quad CPU] Intel Xeon E7450 @ 2.40GHz</a>	6	9,932	1,018	90	PGA604
<a href="#">Intel Core i7-8750H @ 2.20GHz</a>	6	9,914	2,298	45	FCBGA1440
<a href="#">Apple A15 Bionic</a>	6	9,896	3,607	NA	Unknown
<a href="#">Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	9,883	1,690	95	FCLGA2011
<a href="#">Intel Core i5-9500TE @ 2.20GHz</a>	6	9,861	2,370	35	FCLGA1151-2
<a href="#">Intel Xeon E-2274G @ 4.00GHz</a>	4	9,860	2,836	83	FCLGA1151-2
<a href="#">Intel Core i5-1145G7 @ 2.60GHz</a>	4	9,857	2,753	28	FCBGA1449
<a href="#">Intel Xeon E5-2648L v3 @ 1.80GHz</a>	12	9,847	1,292	75	LGA2011-v3
<a href="#">Intel Core i7-5820K @ 3.30GHz</a>	6	9,840	1,996	140	LGA2011-v3
<a href="#">Intel Core i5-1135G7 @ 2.40GHz</a>	4	9,819	2,689	15	BGA1526
<a href="#">Intel Core i5-9500 @ 3.00GHz</a>	6	9,818	2,579	65	FCLGA1151-2
<a href="#">Intel Core i5-10400T @ 2.00GHz</a>	6	9,816	2,158	35	FCLGA1200
<a href="#">Intel Xeon E-2324G @ 3.10GHz</a>	4	9,771	2,953	65	FCLGA1200
<a href="#">Intel Xeon E-2174G @ 3.80GHz</a>	4	9,748	2,676	71	FCLGA1151-2
<a href="#">[Dual CPU] Intel Xeon E5-2643 @ 3.30GHz</a>	4	9,748	1,598	130	LGA2011
<a href="#">Intel Xeon E5-2690 @ 2.90GHz</a>	8	9,744	1,663	135	LGA2011
<a href="#">[Dual CPU] Intel Xeon E5-2620 @ 2.00GHz</a>	6	9,720	1,128	95	LGA2011
<a href="#">Intel Xeon D-1718T @ 2.60GHz</a>	4	9,713	2,297	46	FCBGA2227
<a href="#">[Dual CPU] Intel Xeon Bronze 3106 @ 1.70GHz</a>	8	9,706	1,006	85	FCLGA3647
<a href="#">AMD Ryzen 3 5300U</a>	4	9,697	2,352	15	FP6
<a href="#">Intel Xeon E5-2689 @ 2.60GHz</a>	8	9,695	1,578	115	LGA 2011
<a href="#">Intel Core i3-1125G4 @ 2.00GHz</a>	4	9,687	2,493	28	FCBGA1449
<a href="#">Intel Core i7-7700K @ 4.20GHz</a>	4	9,657	2,723	95	LGA 1151
<a href="#">Intel Core i7-10710U @ 1.10GHz</a>	6	9,654	2,364	15	FCBGA1528
<a href="#">Intel Core i3-1215UE</a>	6	9,643	3,271	28	FCBGA1744

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core i5-1145G7E @ 2.60GHz</a>	4	9,484	2,456	15	FCBGA1449
<a href="#">AMD Ryzen 5 2500X</a>	4	9,482	2,323	65	AM4
<a href="#">Intel U300E</a>	5	9,478	3,546	15	FCBGA1744
<a href="#">Intel Core i5-9400F @ 2.90GHz</a>	6	9,470	2,439	65	FCLGA1151-2
<a href="#">[Dual CPU] Intel Xeon E5649 @ 2.53GHz</a>	6	9,469	1,205	80	LGA1366
<a href="#">[Quad CPU] Intel Xeon E7540 @ 2.00GHz</a>	6	9,409	911	105	FCLGA1567
<a href="#">Intel Core i7-1068NG7 @ 2.30GHz</a>	4	9,408	2,367	28	FCBGA1344
<a href="#">[Dual CPU] Intel Xeon X5687 @ 3.60GHz</a>	4	9,406	1,658	130	LGA1366
<a href="#">Intel Xeon E5-2680 @ 2.70GHz</a>	8	9,405	1,556	130	LGA2011
<a href="#">Intel Core i7-4930K @ 3.40GHz</a>	6	9,401	1,961	130	LGA2011
<a href="#">Intel Pentium Gold 8505</a>	5	9,379	3,300	15	BGA1700
<a href="#">Intel Core i5-9400 @ 2.90GHz</a>	6	9,378	2,441	65	FCLGA1151-2
<a href="#">Intel Xeon E5-4655 v3 @ 2.90GHz</a>	6	9,377	1,817	135	FCLGA2011-3
<a href="#">Apple A12Z Bionic</a>	8	9,365	2,202	NA	Unknown
<a href="#">Snapdragon 8 Gen2 Mobile Platform for Galaxy</a>	8	9,362	3,093	NA	Unknown
<a href="#">Intel Core i5-1140G7 @ 1.10GHz</a>	4	9,361	2,624	15	FCBGA1598
<a href="#">[Dual CPU] AMD Opteron 4386</a>	4	9,359	1,311	95	C32
<a href="#">Intel Core i5-8600T @ 2.30GHz</a>	6	9,343	2,281	35	FCLGA1151-2
<a href="#">[Dual CPU] Intel Xeon E5-2420 @ 1.90GHz</a>	6	9,343	1,000	95	LGA1356
<a href="#">AMD Ryzen 5 3350GE</a>	4	9,343	2,322	35	Unknown
<a href="#">Intel Xeon E5-1650 v2 @ 3.50GHz</a>	6	9,342	2,047	130	FCLGA2011
<a href="#">Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	9,320	1,786	130	FCLGA2011
<a href="#">AMD Ryzen 5 7520U</a>	4	9,319	2,491	15	FP6
<a href="#">Intel U300</a>	5	9,309	3,413	15	FCBGA1744
<a href="#">Intel Core i3-10300 @ 3.70GHz</a>	4	9,308	2,695	65	FCLGA1200
<a href="#">Intel Xeon E3-1275 v6 @ 3.80GHz</a>	4	9,303	2,556	73	FCLGA1151
<a href="#">Intel Core i3-10305 @ 3.80GHz</a>	4	9,291	2,815	65	FCLGA1200
<a href="#">AMD Ryzen 5 PRO 3350G</a>	4	9,288	2,289	65	AM4
<a href="#">Intel Xeon D-1557 @ 1.50GHz</a>	12	9,285	1,090	45	FCBGA1667

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	9,134	1,884	130	FCLGA2011
<a href="#">[Dual CPU] Intel Xeon E5645 @ 2.40GHz</a>	6	9,113	1,173	80	LGA1366
<a href="#">Mediatek MT8798Z/CNZA</a>	8	9,110	3,111	NA	Unknown
<a href="#">AMD Ryzen 5 PRO 1500</a>	4	9,106	2,134	65	AM4
<a href="#">Intel Xeon D-1715TER @ 2.40GHz</a>	4	9,104	2,269	50	FCBGA2227
<a href="#">AMD Ryzen 5 1500X</a>	4	9,097	2,112	65	AM4
<a href="#">Intel Core i5-1038NG7 @ 2.00GHz</a>	4	9,081	2,206	28	FCBGA1344
<a href="#">Intel Xeon D-1548 @ 2.00GHz</a>	8	9,075	1,647	45	FCBGA1667
<a href="#">Intel Xeon E5-4648 v3 @ 1.70GHz</a>	12	9,061	1,317	105	FCLGA2011-3
<a href="#">Intel Xeon E3-1280 v6 @ 3.90GHz</a>	4	9,028	2,504	72	FCLGA1151
<a href="#">Intel Core i5-8500B @ 3.00GHz</a>	6	9,021	2,554	65	FCBGA1440
<a href="#">[Dual CPU] Intel Xeon Bronze 3204 @ 1.90GHz</a>	6	9,019	1,116	85	FCLGA3647
<a href="#">AMD Ryzen 3 7320U</a>	4	9,010	2,417	15	FP7
<a href="#">Intel Core i3-10105F @ 3.70GHz</a>	4	9,006	2,658	NA	FCLGA1200
<a href="#">AMD Ryzen 5 3350G</a>	4	9,005	2,263	65	AM4
<a href="#">[Dual CPU] Intel Xeon X5677 @ 3.47GHz</a>	4	8,971	1,623	130	LGA1366
<a href="#">Intel Xeon E5-2670 @ 2.60GHz</a>	8	8,959	1,472	115	LGA2011
<a href="#">Intel Xeon E3-1270 v6 @ 3.80GHz</a>	4	8,956	2,474	72	FCLGA1151
<a href="#">Intel Core i7-6700K @ 4.00GHz</a>	4	8,928	2,504	95	LGA1151
<a href="#">Intel Core i3-1305U</a>	5	8,923	3,239	15	FCBGA1744
<a href="#">AMD Ryzen 5 3400GE</a>	4	8,907	2,295	35	AM4
<a href="#">Intel Core i3-1315UE</a>	6	8,906	3,170	15	FCBGA1744
<a href="#">Intel Core i5-3170K @ 3.20GHz</a>	4	8,882	2,510	NA	Unknown
<a href="#">Intel Xeon Silver 4108 @ 1.80GHz</a>	8	8,878	1,505	85	FCLGA3647
<a href="#">Intel Xeon Gold 5122 @ 3.60GHz</a>	4	8,843	2,149	105	FCLGA3647
<a href="#">Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	8,828	1,194	70	FCLGA2011
<a href="#">[Dual CPU] Intel Xeon X5672 @ 3.20GHz</a>	4	8,825	1,503	95	LGA1366
<a href="#">Intel Xeon E3-1245 v6 @ 3.70GHz</a>	4	8,772	2,421	73	FCLGA1151
<a href="#">Intel Core i3-10100F @ 3.60GHz</a>	4	8,765	2,593	65	FCLGA1200

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">[Dual CPU] AMD Opteron 4284</a>	4	8,560	1,369	95	Socket C32
<a href="#">Intel Core i7-8809G @ 3.10GHz</a>	4	8,555	2,387	100	BGA2270
<a href="#">Intel Core i3-10105 @ 3.70GHz</a>	4	8,546	2,682	65	FCLGA1200
<a href="#">AMD EPYC 3201</a>	8	8,545	1,500	30	SP4r2
<a href="#">Apple A14 Bionic</a>	6	8,544	3,396	NA	Unknown
<a href="#">Intel Xeon E3-1285 v6 @ 4.10GHz</a>	4	8,536	2,579	79	FCLGA1151
<a href="#">Intel Xeon E5-4650L @ 2.60GHz</a>	8	8,533	1,409	115	LGA 2011
<a href="#">[Dual CPU] Intel Xeon X5667 @ 3.07GHz</a>	4	8,511	1,443	95	LGA1366
<a href="#">AMD Ryzen 5 PRO 2400G</a>	4	8,507	2,154	65	AM4
<a href="#">[Dual CPU] Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	8,506	1,409	85	FCLGA2011-3
<a href="#">Intel Xeon W-11155MLE @ 1.80GHz</a>	4	8,502	1,862	25	FCBGA1787
<a href="#">Intel Xeon W-2123 @ 3.60GHz</a>	4	8,502	2,188	120	FCLGA2066
<a href="#">[Dual CPU] Intel Xeon E5-2428L @ 1.80GHz</a>	6	8,500	899	60	FCLGA1356
<a href="#">Intel Xeon E3-1275 v5 @ 3.60GHz</a>	4	8,495	2,352	80	FCLGA1151
<a href="#">[Dual CPU] Intel Xeon L5640 @ 2.27GHz</a>	6	8,489	1,151	60	LGA1366
<a href="#">AMD Ryzen Embedded R2544</a>	4	8,486	2,102	45	FP5
<a href="#">Intel Core i5-10400H @ 2.60GHz</a>	4	8,478	2,634	45	FCBGA1440
<a href="#">Intel Core i7-3970X @ 3.50GHz</a>	6	8,461	1,840	150	LGA2011
<a href="#">Intel Core i7-8559U @ 2.70GHz</a>	4	8,450	2,541	28	FCBGA1528
<a href="#">Intel Core i5-10500TE @ 2.30GHz</a>	6	8,449	1,688	35	FCLGA1200
<a href="#">Intel Xeon E5-2628 v3 @ 2.50GHz</a>	8	8,447	1,754	85	LGA2011-v3
<a href="#">Intel Core i5-10300H @ 2.50GHz</a>	4	8,421	2,568	45	FCBGA1440
<a href="#">Intel Xeon E3-1585 v5 @ 3.50GHz</a>	4	8,408	2,402	65	FCBGA1440
<a href="#">Intel Xeon E5-1660 @ 3.30GHz</a>	6	8,405	1,805	130	LGA2011
<a href="#">Intel Core i7-3960X @ 3.30GHz</a>	6	8,401	1,797	130	LGA2011
<a href="#">Intel Xeon E3-1280 v5 @ 3.70GHz</a>	4	8,399	2,331	80	FCLGA1151
<a href="#">Intel Core i5-9400T @ 1.80GHz</a>	6	8,393	2,122	35	FCLGA1151-2
<a href="#">AMD EPYC 3151</a>	4	8,376	1,883	45	SP4r2
<a href="#">[Dual CPU] Intel Xeon X5647 @</a>	4	8,369	1,418	130	LGA1366



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">ARM X-Gen 32 Core 3000 MHz</a>	32	8,202	608	NA	Unknown
<a href="#">Intel Core i5-9500T @ 2.20GHz</a>	6	8,201	2,168	35	FCLGA1151-2
<a href="#">ARM Avalanche-M2 4 Core 2424 MHz</a>	4	8,182	3,292	NA	Unknown
<a href="#">Intel Core i7-1185GRE @ 2.80GHz</a>	4	8,179	2,286	15	FCBGA1449
<a href="#">Intel Core i5-1035G7 @ 1.20GHz</a>	4	8,174	2,229	15	FCBGA1526
<a href="#">Intel Xeon E-2276ME @ 2.80GHz</a>	6	8,167	1,604	45	FCBGA1440
<a href="#">Intel Core i5-10200H @ 2.40GHz</a>	4	8,157	2,437	45	FCBGA1440
<a href="#">AMD Ryzen 7 3750H</a>	4	8,153	2,091	35	FP5
<a href="#">Intel Core i3-10305T @ 3.00GHz</a>	4	8,136	2,457	35	FCLGA1200
<a href="#">Google Tensor G3</a>	9	8,134	2,407	NA	Unknown
<a href="#">ARM - 32 Core 2911 MHz</a>	32	8,132	541	NA	Unknown
<a href="#">Intel Xeon E5-2660 @ 2.20GHz</a>	8	8,132	1,398	95	LGA2011
<a href="#">Intel Xeon E3-1230 v6 @ 3.50GHz</a>	4	8,113	2,166	72	FCLGA1151
<a href="#">[Dual CPU] Intel Xeon X7560 @ 2.27GHz</a>	8	8,110	734	130	LGA1567
<a href="#">Intel Xeon E5-1650 @ 3.20GHz</a>	6	8,099	1,737	130	LGA2011
<a href="#">Intel Core i7-8706G @ 3.10GHz</a>	4	8,095	2,383	65	BGA2270
<a href="#">Intel Core i7-6700 @ 3.40GHz</a>	4	8,092	2,292	65	LGA 1151
<a href="#">Intel Xeon E3-1585L v5 @ 3.00GHz</a>	4	8,083	2,188	45	FCBGA1440
<a href="#">Intel Xeon E3-1285L v4 @ 3.40GHz</a>	4	8,074	2,350	65	LGA1150
<a href="#">Intel Core i7-4790K @ 4.00GHz</a>	4	8,068	2,465	88	LGA1150
<a href="#">Mediatek Dimensity 9200 (MT6985)</a>	8	8,067	2,404	NA	Unknown
<a href="#">CentaurHauls @2500MHz</a>	8	8,055	1,384	NA	Unknown
<a href="#">Intel Core i5-8269U @ 2.60GHz</a>	4	8,055	2,561	28	FCBGA1528
<a href="#">Intel Xeon E3-1535M v6 @ 3.10GHz</a>	4	8,055	2,346	35	FCBGA1440
<a href="#">[Dual CPU] Intel Xeon Bronze 3104 @ 1.70GHz</a>	6	8,046	1,056	85	FCLGA3647
<a href="#">Intel Xeon E3-1245 v5 @ 3.50GHz</a>	4	8,029	2,245	80	FCLGA1151
<a href="#">Intel Core i3-10105T @ 3.00GHz</a>	4	8,024	2,353	35	FCLGA1200
<a href="#">Intel Xeon D-1559 @ 1.50GHz</a>	12	8,015	1,033	45	FCBGA1667

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">[Dual CPU] Intel Xeon X7550 @ 2.00GHz</a>	8	7,873	1,067	130	LGA1567
<a href="#">Intel Core i7-995X @ 3.60GHz</a>	6	7,862	1,718	NA	Unknown
<a href="#">AMD Opteron 6348</a>	6	7,850	1,333	115	Unknown
<a href="#">[Quad CPU] Intel Xeon X7350 @ 2.93GHz</a>	4	7,836	1,186	130	604
<a href="#">AMD Ryzen 5 2600H</a>	4	7,834	2,094	45	FP5
<a href="#">[Dual CPU] AMD Opteron 6176 SE</a>	12	7,818	963	140	G34
<a href="#">Intel Xeon E3-1545M v5 @ 2.90GHz</a>	4	7,812	2,122	45	FCBGA1440
<a href="#">Intel Xeon E3-1285 v4 @ 3.50GHz</a>	4	7,808	2,313	95	FCLGA1150
<a href="#">Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	7,806	1,691	85	LGA2011-v3
<a href="#">ARM Firestorm 4 Core 2064 MHz</a>	4	7,804	2,941	NA	Unknown
<a href="#">AMD Ryzen 5 3550H</a>	4	7,803	2,035	35	FP5
<a href="#">ARM Firestorm-M1 4 Core 2064 MHz</a>	4	7,799	2,882	NA	Unknown
<a href="#">AMD Ryzen Embedded V1807F</a>	4	7,775	1,838	NA	Unknown
<a href="#">AMD Ryzen 5 1400</a>	4	7,755	1,896	65	AM4
<a href="#">Intel Core i5-8500T @ 2.10GHz</a>	6	7,731	2,018	35	FCLGA1151-2
<a href="#">Mediatek MT6983Z/CZA</a>	8	7,726	2,255	NA	Unknown
<a href="#">[Quad CPU] AMD Opteron 8378</a>	4	7,726	1,044	115	F (1207)
<a href="#">Intel Core i5-8400H @ 2.50GHz</a>	4	7,724	2,361	45	FCBGA1440
<a href="#">AMD Athlon Gold PRO 3150G</a>	4	7,702	2,321	65	AM4
<a href="#">Intel Core i3-9350K @ 4.00GHz</a>	4	7,700	2,783	91	FCLGA1151
<a href="#">Intel Core i7-5950HQ @ 2.90GHz</a>	4	7,696	2,288	47	FCBGA1364
<a href="#">Mediatek MT6895Z_A/TCZA</a>	8	7,686	2,308	NA	Unknown
<a href="#">Intel Core i7-8705G @ 3.10GHz</a>	4	7,684	2,226	65	BGA2270
<a href="#">Intel Core i7-5775C @ 3.30GHz</a>	4	7,683	2,270	65	FCLGA1150
<a href="#">Intel Xeon E5-1630 v4 @ 3.70GHz</a>	4	7,682	2,355	140	FCLGA2011-3
<a href="#">AMD Ryzen 5 3550U</a>	4	7,681	2,053	15	Unknown
<a href="#">Intel Xeon E3-1270L v4 @ 3.00GHz</a>	4	7,662	2,378	45	LGA1150
<a href="#">Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	7,655	1,139	95	LGA 1356
<a href="#">AMD Ryzen 5 PRO 2400GE</a>	4	7,654	2,116	35	AM4

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">AMD Ryzen 5 2400GE</a>	4	7,515	2,092	35	AM4
<a href="#">Intel Xeon E3-1535M v5 @ 2.90GHz</a>	4	7,514	2,123	45	FCBGA1440
<a href="#">Intel Xeon E5-2667 @ 2.90GHz</a>	6	7,511	1,584	130	LGA2011
<a href="#">Intel Xeon E3-1276 v3 @ 3.60GHz</a>	4	7,508	2,283	84	FCLGA1150
<a href="#">Intel Core i7-8557U @ 1.70GHz</a>	4	7,498	2,389	15	FCBGA1528
<a href="#">Mediatek MT6891Z/CZA</a>	8	7,487	2,276	NA	Unknown
<a href="#">Intel Xeon D-1531 @ 2.20GHz</a>	6	7,483	1,434	45	FCBGA1667
<a href="#">Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	7,482	1,572	80	FCLGA2011
<a href="#">AMD Ryzen 7 PRO 3700U</a>	4	7,478	2,031	15	FP5
<a href="#">Intel Xeon E3-1505M v6 @ 3.00GHz</a>	4	7,470	2,239	45	Unknown
<a href="#">Intel Core i5-8300H @ 2.30GHz</a>	4	7,469	2,281	45	FCLGA1151-2
<a href="#">Intel Core i5-8279U @ 2.40GHz</a>	4	7,463	2,297	28	FCBGA1528
<a href="#">AMD Ryzen 3 4300U</a>	4	7,455	2,305	15	FP6
<a href="#">[Dual CPU] Intel Xeon E5640 @ 2.67GHz</a>	4	7,455	1,252	80	LGA1366
<a href="#">Intel Core i7-7820EQ @ 3.00GHz</a>	4	7,453	2,207	45	FCBGA1440
<a href="#">Intel Xeon E5-2608L v4 @ 1.60GHz</a>	8	7,447	1,092	50	FCLGA2011-3
<a href="#">Intel Xeon D-1537 @ 1.70GHz</a>	8	7,444	1,225	35	FCBGA1667
<a href="#">Intel Core i5-8400T @ 1.70GHz</a>	6	7,436	1,921	35	FCLGA1151-2
<a href="#">Intel Core i5-1035G1 @ 1.00GHz</a>	4	7,429	2,243	15	FCBGA1526
<a href="#">Intel Xeon E5-2650 @ 2.00GHz</a>	8	7,422	1,230	95	LGA2011
<a href="#">Intel Xeon E3-1286 v3 @ 3.70GHz</a>	4	7,418	2,391	84	LGA1150
<a href="#">Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	7,418	2,207	135	FCLGA2011-3
<a href="#">Intel Xeon E-2124G @ 3.40GHz</a>	4	7,417	2,690	71	FCLGA1151-2
<a href="#">Intel Xeon E3-1281 v3 @ 3.70GHz</a>	4	7,408	2,329	82	LGA1150
<a href="#">Intel Xeon E3-1280 v3 @ 3.60GHz</a>	4	7,402	2,277	82	LGA1150
<a href="#">Intel Core i7-7820HK @ 2.90GHz</a>	4	7,400	2,117	45	FCBGA1440
<a href="#">Intel Xeon E5-1630 v3 @ 3.70GHz</a>	4	7,396	2,112	140	LGA2011-v3
<a href="#">Intel Core i7-7920HQ @ 3.10GHz</a>	4	7,390	2,230	45	FCBGA1440
<a href="#">Google GS201</a>	8	7,378	2,290	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon E5-2637 v3 @ 3.50GHz</a>	4	7,266	2,019	135	LGA2011-v3
<a href="#">Intel Core i7-6700T @ 2.80GHz</a>	4	7,254	2,078	35	LGA 1151
<a href="#">AMD Ryzen 5 Microsoft Surface Edition</a>	4	7,243	1,815	15	FP5
<a href="#">AMD Ryzen 5 3580U</a>	4	7,240	1,976	15	FP5
<a href="#">[Dual CPU] AMD Opteron 4238</a>	3	7,236	1,313	95	Socket C32
<a href="#">AMD Ryzen 3 PRO 1300</a>	4	7,234	2,187	65	AM4
<a href="#">[Quad CPU] Intel Xeon E7530 @ 1.87GHz</a>	6	7,231	887	105	FCLGA1567
<a href="#">Intel Xeon W3690 @ 3.47GHz</a>	6	7,231	1,615	130	LGA1366
<a href="#">Intel Xeon E5-4610 v3 @ 1.70GHz</a>	10	7,229	1,027	105	FCLGA2011-3
<a href="#">[Dual CPU] Intel Xeon L5638 @ 2.00GHz</a>	6	7,217	944	60	LGA1366
<a href="#">Intel Xeon E3-1275 v3 @ 3.50GHz</a>	4	7,196	2,209	95	LGA1150
<a href="#">AMD Ryzen 7 PRO 2700U</a>	4	7,188	1,957	15	FP5
<a href="#">Intel Xeon E5-2628L v2 @ 1.90GHz</a>	8	7,181	1,106	70	LGA 2011
<a href="#">Intel Xeon D-1539 @ 1.60GHz</a>	8	7,175	1,179	35	FCBGA1667
<a href="#">AMD Ryzen 7 3700U</a>	4	7,172	1,981	15	FP5
<a href="#">Intel Core i7-7820HQ @ 2.90GHz</a>	4	7,167	2,121	45	FCBGA1440
<a href="#">AMD Ryzen 7 3700C</a>	4	7,145	2,301	15	FP5
<a href="#">Intel 300</a>	2	7,142	3,237	46	FCLGA1700
<a href="#">vendor Kirin9000E</a>	8	7,141	2,687	NA	Unknown
<a href="#">Intel Xeon E3-1241 v3 @ 3.50GHz</a>	4	7,141	2,173	80	LGA1150
<a href="#">Intel Core i7-4771 @ 3.50GHz</a>	4	7,139	2,192	84	LGA1150
<a href="#">Intel Core i3-9300 @ 3.70GHz</a>	4	7,137	2,561	62	FCLGA1151-2
<a href="#">Mediatek MT6895Z_B/TCZA</a>	8	7,135	2,210	NA	Unknown
<a href="#">AMD Ryzen 3 3200G</a>	4	7,135	2,207	65	AM4
<a href="#">[Dual CPU] AMD Opteron 6282 SE</a>	16	7,130	517	140	Unknown
<a href="#">Intel Core i7-4770K @ 3.50GHz</a>	4	7,125	2,162	84	LGA1150
<a href="#">Intel Core i7-6770HQ @ 2.60GHz</a>	4	7,116	1,951	45	FCBGA1440
<a href="#">AMD Athlon Gold 3150G</a>	4	7,112	2,265	65	AM4
<a href="#">Intel Core i7-990X @ 3.47GHz</a>	6	7,106	1,579	130	LGA1366

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">AMD Ryzen 5 PRO 3500U</a>	4	6,993	1,953	15	FP5
<a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>	4	6,992	2,015	140	LGA2011-v3
<a href="#">AMD Ryzen 3 PRO 3200G</a>	4	6,991	2,190	65	AM4
<a href="#">AMD Ryzen 3 1300X</a>	4	6,990	2,122	65	AM4
<a href="#">Intel Xeon E5-4607 v2 @ 2.60GHz</a>	6	6,986	1,363	95	FCLGA2011
<a href="#">Intel Xeon E3-1285 v3 @ 3.60GHz</a>	4	6,974	2,213	84	LGA1150
<a href="#">AMD Ryzen 7 3780U</a>	4	6,961	1,937	15	FP5
<a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a>	4	6,954	2,073	35	FCLGA1150
<a href="#">[Dual CPU] Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	6,951	921	85	LGA2011-v3
<a href="#">AMD Ryzen 5 3500U</a>	4	6,951	1,947	15	FP5
<a href="#">Intel Core i5-8305G @ 2.80GHz</a>	4	6,951	2,048	65	BGA2270
<a href="#">Intel Xeon E3-1505M v5 @ 2.80GHz</a>	4	6,947	2,001	45	FCBGA1440
<a href="#">Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	6,940	1,761	85	FCLGA2011-3
<a href="#">Intel Xeon E-2124 @ 3.30GHz</a>	4	6,935	2,507	71	FCLGA1151-2
<a href="#">Intel Core i7-980 @ 3.33GHz</a>	6	6,926	1,539	130	LGA1366
<a href="#">AMD Opteron 6287 SE</a>	16	6,925	1,091	NA	G34
<a href="#">Intel Core i7-7700HQ @ 2.80GHz</a>	4	6,921	2,060	45	FCBGA1440
<a href="#">vendor Kirin9000</a>	8	6,914	2,592	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon E5630 @ 2.53GHz</a>	4	6,898	1,170	80	LGA1366
<a href="#">AMD Ryzen 7 2700U</a>	4	6,869	1,813	15	FP5
<a href="#">Intel Core i3-9100E @ 3.10GHz</a>	4	6,868	2,334	65	FCLGA1151
<a href="#">Intel Core i7-5850HQ @ 2.70GHz</a>	4	6,866	2,219	47	FCBGA1364
<a href="#">Intel Core i3-8350K @ 4.00GHz</a>	4	6,863	2,478	91	FCLGA1151-2
<a href="#">Intel Core i5-7640X @ 4.00GHz</a>	4	6,844	2,532	112	FCLGA2066
<a href="#">[Dual CPU] Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	6,834	1,382	80	LGA 2011
<a href="#">Samsung s5e8845</a>	8	6,831	2,297	NA	Unknown
<a href="#">Intel Core i7-6820HQ @ 2.70GHz</a>	4	6,831	1,956	45	FCBGA1440
<a href="#">Intel Core i7-980X @ 3.33GHz</a>	6	6,828	1,530	130	LGA1366
<a href="#">Intel Xeon X5680 @ 3.33GHz</a>	6	6,820	1,527	130	LGA1366

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">Mediatek MT6895Z/TCZA</a>	8	6,738	2,281	NA	Unknown
<a href="#">Google Tensor</a>	8	6,735	2,303	NA	Unknown
<a href="#">AMD Ryzen 5 3450U</a>	4	6,733	1,914	15	FP5
<a href="#">Qualcomm SM8250</a>	8	6,728	2,449	NA	Unknown
<a href="#">Intel Core i7-10610U @ 1.80GHz</a>	4	6,727	2,275	15	FCBGA1528
<a href="#">QTI SG8175P</a>	8	6,713	2,140	NA	Unknown
<a href="#">Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	6,701	1,418	60	LGA 2011
<a href="#">AMD Ryzen Embedded V1605B</a>	4	6,693	1,922	15	FP5
<a href="#">[Dual CPU] Intel Xeon E5-4603 @ 2.00GHz</a>	4	6,690	995	95	LGA 2011
<a href="#">Mediatek MT6893Z_T/CZA</a>	8	6,688	2,548	NA	Unknown
<a href="#">AMD Opteron 6380</a>	8	6,687	1,092	115	G34
<a href="#">Intel Xeon D-2123IT @ 2.20GHz</a>	4	6,673	1,734	60	FCBGA2518
<a href="#">AMD Ryzen 5 PRO 2500U</a>	4	6,660	1,788	15	FP5
<a href="#">Mediatek MT8789</a>	8	6,640	2,296	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon W5590 @ 3.33GHz</a>	4	6,640	1,612	130	LGA1366
<a href="#">Intel Core i7-1060NG7 @ 1.20GHz</a>	4	6,633	1,880	10	FCBGA1526
<a href="#">Intel Xeon E3-1275 V2 @ 3.50GHz</a>	4	6,630	2,119	77	LGA1155
<a href="#">Intel Core i7-4770R @ 3.20GHz</a>	4	6,620	2,179	65	FCBGA1364
<a href="#">Samsung s5e9925</a>	8	6,615	2,180	NA	Unknown
<a href="#">Snapdragon 8cx Gen 2 @ 3.15 GHz</a>	8	6,614	1,966	7	Unknown
<a href="#">Intel Core i3-9100 @ 3.60GHz</a>	4	6,609	2,482	65	FCLGA1151-2
<a href="#">AMD Ryzen 3 PRO 3200GE</a>	4	6,608	2,097	35	AM4
<a href="#">Intel Core i7-10510U @ 1.80GHz</a>	4	6,600	2,294	15	FCBGA1528
<a href="#">Qualcomm Technologies, Inc SM8350AC</a>	8	6,588	2,758	NA	Unknown
<a href="#">MediaTek MT6983</a>	8	6,582	2,260	NA	Unknown
<a href="#">Intel Xeon E3-1280 V2 @ 3.60GHz</a>	4	6,571	2,173	69	LGA1155
<a href="#">QTI SM8250</a>	8	6,564	2,243	NA	Unknown
<a href="#">Intel Core i5-7600 @ 3.50GHz</a>	4	6,562	2,469	65	FCLGA1151
<a href="#">Intel Core i7-4980HQ @ 2.80GHz</a>	4	6,555	2,172	47	FCBGA1364

CPU Name

Cores

CPU Mark

Thread Mark

TDP (W)

Socket



## CPU Benchmarks



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
<a href="#">MT6893Z_Z/CZA</a>	8	6,485	2,046	NA	Unknown
<a href="#">Intel Xeon E3-1270 V2 @ 3.50GHz</a>	4	6,480	2,080	69	LGA1155
<a href="#">MT6893Z/CZA</a>	8	6,467	2,158	NA	Unknown
<a href="#">Intel Core i7-3770K @ 3.50GHz</a>	4	6,463	2,071	77	LGA1155
<a href="#">Intel Xeon E5-4610 @ 2.40GHz</a>	6	6,460	1,401	95	FCLGA2011
<a href="#">Odin based on Qualcomm Technologies, Inc SM8350</a>	8	6,456	1,751	NA	Unknown
<a href="#">Intel Xeon E3-1286L v3 @ 3.20GHz</a>	4	6,450	2,207	65	LGA1150
<a href="#">redwood based Qualcomm Technologies, Inc. SM7325</a>	8	6,448	2,150	NA	Unknown
<a href="#">Intel Xeon E3-1240L v5 @ 2.10GHz</a>	4	6,446	1,906	25	FCLGA1151
<a href="#">Intel Xeon Silver 4112 @ 2.60GHz</a>	4	6,446	1,707	85	FCLGA3647
<a href="#">QTI SM7550</a>	8	6,443	2,073	NA	Unknown
<a href="#">Intel Xeon W3670 @ 3.20GHz</a>	6	6,435	1,498	130	LGA1366
<a href="#">Intel Core i7-4930MX @ 3.00GHz</a>	4	6,435	2,075	57	FCPGA946
<a href="#">Intel Xeon X5675 @ 3.07GHz</a>	6	6,433	1,490	95	LGA1366
<a href="#">Qualcomm Technologies, Inc SM7325</a>	8	6,431	2,170	NA	Unknown
<a href="#">Qualcomm Technologies, Inc SM8250_AC</a>	8	6,416	2,621	NA	Unknown
<a href="#">Mediatek MT6889</a>	8	6,415	1,898	NA	Unknown
<a href="#">Intel Xeon E5-2608L v3 @ 2.00GHz</a>	6	6,415	1,210	52	LGA2011-v3
<a href="#">Mediatek MT6883Z/CZA</a>	8	6,413	1,761	NA	Unknown
<a href="#">Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	6,413	1,892	130	LGA 2011
<a href="#">Intel Core i7-3770 @ 3.40GHz</a>	4	6,410	2,073	77	LGA1155
<a href="#">AMD Ryzen 3 PRO 2200GE</a>	4	6,398	2,056	35	AM4
<a href="#">Intel Core i5-10310U @ 1.70GHz</a>	4	6,397	2,199	15	FCBGA1528
<a href="#">[Dual CPU] Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	6,395	1,282	80	FCLGA1356
<a href="#">QTI SM8450</a>	8	6,389	2,438	NA	Unknown
<a href="#">AMD Opteron 6282 SE</a>	16	6,385	953	140	Unknown
<a href="#">[Dual CPU] Intel Xeon W5580 @</a>	4	6,384	1,485	130	LGA1366

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon E3-1245 V2 @ 3.40GHz</a>	4	6,309	2,028	77	LGA1155
<a href="#">Intel Core i7-4760HQ @ 2.10GHz</a>	4	6,300	1,944	47	FCBGA1364
<a href="#">Intel Xeon E5-4617 @ 2.90GHz</a>	6	6,298	1,552	130	LGA 2011
<a href="#">AMD Ryzen 3 1200</a>	4	6,297	1,933	65	AM4
<a href="#">HiSilicon Kirin</a>	8	6,283	2,158	NA	Unknown
<a href="#">Intel Core i7-8650U @ 1.90GHz</a>	4	6,283	2,134	15	FC-BGA1356
<a href="#">Qualcomm Technologies, Inc KONA-IOT</a>	8	6,282	2,510	NA	Unknown
<a href="#">Intel Core i7-8665U @ 1.90GHz</a>	4	6,266	2,196	15	FCBGA1528
<a href="#">Intel Xeon E3-1275L v3 @ 2.70GHz</a>	4	6,261	2,172	45	LGA1150
<a href="#">Intel Xeon E5-1428L v2 @ 2.20GHz</a>	6	6,255	1,096	60	FCLGA1356
<a href="#">AMD Opteron 6276</a>	8	6,245	1,005	115	Socket G34
<a href="#">Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6	6,244	1,290	80	FCLGA2011
<a href="#">Intel Core i7-4910MQ @ 2.90GHz</a>	4	6,244	2,023	47	FCPGA946
<a href="#">Intel Core i7-4860HQ @ 2.40GHz</a>	4	6,242	1,893	47	FCBGA1364
<a href="#">[Dual CPU] Intel Xeon X5570 @ 2.93GHz</a>	4	6,241	1,445	95	LGA1366
<a href="#">Intel Core i3-10100TE @ 2.30GHz</a>	4	6,237	1,715	35	LGA 1200
<a href="#">SM7325</a>	8	6,230	2,141	NA	Unknown
<a href="#">Samsung Exynos 990</a>	8	6,229	1,844	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon E7- 4807 @ 1.87GHz</a>	6	6,223	721	95	LGA1567
<a href="#">AMD FX-8370 Eight-Core</a>	4	6,205	1,631	125	AM3+
<a href="#">Intel Core i5-10210U @ 1.60GHz</a>	4	6,205	2,166	15	FCBGA1528
<a href="#">Intel Xeon D-1622 @ 2.60GHz</a>	4	6,205	1,875	40	FCBGA1667
<a href="#">Microsoft SQ2 @ 3.15 GHz</a>	8	6,203	1,922	NA	Unknown
<a href="#">Intel Core i5-8350U @ 1.70GHz</a>	4	6,197	2,017	15	FC-BGA1356
<a href="#">Intel Xeon E5-2650L @ 1.80GHz</a>	8	6,192	1,083	70	LGA 2011
<a href="#">Intel Core i7-3770S @ 3.10GHz</a>	4	6,189	2,044	65	LGA1155
<a href="#">Intel Core i7-8565UC @ 1.80GHz</a>	4	6,187	2,527	15	FCBGA1528
<a href="#">Intel Xeon E3-1230 V2 @ 3.30GHz</a>	4	6,186	1,988	69	LGA1155
<a href="#">Intel Xeon E5-2630 @ 2.30GHz</a>	6	6,183	1,286	95	LGA2011



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Qualcomm SM7325</a>	8	6,099	2,015	NA	Unknown
<a href="#">Intel Core i7-4900MQ @ 2.80GHz</a>	4	6,097	1,984	47	FCPGA946
<a href="#">Intel Xeon E5-2440 @ 2.40GHz</a>	6	6,091	1,304	95	LGA 1356
<a href="#">Intel Xeon X5670 @ 2.93GHz</a>	6	6,089	1,398	95	LGA1366
<a href="#">Intel Core i7-5675C @ 3.10GHz</a>	4	6,089	2,249	65	LGA1150
<a href="#">Intel Xeon E3-1505L v6 @ 2.20GHz</a>	4	6,088	1,848	25	FCBGA1440
<a href="#">Intel Core i7-4770HQ @ 2.20GHz</a>	4	6,084	1,913	47	FCBGA1364
<a href="#">Intel Core i3-8100B @ 3.60GHz</a>	4	6,079	2,341	65	FCBGA1440
<a href="#">Intel Xeon E3-1268L v5 @ 2.40GHz</a>	4	6,079	1,654	35	FCLGA1151
<a href="#">Intel Xeon E5-2658 @ 2.10GHz</a>	8	6,073	1,156	95	LGA2011
<a href="#">AMD Opteron 6344</a>	6	6,069	1,231	115	Unknown
<a href="#">Intel Core i7-4810MQ @ 2.80GHz</a>	4	6,065	2,022	47	FCPGA946
<a href="#">AMD FX-8350 Eight-Core</a>	4	6,059	1,581	125	AM3+
<a href="#">AMD Ryzen 3 2200GE</a>	4	6,056	1,923	35	AM4
<a href="#">[Dual CPU] AMD Opteron 6134</a>	8	6,053	898	115	G34
<a href="#">AMD EPYC 3101 4-Core</a>	4	6,050	1,787	NA	Unknown
<a href="#">Intel Core i5-6600 @ 3.30GHz</a>	4	6,048	2,258	65	LGA 1151
<a href="#">Spreadtrum T820</a>	8	6,044	1,858	NA	Unknown
<a href="#">MT6893Z_A/CZA</a>	8	6,043	2,339	NA	Unknown
<a href="#">Intel Core i7-5700HQ @ 2.70GHz</a>	4	6,039	2,015	47	FCBGA1364
<a href="#">AMD Ryzen Embedded R2314</a>	4	6,031	1,921	NA	Unknown
<a href="#">MT6891Z/CZA</a>	8	6,025	1,668	NA	Unknown
<a href="#">Intel Core i5-7500 @ 3.40GHz</a>	4	6,025	2,264	65	LGA1151
<a href="#">Samsung s5e8835</a>	8	6,020	2,020	NA	Unknown
<a href="#">Intel Xeon X5660 @ 2.80GHz</a>	6	6,008	1,371	95	LGA1366
<a href="#">AMD Ryzen Embedded V1404I</a>	4	6,007	1,621	15	Unknown
<a href="#">Intel Core i5-8265U @ 1.60GHz</a>	4	5,988	2,077	15	FCBGA1528
<a href="#">Intel Xeon E3-1225 v5 @ 3.30GHz</a>	4	5,977	2,119	80	FCLGA1151
<a href="#">Intel Core i7-4770T @ 2.50GHz</a>	4	5,973	1,931	45	LGA1150
<a href="#">AMD Ryzen 3 PRO 3300U</a>	4	5,955	1,940	15	FP5
<a href="#">Intel Core i7-3840QM @ 2.80GHz</a>	4	5,936	1,939	45	rPGA988B

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core i7-5700EQ @ 2.60GHz</a>	4	5,803	2,092	47	FCBGA1364
<a href="#">Intel Xeon E3-1220 v5 @ 3.00GHz</a>	4	5,797	2,059	80	FCLGA1151
<a href="#">Intel Atom x7425E</a>	4	5,777	2,076	12	FCBGA1264
<a href="#">AMD Opteron 4274 HE</a>	4	5,776	1,060	65	C32
<a href="#">[Dual CPU] Intel Xeon E5-2637 @ 3.00GHz</a>	2	5,775	1,654	80	FCLGA2011
<a href="#">[Dual CPU] Intel Xeon X5560 @ 2.80GHz</a>	4	5,774	1,389	95	LGA1366
<a href="#">AMD Ryzen 3 PRO 2300U</a>	4	5,771	1,829	15	FP5
<a href="#">Intel Xeon E3-1268L v3 @ 2.30GHz</a>	4	5,770	1,879	45	LGA1150
<a href="#">Intel Xeon Bronze 3106 @ 1.70GHz</a>	8	5,769	1,017	85	FCLGA3647
<a href="#">[Dual CPU] Intel Xeon L5639 @ 2.13GHz</a>	6	5,768	1,010	60	LGA1366
<a href="#">Intel Core i5-1030NG7 @ 1.10GHz</a>	4	5,761	1,762	10	BGA1526
<a href="#">Intel Xeon E3-1220 v6 @ 3.00GHz</a>	4	5,756	1,866	72	FCLGA1151
<a href="#">Intel Core i7-4720HQ @ 2.60GHz</a>	4	5,755	1,869	47	BGA1364
<a href="#">Intel Core i7-3820 @ 3.60GHz</a>	4	5,754	1,742	130	LGA2011
<a href="#">AMD Ryzen 3 3300U</a>	4	5,741	1,870	15	FP5
<a href="#">Intel Core i7-4800MQ @ 2.70GHz</a>	4	5,737	1,917	47	rPGA946B
<a href="#">MT8195AV/ZA</a>	8	5,735	1,840	NA	Unknown
<a href="#">Intel Core i3-8300T @ 3.20GHz</a>	4	5,733	1,991	25	FCLGA1151-2
<a href="#">QTI SM7435</a>	8	5,730	1,508	NA	Unknown
<a href="#">Intel Core i7-2700K @ 3.50GHz</a>	4	5,724	1,817	95	LGA1155
<a href="#">Intel Xeon X5650 @ 2.67GHz</a>	6	5,715	1,295	95	LGA1366
<a href="#">Intel Xeon E5-1410 v2 @ 2.80GHz</a>	4	5,715	1,656	80	LGA 1356
<a href="#">Intel Core i5-7440EQ @ 2.90GHz</a>	4	5,711	2,131	45	FCBGA1440
<a href="#">Intel Core i5-8365UE @ 1.60GHz</a>	4	5,711	2,188	15	FCBGA1528
<a href="#">MT6893Z_D/CZA</a>	8	5,701	2,262	NA	Unknown
<a href="#">Intel Core i7-3740QM @ 2.70GHz</a>	4	5,699	1,874	45	rPGA988B
<a href="#">Intel Core i7-3720QM @ 2.60GHz</a>	4	5,690	1,870	45	BGA1224
<a href="#">Intel Core i5-4690K @ 3.50GHz</a>	4	5,689	2,194	88	LGA1150
<a href="#">Intel Pentium Gold G7400T</a>	2	5,688	2,554	35	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon W-2104 @ 3.20GHz</a>	4	5,640	1,837	120	FCLGA2066
<a href="#">Qualcomm SM8150</a>	8	5,635	1,790	NA	Unknown
<a href="#">Intel Core i5-6500 @ 3.20GHz</a>	4	5,630	2,110	65	LGA 1151
<a href="#">SM8325</a>	8	5,629	1,945	NA	Unknown
<a href="#">AMD Ryzen 5 3500C</a>	4	5,629	1,962	15	FP5
<a href="#">AMD Opteron 6238</a>	6	5,625	1,157	115	Socket G34
<a href="#">[Dual CPU] Intel Xeon X5550 @ 2.67GHz</a>	4	5,625	1,310	95	LGA1366
<a href="#">Intel Core i7-4722HQ @ 2.40GHz</a>	4	5,620	1,844	37	FCBGA1364
<a href="#">Intel Xeon E3-1280 @ 3.50GHz</a>	4	5,615	1,804	95	LGA1155
<a href="#">AMD Opteron 6366 HE</a>	8	5,613	1,003	85	Unknown
<a href="#">QTI SM6450</a>	8	5,600	1,914	NA	Unknown
<a href="#">Intel Xeon E5-2430 @ 2.20GHz</a>	6	5,586	1,183	95	LGA 1356
<a href="#">Intel Core i5-5675C @ 3.10GHz</a>	4	5,579	2,232	65	FCLGA1150
<a href="#">AMD Opteron 6376</a>	8	5,572	1,165	115	Socket G34
<a href="#">Intel Core i5-4690 @ 3.50GHz</a>	4	5,570	2,192	84	LGA1150
<a href="#">Intel Core i5-4670K @ 3.40GHz</a>	4	5,567	2,146	84	LGA1150
<a href="#">Microsoft SQ1 @ 3.0 GHz</a>	8	5,565	1,844	15	Unknown
<a href="#">Intel Xeon E3-1226 v3 @ 3.30GHz</a>	4	5,562	2,112	84	FCLGA1150
<a href="#">Snapdragon 7325</a>	8	5,561	2,026	NA	Unknown
<a href="#">Virtual @ 2.99GHz</a>	8	5,555	1,247	NA	Unknown
<a href="#">Qualcomm Technologies, Inc SDM778G</a>	8	5,553	2,070	NA	Unknown
<a href="#">Intel N100</a>	4	5,553	1,959	6	Unknown
<a href="#">Intel Core i7-3615QE @ 2.30GHz</a>	4	5,548	1,791	45	BGA1224
<a href="#">Snapdragon 855 @ 2.84 GHz</a>	8	5,547	1,556	NA	Unknown
<a href="#">Intel Xeon E5-2430L @ 2.00GHz</a>	6	5,539	1,096	60	FCLGA1356
<a href="#">Intel Core i5-5675R @ 3.10GHz</a>	4	5,537	2,247	65	FCBGA1364
<a href="#">AMD Ryzen 3 2300U</a>	4	5,532	1,746	15	FP5
<a href="#">Intel Core i5-4690S @ 3.20GHz</a>	4	5,524	2,198	65	LGA1150
<a href="#">Intel Core i7-4710HQ @ 2.50GHz</a>	4	5,520	1,778	47	FCBGA1364
<a href="#">Intel Core i5-7440HQ @ 2.80GHz</a>	4	5,512	2,075	45	BGA1440
<a href="#">QTI SM7450</a>	8	5,509	1,866	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core i7-3770T @ 2.50GHz</a>	4	5,444	1,830	45	LGA1155
<a href="#">Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	5,443	1,020	85	FCLGA2011-3
<a href="#">Intel Core i5-760S @ 2.53GHz</a>	4	5,440	1,578	NA	Unknown
<a href="#">Intel Xeon E5-2643 @ 3.30GHz</a>	4	5,433	1,615	130	LGA2011
<a href="#">Intel Xeon E3-1290 @ 3.60GHz</a>	4	5,429	1,834	95	LGA1155
<a href="#">Intel Core i5-6402P @ 2.80GHz</a>	4	5,428	2,031	65	LGA 1151
<a href="#">[Dual CPU] Intel Xeon E5-2407 @ 2.20GHz</a>	4	5,420	1,039	80	LGA 1356
<a href="#">AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</a>	4	5,417	1,286	NA	Unknown
<a href="#">Mediatek MT6891</a>	8	5,412	1,369	NA	Unknown
<a href="#">Intel Xeon E3-1240 @ 3.30GHz</a>	4	5,399	1,722	80	LGA1155
<a href="#">Venus based on Qualcomm Technologies, Inc SM8350</a>	8	5,398	2,158	NA	Unknown
<a href="#">[Quad CPU] AMD Opteron 8356</a>	4	5,397	929	75	F (1207)
<a href="#">Intel N95</a>	4	5,389	1,937	15	Unknown
<a href="#">Intel Pentium Silver N6005 @ 2.00GHz</a>	4	5,383	1,770	10	FCBGA1338
<a href="#">Intel Xeon E3-1270 @ 3.40GHz</a>	4	5,383	1,751	80	LGA1155
<a href="#">Intel Xeon E5-2418L v2 @ 2.00GHz</a>	6	5,380	1,078	50	FCLGA1356
<a href="#">Intel Core i5-4590 @ 3.30GHz</a>	4	5,369	2,086	84	LGA1150
<a href="#">Haydn based on Qualcomm Technologies, Inc SM8350</a>	8	5,359	1,892	NA	Unknown
<a href="#">Intel Core i7-4700MQ @ 2.40GHz</a>	4	5,356	1,762	47	rPGA946B
<a href="#">Intel Core i7-2600 @ 3.40GHz</a>	4	5,344	1,740	95	LGA1155
<a href="#">Intel Core i7-4712MQ @ 2.30GHz</a>	4	5,341	1,814	37	FCPGA946
<a href="#">Intel Xeon E3-1245 @ 3.30GHz</a>	4	5,339	1,718	95	LGA1155
<a href="#">Intel Core i7-4702HQ @ 2.20GHz</a>	4	5,334	1,627	37	FCBGA1364
<a href="#">QTI SM8150</a>	8	5,330	1,856	NA	Unknown
<a href="#">Intel Core i7-4712HQ @ 2.30GHz</a>	4	5,316	1,715	37	FCBGA1364
<a href="#">AMD FX-8370E Eight-Core</a>	4	5,310	1,464	95	AM3+
<a href="#">Intel Xeon X5687 @ 3.60GHz</a>	4	5,309	1,636	130	LGA1366
<a href="#">AMD FX-8300 Eight-Core</a>	4	5,307	1,493	95	AM3+

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon E3-1230L v3 @ 1.80GHz</a>	4	5,251	1,619	25	LGA1150
<a href="#">Mediatek MT6875</a>	8	5,249	1,254	NA	Unknown
<a href="#">Star based on Qualcomm Technologies, Inc SM8350</a>	8	5,241	1,962	NA	Unknown
<a href="#">Intel Core i7-6822EQ @ 2.00GHz</a>	4	5,241	1,572	25	LGA 1151
<a href="#">AMD Opteron 6272</a>	8	5,240	753	115	G34
<a href="#">Intel Core i7-4700EQ @ 2.40GHz</a>	4	5,238	1,835	47	FCBGA1364
<a href="#">Intel Core i5-4670R @ 3.00GHz</a>	4	5,233	2,164	65	FCBGA1364
<a href="#">Mars based on Qualcomm Technologies, Inc SM8350</a>	8	5,230	1,984	NA	Unknown
<a href="#">Snapdragon 8c @ 2.46 GHz</a>	8	5,230	1,544	NA	Unknown
<a href="#">Intel Core i5-4570 @ 3.20GHz</a>	4	5,226	2,034	84	LGA1150
<a href="#">Intel Xeon D-1527 @ 2.20GHz</a>	4	5,213	1,552	35	FCBGA1667
<a href="#">Intel Xeon E3-1220 v3 @ 3.10GHz</a>	4	5,213	1,971	80	LGA1150
<a href="#">Mediatek MT6879V T/ZA</a>	8	5,211	2,184	NA	Unknown
<a href="#">Intel Pentium Gold 7505 @ 2.00GHz</a>	2	5,208	2,266	15	FCBGA1449
<a href="#">Intel Core i7-3615QM @ 2.30GHz</a>	4	5,206	1,709	45	BGA1224
<a href="#">[Dual CPU] Intel Xeon E5530 @ 2.40GHz</a>	4	5,206	1,156	80	LGA1366
<a href="#">[Dual CPU] Intel Xeon L5630 @ 2.13GHz</a>	4	5,206	960	40	LGA1366
<a href="#">Intel Xeon E5-1607 v4 @ 3.10GHz</a>	4	5,202	1,919	140	FCLGA2011-3
<a href="#">Intel Core i7-4702MQ @ 2.20GHz</a>	4	5,186	1,707	37	FCPGA946
<a href="#">Intel Xeon E3-1265L V2 @ 2.50GHz</a>	4	5,183	1,663	45	LGA1155
<a href="#">Intel Core i7-8665UE @ 1.70GHz</a>	4	5,170	1,621	15	FCBGA1528
<a href="#">Intel Core i5-6400 @ 2.70GHz</a>	4	5,168	1,958	65	LGA 1151
<a href="#">Intel N200</a>	4	5,166	1,921	6	FCBGA1264
<a href="#">MT8188JV/A</a>	8	5,155	1,872	NA	Unknown
<a href="#">Intel Core i5-4670S @ 3.10GHz</a>	4	5,140	2,088	65	FCLGA1150
<a href="#">Intel Core i5-4590S @ 3.00GHz</a>	4	5,131	2,047	65	LGA1150
<a href="#">AMD FX-8310 Eight-Core</a>	4	5,128	1,415	95	AM3+

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon E5645 @ 2.40GHz</a>	6	5,046	1,156	80	LGA1366
<a href="#">vendor Kirin820</a>	8	5,044	1,692	NA	Unknown
<a href="#">Mediatek MT6877</a>	8	5,038	2,035	NA	Unknown
<a href="#">Intel Core i5-4670K CPT @ 3.40GHz</a>	4	5,034	2,042	84	LGA1150
<a href="#">[Dual CPU] Intel Xeon X5460 @ 3.16GHz</a>	4	5,033	1,356	120	LGA771
<a href="#">Intel Xeon E5-2420 @ 1.90GHz</a>	6	5,032	1,088	95	LGA1356
<a href="#">Intel Core i7-3610QE @ 2.30GHz</a>	4	5,026	1,582	45	rPGA988B
<a href="#">[Dual CPU] Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	5,017	991	80	LGA 2011
<a href="#">Intel Core i5-4570S @ 2.90GHz</a>	4	5,015	2,001	65	LGA1150
<a href="#">Intel Xeon E3-1235L v5 @ 2.00GHz</a>	4	5,013	1,761	25	FCLGA1151
<a href="#">Intel Xeon X5677 @ 3.47GHz</a>	4	5,003	1,618	130	LGA1366
<a href="#">Intel Xeon X5672 @ 3.20GHz</a>	4	4,996	1,546	95	LGA1366
<a href="#">Intel Xeon E5-1607 v3 @ 3.10GHz</a>	4	4,986	1,817	140	LGA2011-v3
<a href="#">[Dual CPU] Intel Xeon E5607 @ 2.27GHz</a>	4	4,969	1,009	80	LGA1366
<a href="#">Intel Core i3-7350K @ 4.20GHz</a>	2	4,958	2,574	60	FCLGA1151
<a href="#">Intel Core i5-3570K @ 3.40GHz</a>	4	4,954	2,047	77	LGA1155
<a href="#">Apple A12 Bionic</a>	6	4,947	1,979	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon X5472 @ 3.00GHz</a>	4	4,943	1,333	120	LGA771
<a href="#">Mediatek MT6877V/TTZA</a>	8	4,938	1,984	NA	Unknown
<a href="#">Intel Core i3-1005G1 @ 1.20GHz</a>	2	4,936	2,193	15	FCBGA1526
<a href="#">Intel Core i7-3612QE @ 2.10GHz</a>	4	4,929	1,678	35	BGA1224
<a href="#">Intel Core i5-3570 @ 3.40GHz</a>	4	4,923	2,045	77	LGA1155
<a href="#">Intel Xeon D-1520 @ 2.20GHz</a>	4	4,917	1,270	45	BGA 1667
<a href="#">Mediatek Dimensity 7200-Pro (MT6886)</a>	8	4,898	2,038	NA	Unknown
<a href="#">SM8450</a>	8	4,896	1,278	NA	Unknown
<a href="#">Mediatek MT8791V/TN</a>	8	4,892	2,223	NA	Unknown
<a href="#">Intel Core i5-4460 @ 3.20GHz</a>	4	4,880	1,904	84	LGA1150

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Snapdragon 8cx @ 2.84 GHz</a>	8	4,806	1,708	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon X7460 @ 2.66GHz</a>	6	4,803	922	130	PGA604
<a href="#">Intel Core i3-9100TE @ 2.20GHz</a>	4	4,791	1,676	35	FCLGA1151-2
<a href="#">MT6877V/ZA</a>	8	4,787	1,954	NA	Unknown
<a href="#">Intel Core i5-6500T @ 2.50GHz</a>	4	4,781	1,790	35	LGA 1151
<a href="#">Intel Core i5-4440 @ 3.10GHz</a>	4	4,771	1,856	84	FCLGA1150
<a href="#">Intel Core i7-3635QM @ 2.40GHz</a>	4	4,771	1,692	45	Unknown
<a href="#">[Dual CPU] Intel Xeon E5472 @ 3.00GHz</a>	4	4,765	1,326	80	LGA771
<a href="#">AMD Opteron 6220</a>	4	4,753	1,203	115	Socket G34
<a href="#">AMD Athlon Gold 7220U</a>	2	4,753	2,148	15	FP6
<a href="#">Intel Xeon E3-1225 V2 @ 3.20GHz</a>	4	4,743	1,931	77	LGA1155
<a href="#">Intel Core i5-4470S @ 3.00GHz</a>	4	4,742	1,756	65	LGA1150
<a href="#">Intel Core i5-7400T @ 2.40GHz</a>	4	4,741	1,767	35	LGA1151
<a href="#">Intel Core i7-2960XM @ 2.70GHz</a>	4	4,727	1,594	55	PGA988B
<a href="#">Intel Core i5-6500TE @ 2.30GHz</a>	4	4,724	1,823	35	LGA 1151
<a href="#">MT8771V/PZA</a>	8	4,723	1,700	NA	Unknown
<a href="#">Mediatek MT6877V/ZA</a>	8	4,719	1,831	NA	Unknown
<a href="#">Intel Atom C3858 @ 2.00GHz</a>	12	4,707	652	25	FCBGA1310
<a href="#">Intel Core i5-6300HQ @ 2.30GHz</a>	4	4,703	1,794	45	LGA 1151
<a href="#">Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	4,695	1,046	85	FCLGA2011-3
<a href="#">Intel Core i7-3632QM @ 2.20GHz</a>	4	4,691	1,583	35	rPGA988B
<a href="#">Intel Xeon E5-1603 v4 @ 2.80GHz</a>	4	4,683	1,753	140	FCLGA2011-3
<a href="#">Intel Core i7-3612QM @ 2.10GHz</a>	4	4,681	1,542	35	PGA988B, FC
<a href="#">Intel Core i5-3470 @ 3.20GHz</a>	4	4,677	1,940	77	LGA1155
<a href="#">[Dual CPU] Intel Xeon E5450 @ 3.00GHz</a>	4	4,669	1,286	80	LGA771
<a href="#">Intel Xeon E3-1220 V2 @ 3.10GHz</a>	4	4,666	1,868	69	LGA1155
<a href="#">AMD Opteron 4284</a>	4	4,665	1,181	95	Socket C32
<a href="#">Intel Core i5-4430 @ 3.00GHz</a>	4	4,654	1,798	84	LGA1150
<a href="#">Intel Core i5-4690T @ 2.50GHz</a>	4	4,654	1,931	45	LGA1150
<a href="#">Intel Xeon X5667 @ 3.07GHz</a>	4	4,649	1,476	95	LGA1366

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">[Dual CPU] Intel Xeon L5520 @ 2.27GHz</a>	4	4,561	969	60	LGA1366
<a href="#">Qualcomm SC7180P</a>	8	4,558	1,852	NA	Unknown
<a href="#">Intel Celeron G6900</a>	2	4,557	2,725	46	LGA1700,BGA
<a href="#">Intel Core i7-2860QM @ 2.50GHz</a>	4	4,556	1,563	45	BGA1224
<a href="#">MT6877T</a>	8	4,548	1,641	NA	Unknown
<a href="#">AMD FX-6350 Six-Core</a>	3	4,546	1,559	125	AM3+
<a href="#">AMD Athlon Silver 3050GE</a>	2	4,545	2,016	35	AM4
<a href="#">AMD Athlon 240GE</a>	2	4,534	1,968	35	AM4
<a href="#">Intel Core i3-7300 @ 4.00GHz</a>	2	4,530	2,408	51	FCLGA1151
<a href="#">[Dual CPU] Intel Xeon E5462 @ 2.80GHz</a>	4	4,519	1,241	80	LGA771
<a href="#">[Dual CPU] AMD Opteron 2382</a>	4	4,516	1,157	115	F (1207)
<a href="#">Rockchip RK3588</a>	8	4,515	1,479	NA	Unknown
<a href="#">Intel Core i3-6320 @ 3.90GHz</a>	2	4,509	2,336	51	LGA 1151
<a href="#">Intel Pentium Gold G6605 @ 4.30GHz</a>	2	4,509	2,619	58	FCLGA1200
<a href="#">MT6889Z/CZA</a>	8	4,504	1,798	NA	Unknown
<a href="#">AMD Opteron 4280</a>	4	4,504	1,141	95	Socket C32
<a href="#">[Dual CPU] AMD Opteron 2427</a>	6	4,499	906	75	F (1207)
<a href="#">Intel Core i5-3450 @ 3.10GHz</a>	4	4,497	1,872	77	LGA1155
<a href="#">Qualcomm Technologies, Inc SM8150P</a>	8	4,495	1,914	NA	Unknown
<a href="#">AMD Athlon 3000G</a>	2	4,490	1,987	35	AM4
<a href="#">Intel Core i5-6442EQ @ 1.90GHz</a>	4	4,487	1,649	25	FCBGA1440
<a href="#">Intel Core i5-10210Y @ 1.00GHz</a>	4	4,475	1,858	7	UTFCBGA137
<a href="#">Mediatek DM700</a>	8	4,471	1,566	NA	Unknown
<a href="#">Samsung s5e8535</a>	8	4,468	1,981	NA	Unknown
<a href="#">Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	4,444	1,097	80	LGA2011-v3
<a href="#">SM6375</a>	8	4,441	1,956	NA	Unknown
<a href="#">Intel Core i5-4670T @ 2.30GHz</a>	4	4,441	1,771	45	FCLGA1150
<a href="#">Intel Xeon X5647 @ 2.93GHz</a>	4	4,441	1,363	130	LGA1366
<a href="#">Spreadtrum T760</a>	8	4,440	1,530	NA	Unknown



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Apple A11 Bionic</a>	6	4,405	1,314	NA	Unknown
<a href="#">MT6875</a>	8	4,393	1,187	NA	Unknown
<a href="#">Intel Core i5-3470S @ 2.90GHz</a>	4	4,391	1,890	65	LGA1155
<a href="#">Intel Core i5-4440S @ 2.80GHz</a>	4	4,391	1,804	65	LGA1150
<a href="#">Intel Core i3-1110G4 @ 1.80GHz</a>	2	4,390	2,287	NA	FCBGA1598
<a href="#">AMD Athlon 320GE</a>	2	4,388	1,925	35	AM4
<a href="#">Intel Core i3-8121U @ 2.20GHz</a>	2	4,388	1,942	15	Unknown
<a href="#">AMD Opteron 4386</a>	4	4,378	1,012	95	C32
<a href="#">Intel Celeron J6413 @ 1.80GHz</a>	4	4,378	1,490	10	FCBGA1296
<a href="#">Intel Core i5-3450S @ 2.80GHz</a>	4	4,375	1,873	65	LGA1155
<a href="#">Mediatek MT6879V/ZA</a>	8	4,373	1,827	NA	Unknown
<a href="#">Intel Pentium Gold G6505 @ 4.20GHz</a>	2	4,371	2,649	58	FCLGA1200
<a href="#">Intel Core i7-2760QM @ 2.40GHz</a>	4	4,370	1,538	45	BGA1224
<a href="#">Mediatek MT6833GP</a>	8	4,362	1,645	NA	Unknown
<a href="#">Hisilicon Kirin980</a>	8	4,361	1,741	NA	Unknown
<a href="#">Qualcomm SDM845</a>	8	4,357	1,438	NA	Unknown
<a href="#">AMD FX-6130 Six-Core</a>	3	4,353	1,390	125	AM3+
<a href="#">QTI SM7225</a>	8	4,352	1,824	NA	Unknown
<a href="#">Qualcomm Technologies, Inc SDM750G</a>	8	4,350	1,869	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon X5365 @ 3.00GHz</a>	4	4,350	1,215	150	LGA771
<a href="#">Mediatek MT6835</a>	8	4,347	1,503	NA	Unknown
<a href="#">Intel Core i3-6300 @ 3.80GHz</a>	2	4,336	2,278	51	LGA 1151
<a href="#">Intel Core i3-7100 @ 3.90GHz</a>	2	4,335	2,310	51	FCLGA1151
<a href="#">Mediatek MT6853V/TNZA</a>	8	4,324	1,536	NA	Unknown
<a href="#">Intel Core i3-1115GRE @ 3.00GHz</a>	2	4,322	2,058	15	FCBGA1449
<a href="#">Intel Core i5-4430S @ 2.70GHz</a>	4	4,321	1,764	65	LGA1150
<a href="#">Mediatek MT6833V/ZA</a>	8	4,308	1,459	NA	Unknown
<a href="#">QTI SM7250</a>	8	4,304	1,892	NA	Unknown
<a href="#">Mediatek MT8789V/T</a>	8	4,293	1,475	NA	Unknown
<a href="#">Mediatek MT6789V/CD</a>	8	4,285	1,509	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">4.10GHz</a>					
<a href="#">Intel Core i5-3475S @ 2.90GHz</a>	4	4,250	1,827	65	LGA1155
<a href="#">Intel Core i5-3340 @ 3.10GHz</a>	4	4,249	1,774	77	LGA1155
<a href="#">Intel Core i3-8109U @ 3.00GHz</a>	2	4,244	2,116	28	FCBGA1528
<a href="#">MediaTek G99 Ultimate (MT6789)</a>	8	4,238	1,524	NA	Unknown
<a href="#">Intel Core i3-8140U @ 2.10GHz</a>	2	4,227	2,135	15	FCBGA1528
<a href="#">[Dual CPU] Intel Xeon L5420 @ 2.50GHz</a>	4	4,221	1,100	50	LGA771
<a href="#">Qualcomm SM7150</a>	8	4,212	1,598	NA	Unknown
<a href="#">Intel Core i3-7300T @ 3.50GHz</a>	2	4,211	2,136	35	FCLGA1151
<a href="#">AMD FX-6300 Six-Core</a>	3	4,208	1,489	95	AM3+
<a href="#">Intel Core i5-2450P @ 3.20GHz</a>	4	4,203	1,679	95	LGA1155
<a href="#">Qualcomm Technologies, Inc SM8150 Plus</a>	8	4,201	1,535	NA	Unknown
<a href="#">[Dual CPU] AMD Opteron 4130</a>	4	4,200	1,086	95	F (1207)
<a href="#">Intel Xeon E5-1607 v2 @ 3.00GHz</a>	4	4,189	1,635	130	LGA 2011
<a href="#">Intel Pentium J6426 @ 2.00GHz</a>	4	4,180	1,565	10	FCBGA1493
<a href="#">QTI SM6375</a>	8	4,178	1,876	NA	Unknown
<a href="#">Mediatek MT6833V/PNZA</a>	8	4,167	1,517	NA	Unknown
<a href="#">MT6833V/PNZA</a>	8	4,164	1,522	NA	Unknown
<a href="#">Hisilicon Kirin985</a>	8	4,162	1,823	NA	Unknown
<a href="#">MT6833P</a>	8	4,158	1,377	NA	Unknown
<a href="#">QTI SM6350</a>	8	4,152	1,694	NA	Unknown
<a href="#">Intel Core i3-6100 @ 3.70GHz</a>	2	4,147	2,192	51	LGA 1151
<a href="#">Mediatek MT8781V/CA</a>	8	4,146	1,532	NA	Unknown
<a href="#">Intel Pentium Gold G6500 @ 4.10GHz</a>	2	4,145	2,479	58	FCLGA1200
<a href="#">AMD Ryzen Embedded R1606G</a>	2	4,144	1,894	15	FP5
<a href="#">AMD Opteron 3380</a>	8	4,134	1,107	65	Unknown
<a href="#">Intel Core i5-2550K @ 3.40GHz</a>	4	4,134	1,755	95	LGA1155
<a href="#">Intel Core i7-7567U @ 3.50GHz</a>	2	4,131	2,218	28	BGA1356
<a href="#">Intel Celeron N5095A @ 2.00GHz</a>	4	4,129	1,515	15	FCBGA1338
<a href="#">Intel Core i5-2500 @ 3.30GHz</a>	4	4,125	1,707	95	LGA1155

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Mediatek MT6833</a>	8	4,096	1,362	NA	Unknown
<a href="#">Intel Core i5-3330 @ 3.00GHz</a>	4	4,095	1,721	77	LGA1155
<a href="#">AMD Opteron 3365</a>	4	4,091	1,123	65	AM3+
<a href="#">MediaTek MT6873</a>	8	4,087	1,322	NA	Unknown
<a href="#">ARM - 8 Core 1766 MHz</a>	8	4,080	1,205	NA	Unknown
<a href="#">AMD Athlon PRO 300U</a>	2	4,080	1,931	15	FP5
<a href="#">Intel Core i5-4590T @ 2.00GHz</a>	4	4,076	1,657	35	LGA1150
<a href="#">Intel Core i5-3335S @ 2.70GHz</a>	4	4,074	1,814	65	LGA1155
<a href="#">AMD Opteron 6234</a>	6	4,072	547	115	G34
<a href="#">Mediatek MT6853V/NZA</a>	8	4,068	1,210	NA	Unknown
<a href="#">Intel Xeon E3-1260L @ 2.40GHz</a>	4	4,068	1,461	45	LGA1155
<a href="#">AMD Ryzen 3 PRO 2100GE</a>	2	4,062	1,809	35	AM4
<a href="#">Intel Core i7-7660U @ 2.50GHz</a>	2	4,060	2,142	15	BGA1356
<a href="#">Intel Celeron N5105 @ 2.00GHz</a>	4	4,059	1,511	10	FCBGA1338
<a href="#">MT8186</a>	8	4,046	1,488	NA	Unknown
<a href="#">AMD FX-8100 Eight-Core</a>	4	4,046	1,137	95	AM3+
<a href="#">Intel Core i7-2710QE @ 2.10GHz</a>	4	4,044	1,393	45	PGA988B
<a href="#">Intel Core i7-2720QM @ 2.20GHz</a>	4	4,027	1,374	45	BGA1224
<a href="#">Intel Core i3-6098P @ 3.60GHz</a>	2	4,021	2,122	54	LGA 1151
<a href="#">[Dual CPU] Intel Xeon L5506 @ 2.13GHz</a>	4	4,019	967	60	LGA1366
<a href="#">AMD Athlon Gold 3150U</a>	2	4,011	1,771	15	FP5
<a href="#">AMD Opteron 6212</a>	4	4,007	1,085	115	Socket G34
<a href="#">QTI QCM5430</a>	6	4,006	1,910	NA	Unknown
<a href="#">Intel Celeron G6900T</a>	2	4,003	2,343	35	FCLGA1700
<a href="#">Intel Core i3-6300T @ 3.30GHz</a>	2	4,002	2,018	35	LGA 1151
<a href="#">Intel Core i5-7260U @ 2.20GHz</a>	2	3,984	1,988	15	BGA1356
<a href="#">[Dual CPU] Intel Xeon L5410 @ 2.33GHz</a>	4	3,974	1,009	50	LGA771
<a href="#">Intel Core i5-4470 @ 3.30GHz</a>	4	3,971	1,475	84	LGA1150
<a href="#">MT6781V/CD</a>	8	3,969	1,477	NA	Unknown
<a href="#">AMD PRO A12-8870</a>	4	3,969	1,816	65	AM4
<a href="#">MediaTek Kompanio 520/528</a>	8	3,965	1,456	4	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Samsung Exynos 9820</a>	8	3,905	1,657	NA	Unknown
<a href="#">Intel Core i3-10110U @ 2.10GHz</a>	2	3,905	2,205	15	FCBGA1528
<a href="#">Hisilicon Kirin820</a>	8	3,893	1,402	NA	Unknown
<a href="#">AMD FX-6120 Six-Core</a>	3	3,887	1,409	95	AM3+
<a href="#">Intel Core i5-7360U @ 2.30GHz</a>	2	3,886	2,120	15	FCBGA1356
<a href="#">Intel Atom x6413E @ 1.50GHz</a>	4	3,885	1,502	9	FCBGA1493
<a href="#">Intel Core i5-3330S @ 2.70GHz</a>	4	3,884	1,707	65	LGA1155
<a href="#">ZHAOXIN KaiXian KX-U6780A@2.7GHz</a>	8	3,879	792	NA	Unknown
<a href="#">Intel Pentium Gold G6500T @ 3.50GHz</a>	2	3,874	2,238	35	FCLGA1200
<a href="#">MT6781</a>	8	3,873	1,355	NA	Unknown
<a href="#">AMD A9-9820</a>	8	3,870	797	NA	Unknown
<a href="#">Qualcomm SM7250</a>	8	3,869	1,574	NA	Unknown
<a href="#">Intel Core i5-2400 @ 3.10GHz</a>	4	3,869	1,581	95	LGA1155
<a href="#">AMD Ryzen Embedded R2312</a>	2	3,865	1,943	25	FP5
<a href="#">Qualcomm Technologies, Inc</a>	8	3,863	1,467	NA	Unknown
<a href="#">QTI SM7125</a>	8	3,862	1,561	NA	Unknown
<a href="#">AMD Ryzen Embedded R1505G</a>	2	3,862	1,834	15	FP5
<a href="#">Intel Celeron J6412 @ 2.00GHz</a>	4	3,860	1,382	10	FCBGA1493
<a href="#">AMD Ryzen 3 3250U</a>	2	3,852	1,785	15	FP5
<a href="#">AMD Phenom II X6 1100T</a>	6	3,849	1,500	125	AM3
<a href="#">Intel Core i3-4370 @ 3.80GHz</a>	2	3,847	2,151	54	LGA1150
<a href="#">Intel Pentium Gold G5600 @ 3.90GHz</a>	2	3,843	2,297	54	FCLGA1151-2
<a href="#">Intel Core i7-2840QM @ 2.40GHz</a>	4	3,842	1,493	NA	rPGA988B
<a href="#">Intel Atom x6425E @ 2.00GHz</a>	4	3,835	1,520	12	FCBGA1493
<a href="#">Snapdragon 7c Gen 2 @ 2.55 GHz</a>	8	3,831	1,483	7	Unknown
<a href="#">Intel Core i7-2675QM @ 2.20GHz</a>	4	3,828	1,288	45	BGA1224
<a href="#">Samsung Exynos 9825</a>	8	3,826	1,611	NA	Unknown
<a href="#">Intel Core i5-6287U @ 3.10GHz</a>	2	3,823	1,996	28	FCBGA1356
<a href="#">Intel Pentium Gold G5500 @ 3.80GHz</a>	2	3,823	2,247	54	FCLGA1151-2
<a href="#">AMD Ryzen 3 3200U</a>	2	3,819	1,611	15	FP5

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon E5630 @ 2.53GHz</a>	4	3,754	1,183	80	LGA1366
<a href="#">Intel Core i7-7560U @ 2.40GHz</a>	2	3,754	1,960	15	BGA1356
<a href="#">Intel Pentium G4620 @ 3.70GHz</a>	2	3,754	2,249	51	FCLGA1151
<a href="#">AMD PRO A10-8850B</a>	2	3,752	1,611	95	FM2+
<a href="#">Samsung Exynos 9810</a>	8	3,750	1,307	NA	Unknown
<a href="#">Intel Pentium Gold G6405T @ 3.50GHz</a>	2	3,746	2,171	35	FCLGA1200
<a href="#">Intel Core i5-7287U @ 3.30GHz</a>	2	3,743	2,157	28	Unknown
<a href="#">Intel Core i7-2670QM @ 2.20GHz</a>	4	3,741	1,314	45	PGA988B
<a href="#">Intel Xeon E5-1607 @ 3.00GHz</a>	4	3,730	1,437	130	LGA2011
<a href="#">Intel Xeon E3-1265L @ 2.40GHz</a>	4	3,726	1,395	45	LGA1155
<a href="#">Intel Pentium Gold G5400 @ 3.70GHz</a>	2	3,726	2,202	54	FCLGA1151-2
<a href="#">AMD Opteron 3280</a>	8	3,723	1,036	65	AM3+
<a href="#">Qualcomm SM6150</a>	8	3,722	1,298	NA	Unknown
<a href="#">Intel Core i7-7600U @ 2.80GHz</a>	2	3,720	2,033	15	FCBGA1356
<a href="#">Qualcomm SM7125</a>	8	3,712	1,513	NA	Unknown
<a href="#">Snapdragon 7c @ 1.96 GHz</a>	8	3,712	1,519	NA	Unknown
<a href="#">Intel Pentium Gold G5420 @ 3.80GHz</a>	2	3,709	2,247	54	FCLGA1151-2
<a href="#">Intel Xeon L5638 @ 2.00GHz</a>	6	3,707	862	60	LGA1366
<a href="#">AMD PRO A12-9800</a>	4	3,705	1,686	65	AM4
<a href="#">Intel Xeon E5640 @ 2.67GHz</a>	4	3,702	1,157	80	LGA1366
<a href="#">Mediatek MT6785</a>	8	3,701	1,358	NA	Unknown
<a href="#">AMD Ryzen 3 2200U</a>	2	3,701	1,680	15	FP5
<a href="#">Intel Pentium Gold G6505T @ 3.60GHz</a>	2	3,698	2,271	35	FCLGA1200
<a href="#">AMD Opteron 6174</a>	12	3,697	488	115	Socket G34
<a href="#">ZHAOXIN KaiXian KX-U6780@2.7GHz</a>	8	3,693	851	NA	Unknown
<a href="#">QTI SM4350</a>	8	3,689	1,460	NA	Unknown
<a href="#">AMD FX-6100 Six-Core</a>	3	3,679	1,318	95	AM3+
<a href="#">[Dual CPU] Intel Xeon E5506 @ 2.13GHz</a>	4	3,674	909	80	LGA1366

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Xeon W3580 @ 3.33GHz</a>	4	3,609	1,557	130	LGA1366
<a href="#">Intel Pentium Gold G5600T @ 3.30GHz</a>	2	3,601	2,025	35	FCLGA1151
<a href="#">Intel Core i3-4170 @ 3.70GHz</a>	2	3,595	2,060	54	LGA1150
<a href="#">Intel Core i7-6650U @ 2.20GHz</a>	2	3,594	1,807	15	FCBGA1356
<a href="#">AMD Athlon X4 950</a>	4	3,588	1,640	65	AM4
<a href="#">AMD A12-9800</a>	2	3,583	1,664	65	AM4
<a href="#">AMD A8-7500</a>	2	3,576	1,465	65	FM2+
<a href="#">Mediatek MT6833V/NZA</a>	8	3,570	1,316	NA	Unknown
<a href="#">AMD Opteron 6176 SE</a>	12	3,564	507	140	G34
<a href="#">Qualcomm SM4350</a>	8	3,562	1,445	NA	Unknown
<a href="#">Intel Core i3-8130U @ 2.20GHz</a>	2	3,559	1,892	15	FCBGA1356
<a href="#">MT6785</a>	8	3,555	1,321	NA	Unknown
<a href="#">Intel Core i7-2630QM @ 2.00GHz</a>	4	3,554	1,224	45	PGA988B
<a href="#">Intel Core i7-6660U @ 2.40GHz</a>	2	3,549	1,899	15	FCBGA1356
<a href="#">[Dual CPU] Intel Xeon E5603 @ 1.60GHz</a>	4	3,548	710	80	LGA1366
<a href="#">QTI SM6225</a>	8	3,545	1,171	NA	Unknown
<a href="#">Intel Core i3-4340 @ 3.60GHz</a>	2	3,545	2,041	54	LGA1150
<a href="#">Intel Core i3-4330 @ 3.50GHz</a>	2	3,542	1,973	54	LGA1150
<a href="#">Intel Pentium Gold G6400T @ 3.40GHz</a>	2	3,541	2,101	35	FCLGA1200
<a href="#">AMD A10-9700</a>	4	3,539	1,613	65	AM4
<a href="#">AMD PRO A10-8770</a>	4	3,538	1,581	65	AM4
<a href="#">AMD A8-7680</a>	4	3,537	1,618	45	FM2+
<a href="#">Intel Pentium N6415 @ 1.20GHz</a>	4	3,532	1,539	6.5	FCBGA1493
<a href="#">AMD Ryzen Embedded V1202B</a>	2	3,532	1,600	15	FP5
<a href="#">Intel Pentium G4560 @ 3.50GHz</a>	2	3,529	2,096	54	FCLGA1151
<a href="#">Qualcomm Technologies, Inc SDMMAGPIEP</a>	8	3,523	1,523	NA	Unknown
<a href="#">AMD A10-7890K</a>	2	3,522	1,566	95	FM2+
<a href="#">[Dual CPU] AMD Opteron 2373 EE</a>	4	3,521	865	60	F (1207)
<a href="#">Intel Xeon E5-2418L @ 2.00GHz</a>	4	3,518	977	50	LGA 1356
<a href="#">Intel Core i3-4130 @ 3.00GHz</a>	2	3,514	1,933	54	LGA1150

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">AMD A10 PRO-7850B APU</a>	2	3,453	1,572	95	FM2+
<a href="#">Intel Pentium Gold G5420T @ 3.20GHz</a>	2	3,452	1,956	35	FCLGA1151-2
<a href="#">Intel Xeon E5-1603 @ 2.80GHz</a>	4	3,450	1,337	130	LGA2011
<a href="#">Intel Xeon X5698 @ 4.40GHz</a>	2	3,447	1,922	130	LGA1366
<a href="#">Snapdragon 845 @ 2.8 GHz</a>	8	3,446	1,349	NA	Unknown
<a href="#">Intel Core i7-6600U @ 2.60GHz</a>	2	3,442	1,802	15	FCBGA1356
<a href="#">Intel Core i5-L16G7 @ 1.40GHz</a>	5	3,440	1,625	7	FC-CSP1016
<a href="#">AMD Opteron X3421 APU</a>	4	3,440	1,515	35	Unknown
<a href="#">AMD A10-8850</a>	2	3,438	1,608	NA	Unknown
<a href="#">AMD A10-7870K</a>	2	3,434	1,501	95	FM2+
<a href="#">Intel Core i3-7100H @ 3.00GHz</a>	2	3,430	1,668	35	FCBGA1440
<a href="#">AMD Embedded R-Series RX-418GD Radeon R6</a>	4	3,426	1,467	35	FP4
<a href="#">MediaTek MT6853T</a>	8	3,425	1,473	NA	Unknown
<a href="#">Intel Core i7-965 @ 3.20GHz</a>	4	3,424	1,475	130	LGA1366
<a href="#">AMD Athlon X4 860K</a>	2	3,422	1,526	95	FM2+
<a href="#">Intel Core i5-2300 @ 2.80GHz</a>	4	3,420	1,431	95	LGA1155
<a href="#">Qualcomm Technologies, Inc SDM765G 5G</a>	8	3,419	1,637	NA	Unknown
<a href="#">AMD Phenom II X6 1075T</a>	6	3,417	1,383	125	AM3
<a href="#">AMD A10-7850K APU</a>	2	3,416	1,506	95	FM2+
<a href="#">Qualcomm Technologies, Inc SDM730G AIE</a>	8	3,410	1,487	NA	Unknown
<a href="#">AMD Athlon X4 870K</a>	2	3,410	1,558	95	FM2+
<a href="#">Qualcomm Technologies, Inc KHAJE</a>	8	3,405	1,149	NA	Unknown
<a href="#">Intel Pentium Silver N5020 @ 1.10GHz</a>	4	3,404	1,307	6	FCBGA1090
<a href="#">Intel Core i5-2500S @ 2.70GHz</a>	4	3,402	1,646	65	LGA1155
<a href="#">AMD Opteron 4226</a>	3	3,400	1,157	95	Socket C32
<a href="#">Qualcomm Technologies, Inc LAGOON</a>	8	3,399	1,638	NA	Unknown
<a href="#">Intel Core i3-4150 @ 3.50GHz</a>	2	3,395	1,938	54	FCLGA1150

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core i5-4340M @ 2.90GHz</a>	2	3,366	2,032	37	Unknown
<a href="#">AMD A10 PRO-7800B APU</a>	2	3,365	1,511	65	FM2+
<a href="#">AMD Ryzen Embedded R1600</a>	2	3,365	1,779	25	FC-BGA1140
<a href="#">Intel Xeon W3565 @ 3.20GHz</a>	4	3,364	1,502	130	LGA1366
<a href="#">Qualcomm Technologies, Inc SM7125</a>	8	3,361	1,580	NA	Unknown
<a href="#">Intel Core i3-4370T @ 3.30GHz</a>	2	3,361	1,911	35	FCLGA1150
<a href="#">AMD PRO A8-9600</a>	2	3,359	1,505	65	AM4
<a href="#">Mediatek MT8788</a>	8	3,358	942	NA	Unknown
<a href="#">Qualcomm Technologies, Inc SDM845</a>	8	3,352	1,344	NA	Unknown
<a href="#">Intel Core i7-6560U @ 2.20GHz</a>	2	3,349	1,700	15	Unknown
<a href="#">Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	3,343	1,353	80	LGA 2011
<a href="#">Intel Xeon W5590 @ 3.33GHz</a>	4	3,342	1,564	130	LGA1366
<a href="#">AMD Phenom II X6 1405T</a>	6	3,335	1,247	95	AM2+,AM3
<a href="#">Intel Core i7-960 @ 3.20GHz</a>	4	3,333	1,458	130	LGA1366
<a href="#">MT6853V/NZA</a>	8	3,330	1,258	NA	Unknown
<a href="#">Qualcomm Technologies, Inc LITO</a>	8	3,328	1,568	NA	Unknown
<a href="#">AMD FX-4150 Quad-Core</a>	4	3,327	1,465	125	AM3+
<a href="#">Snapdragon 850 @ 2.96 GHz</a>	8	3,326	1,424	5	Unknown
<a href="#">Intel Core i7-880 @ 3.07GHz</a>	4	3,325	1,423	95	LGA1156
<a href="#">AMD Athlon X4 840</a>	2	3,319	1,488	65	FM2+
<a href="#">Intel Pentium Silver J5040 @ 2.00GHz</a>	4	3,317	1,362	10	FCBGA1090
<a href="#">Intel Core i3-6100E @ 2.70GHz</a>	2	3,315	1,688	35	LGA 1151
<a href="#">AMD Phenom II X6 1055T</a>	6	3,314	1,327	125	AM3
<a href="#">AMD FX-9830P</a>	4	3,306	1,570	35	FP4
<a href="#">Intel Core i3-4130 @ 3.40GHz</a>	2	3,306	1,879	54	LGA1150
<a href="#">AMD FX-4350 Quad-Core</a>	2	3,304	1,614	125	AM3+
<a href="#">Intel Pentium Gold G5500T @ 3.20GHz</a>	2	3,304	1,954	35	FCLGA1151-2
<a href="#">AMD A8-9600</a>	4	3,303	1,486	65	AM4
<a href="#">AMD Embedded R-Series RX-421BD</a>	4	3,302	1,477	35	BGA (FP4)



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core i3-6167U @ 2.70GHz</a>	2	3,255	1,636	28	FCBGA1356
<a href="#">Intel Core i5-4400E @ 2.70GHz</a>	2	3,251	1,804	37	BGA1364
<a href="#">Qualcomm SDM670</a>	8	3,244	1,170	NA	Unknown
<a href="#">Intel Core i3-4570T @ 2.90GHz</a>	2	3,244	1,693	35	FCLGA1150
<a href="#">[Dual CPU] AMD Opteron 2354</a>	4	3,242	899	115	F (1207)
<a href="#">Intel Pentium D1508 @ 2.20GHz</a>	2	3,240	1,760	25	FCBGA1667
<a href="#">MT6833GP</a>	8	3,238	1,425	NA	Unknown
<a href="#">Mediatek MT6768G</a>	8	3,232	1,212	NA	Unknown
<a href="#">Intel Core i5-6300U @ 2.40GHz</a>	2	3,231	1,660	15	FCBGA1356
<a href="#">MT8667</a>	8	3,230	1,160	NA	Unknown
<a href="#">Qualcomm Technologies, Inc TRINKET-IOT</a>	8	3,230	966	NA	Unknown
<a href="#">ZHAOXIN KaiXian KX-U6580@2.5GHz</a>	8	3,227	745	NA	Unknown
<a href="#">AMD PRO A8-8650B</a>	4	3,222	1,494	65	FM2+
<a href="#">Intel Core i7-2715QE @ 2.10GHz</a>	4	3,221	1,287	45	BGA1023
<a href="#">AMD A8-7600 APU</a>	2	3,220	1,448	65	FM2+
<a href="#">Intel Core i5-4570T @ 2.90GHz</a>	2	3,220	1,912	35	LGA1150
<a href="#">Intel Core i5-4330M @ 2.80GHz</a>	2	3,219	1,878	37	Unknown
<a href="#">AMD A10-8750</a>	2	3,218	1,513	65	FM2+
<a href="#">Intel Core i7-4610M @ 3.00GHz</a>	2	3,218	1,870	37	FPGA946,FPC
<a href="#">Intel Core i3-4170T @ 3.20GHz</a>	2	3,215	1,826	35	LGA1150
<a href="#">AMD A10-6800K APU</a>	2	3,213	1,603	100	FM2
<a href="#">Intel Core i7-950 @ 3.07GHz</a>	4	3,209	1,381	130	LGA1366
<a href="#">Intel Xeon W3550 @ 3.07GHz</a>	4	3,209	1,408	130	LGA1366
<a href="#">Intel Core i5-6260U @ 1.80GHz</a>	2	3,207	1,651	15	FCBGA1356
<a href="#">AMD A10-7800 APU</a>	2	3,202	1,463	65	FM2+
<a href="#">AMD A10-7700K APU</a>	2	3,200	1,434	95	FM2+
<a href="#">Intel Atom x6427FE @ 1.90GHz</a>	4	3,196	1,016	12	FCBGA1493
<a href="#">AMD A8-7670K</a>	4	3,192	1,485	95	FM2+
<a href="#">Virtual @ 2.41GHz</a>	8	3,188	1,017	NA	Unknown
<a href="#">AMD Phenom II X6 1045T</a>	6	3,187	1,282	95	AM3
<a href="#">Intel Core i7-4600M @ 2.90GHz</a>	2	3,186	1,857	37	PGA946

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">AMD Athlon Silver 7120U</a>	2	3,150	1,929	15	FP6
<a href="#">Intel Core i3-4350T @ 3.10GHz</a>	2	3,142	1,762	35	LGA1150
<a href="#">MT8786V/CA</a>	8	3,137	1,160	NA	Unknown
<a href="#">Samsung Exynos 8895</a>	8	3,132	990	NA	Unknown
<a href="#">Qualcomm Technologies, Inc BENGALP-IOT</a>	8	3,127	968	NA	Unknown
<a href="#">Intel Core i3-4160T @ 3.10GHz</a>	2	3,125	1,760	35	LGA1150
<a href="#">Intel Xeon X5560 @ 2.80GHz</a>	4	3,124	1,384	95	LGA1366
<a href="#">AMD A8-7650K</a>	2	3,123	1,402	65	FM2+
<a href="#">Spreadtrum T612</a>	8	3,121	1,107	NA	Unknown
<a href="#">Intel Core i7-870 @ 2.93GHz</a>	4	3,121	1,385	95	LGA1156
<a href="#">AMD A10-6700 APU</a>	4	3,117	1,607	65	FM2
<a href="#">Intel Core i3-4330T @ 3.00GHz</a>	2	3,115	1,726	35	LGA1150
<a href="#">Mediatek MT6769</a>	8	3,113	1,147	NA	Unknown
<a href="#">Virtual @ 2.40GHz</a>	8	3,112	1,003	NA	Unknown
<a href="#">Intel Core i5-4310M @ 2.70GHz</a>	2	3,112	1,812	37	Unknown
<a href="#">Intel Pentium Gold G5400T @ 3.10GHz</a>	2	3,110	1,786	35	FCLGA1151-2
<a href="#">AMD FX-4200 Quad-Core</a>	4	3,109	1,301	125	AM3+
<a href="#">[Dual CPU] ARM Cortex-A76 4 Core 1800 MHz</a>	4	3,108	980	NA	Unknown
<a href="#">AMD A10-6800B APU</a>	2	3,106	1,654	100	FM2
<a href="#">Intel Core i5-6360U @ 2.00GHz</a>	2	3,101	1,739	15	FCBGA1356
<a href="#">AMD FX-4330</a>	2	3,098	1,559	95	AM3+
<a href="#">Intel Pentium Silver J5005 @ 1.50GHz</a>	4	3,097	1,204	10	FCBGA1090
<a href="#">Intel Core i7-4578U @ 3.00GHz</a>	2	3,095	1,928	28	FCBGA1168
<a href="#">Intel Core i7-5557U @ 3.10GHz</a>	2	3,095	1,917	28	FCBGA1168
<a href="#">AMD FX-4320</a>	2	3,094	1,556	95	AM3+
<a href="#">Intel Core i7-875K @ 2.93GHz</a>	4	3,093	1,344	95	LGA1156
<a href="#">Intel Core i5-5287U @ 2.90GHz</a>	2	3,090	1,933	28	FCBGA1168
<a href="#">Qualcomm Technologies, Inc SM4350</a>	8	3,087	1,348	NA	Unknown
<a href="#">Intel Core i5-4200H @ 2.80GHz</a>	2	3,086	1,789	47	BGA1364

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">AMD Opteron X3418 APU</a>	4	3,043	1,427	25	Unknown
<a href="#">AMD PRO A12-8870E</a>	4	3,043	1,440	35	AM4
<a href="#">Intel Core i3-6100H @ 2.70GHz</a>	2	3,041	1,543	35	LGA 1151
<a href="#">AMD PRO A10-8770E</a>	4	3,035	1,443	35	AM4
<a href="#">AMD A10-5800B APU</a>	2	3,034	1,579	100	FM2
<a href="#">AMD FX-4170 Quad-Core</a>	2	3,034	1,464	125	AM3+
<a href="#">Intel Core i7-5600U @ 2.60GHz</a>	2	3,030	1,771	15	FCBGA1168
<a href="#">Intel Xeon X5550 @ 2.67GHz</a>	4	3,027	1,270	95	LGA1366
<a href="#">AMD Embedded R-Series RX-421ND</a>	4	3,024	1,337	35	FP4
<a href="#">Intel Core i3-7130U @ 2.70GHz</a>	2	3,021	1,569	15	FCBGA1356
<a href="#">Intel Xeon L5630 @ 2.13GHz</a>	4	3,018	1,033	40	LGA1366
<a href="#">Intel Atom x6425RE @ 1.90GHz</a>	4	3,017	1,025	12	FCBGA1493
<a href="#">ARM Cortex-A78 4 Core 2000 MHz</a>	4	3,016	1,121	NA	Unknown
<a href="#">ARM Cortex-A55 8 Core 1800 MHz</a>	8	3,013	959	NA	Unknown
<a href="#">Spreadtrum T616</a>	8	3,012	1,079	NA	Unknown
<a href="#">AMD A8-6600K APU</a>	2	3,012	1,538	100	FM2
<a href="#">Intel Pentium GOLD 6500Y @ 1.10GHz</a>	2	3,012	1,752	5	Unknown
<a href="#">[Dual CPU] AMD Opteron 2356</a>	4	3,009	894	75	F (1207)
<a href="#">SMDK4x12</a>	8	3,006	1,271	NA	Unknown
<a href="#">Intel Core i7-5650U @ 2.20GHz</a>	2	3,005	1,897	15	FCBGA1168
<a href="#">Qualcomm SM6115</a>	8	3,004	933	NA	Unknown
<a href="#">AMD Phenom II X6 1035T</a>	6	3,001	1,229	95	AM3
<a href="#">Intel Core i7-4558U @ 2.80GHz</a>	2	3,001	1,836	28	BGA1168
<a href="#">AMD A8-8650</a>	4	2,996	1,483	65	FM2+
<a href="#">Intel Core i5-4308U @ 2.80GHz</a>	2	2,996	1,863	28	FCBGA1364
<a href="#">AMD Athlon Silver 3050U</a>	2	2,995	1,702	15	FP5
<a href="#">Intel Core i5-6200U @ 2.30GHz</a>	2	2,994	1,553	15	FCBGA1356
<a href="#">Intel Core i7-3540M @ 3.00GHz</a>	2	2,994	1,796	35	rPGA988B
<a href="#">Intel Core i5-3470T @ 2.90GHz</a>	2	2,993	1,827	35	LGA1155
<a href="#">MT8786V/N</a>	8	2,992	1,165	NA	Unknown
<a href="#">AMD FX-4300 Quad-Core</a>	2	2,992	1,485	95	AM3+

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">AMD Athlon X4 760K Quad Core</a>	2	2,948	1,527	100	FM2
<a href="#">Intel Core i7-940 @ 2.93GHz</a>	4	2,947	1,310	130	LGA1366
<a href="#">Hisilicon Kirin810</a>	8	2,945	1,515	NA	Unknown
<a href="#">Intel Core i3-10100Y @ 1.30GHz</a>	2	2,943	1,669	5	BGA 1528
<a href="#">Mediatek MT6768</a>	8	2,939	1,162	NA	Unknown
<a href="#">Intel Xeon W3520 @ 2.67GHz</a>	4	2,937	1,272	130	LGA1366
<a href="#">Hisilicon Kirin 955</a>	8	2,936	756	NA	Unknown
<a href="#">AMD Opteron 2431</a>	6	2,936	570	75	F (1207)
<a href="#">AMD Athlon Silver 3050e</a>	2	2,935	1,443	6	Unknown
<a href="#">AMD Opteron 6128 HE</a>	8	2,932	823	85	Socket G34
<a href="#">Intel Core i5-2500T @ 2.30GHz</a>	4	2,929	1,485	45	LGA1155
<a href="#">Rockchip RK3399</a>	8	2,925	979	NA	Unknown
<a href="#">Unisoc ums9230H</a>	8	2,924	1,086	NA	Unknown
<a href="#">Intel Xeon X5470 @ 3.33GHz</a>	4	2,921	1,420	120	LGA771
<a href="#">Qualcomm Technologies, Inc SM6150</a>	8	2,919	1,282	NA	Unknown
<a href="#">Mediatek MT6769V/CZ</a>	8	2,916	1,080	NA	Unknown
<a href="#">Qualcomm SM6125</a>	8	2,916	992	NA	Unknown
<a href="#">AMD FX-770K Quad-Core</a>	2	2,915	1,434	65	FM2+
<a href="#">Intel Xeon X5492 @ 3.40GHz</a>	4	2,912	1,464	150	LGA771
<a href="#">Intel Core i3-4150T @ 3.00GHz</a>	2	2,912	1,617	35	FCLGA1150
<a href="#">[Dual CPU] Intel Xeon E5320 @ 1.86GHz</a>	4	2,911	762	80	LGA771
<a href="#">Intel Core i5-3380M @ 2.90GHz</a>	2	2,911	1,772	35	FCPGA988, F
<a href="#">AMD A10-9630P</a>	4	2,909	1,397	35	FP4
<a href="#">HiSilicon Kirin 970</a>	8	2,908	1,110	NA	Unknown
<a href="#">Intel Celeron J4105 @ 1.50GHz</a>	4	2,907	1,093	10	FCBGA1090
<a href="#">AMD Athlon X4 830</a>	2	2,901	1,292	65	FM2+
<a href="#">Intel Core i5-4210M @ 2.60GHz</a>	2	2,890	1,696	37	FCPGA946
<a href="#">QTI SM6115</a>	8	2,889	941	NA	Unknown
<a href="#">AMD Athlon Silver 3050C</a>	2	2,879	1,809	15	FP5
<a href="#">AMD PRO A10-8750B</a>	2	2,879	1,303	65	FM2+
<a href="#">Intel Core i3-4130T @ 2.90GHz</a>	2	2,878	1,620	35	LGA1150

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Celeron G5925 @ 3.60GHz</a>	2	2,841	2,225	58	FCLGA1200
<a href="#">AMD Phenom II X4 980</a>	4	2,839	1,511	125	AM3
<a href="#">MT6768G</a>	8	2,838	1,172	NA	Unknown
<a href="#">Qualcomm Technologies, Inc SDA660</a>	8	2,836	988	NA	Unknown
<a href="#">Intel Core i7-920 @ 2.67GHz</a>	4	2,833	1,216	130	LGA1366
<a href="#">Intel Core i5-4278U @ 2.60GHz</a>	2	2,828	1,710	28	FCBGA1168
<a href="#">AMD Opteron 6128</a>	8	2,826	447	115	G34
<a href="#">AMD Opteron 3350 HE</a>	4	2,825	1,362	45	Unknown
<a href="#">T606</a>	8	2,824	989	NA	Unknown
<a href="#">Unisoc T610</a>	8	2,819	1,073	NA	Unknown
<a href="#">AMD A8-6500 APU</a>	2	2,814	1,469	65	FM2
<a href="#">Intel Core i5-4200M @ 2.50GHz</a>	2	2,814	1,624	37	PGA946
<a href="#">Intel Celeron G5905 @ 3.50GHz</a>	2	2,812	2,181	58	FCLGA1200
<a href="#">HiSilicon Kirin 960</a>	8	2,809	1,093	NA	Unknown
<a href="#">Qualcomm Technologies, Inc MSM8998</a>	8	2,808	1,046	NA	Unknown
<a href="#">Intel Core i5-5257U @ 2.70GHz</a>	2	2,798	1,715	23	FCBGA1168
<a href="#">vendor Kirin710</a>	8	2,796	950	NA	Unknown
<a href="#">ARM Cortex-A76 8 Core 1800 MHz</a>	8	2,792	994	NA	Unknown
<a href="#">AMD RX-427BB</a>	4	2,788	1,301	35	FP3
<a href="#">Intel Xeon E5540 @ 2.53GHz</a>	4	2,783	1,203	80	LGA1366
<a href="#">Intel Core i5-8210Y @ 1.60GHz</a>	2	2,782	1,689	7	FCBGA1515
<a href="#">T610S-Unisoc</a>	8	2,781	1,191	NA	Unknown
<a href="#">Intel Core2 Extreme X9775 @ 3.20GHz</a>	4	2,780	1,451	150	LGA771
<a href="#">Intel Core i7-5500U @ 2.40GHz</a>	2	2,779	1,653	15	FCBGA1168
<a href="#">Qualcomm Technologies, Inc QCM6125</a>	8	2,775	979	NA	Unknown
<a href="#">Intel Pentium G4500 @ 3.50GHz</a>	2	2,772	2,144	51	FCLGA1151
<a href="#">Intel Atom C2750 @ 2.40GHz</a>	8	2,767	685	20	FCBGA1283
<a href="#">Intel Xeon X3440 @ 2.53GHz</a>	4	2,767	1,147	95	LGA1156
<a href="#">MT6769V/CZ</a>	8	2,766	1,109	NA	Unknown
<a href="#">Intel Core i7-9750 @ 2.95GHz</a>	4	2,765	1,400	65	LGA1156

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">AMD 3015e</a>	2	2,714	1,351	6	Unknown
<a href="#">Intel Celeron G4950 @ 3.30GHz</a>	2	2,714	2,041	54	FCLGA1151
<a href="#">MediaTek MT6779V/CV</a>	8	2,712	1,098	NA	Unknown
<a href="#">Intel Pentium G4520 @ 3.60GHz</a>	2	2,707	2,008	51	FCLGA1151
<a href="#">MediaTek MT6769V/CU</a>	8	2,698	1,088	NA	Unknown
<a href="#">MT6769H</a>	8	2,696	1,054	NA	Unknown
<a href="#">[Quad CPU] AMD Opteron 885</a>	2	2,696	NA	95	949
<a href="#">Intel Core i5-3340M @ 2.70GHz</a>	2	2,695	1,648	35	BGA1023
<a href="#">QTI SDM660</a>	8	2,693	939	NA	Unknown
<a href="#">Qualcomm Technologies, Inc SM6225</a>	8	2,692	1,067	NA	Unknown
<a href="#">AMD PRO A12-9800B</a>	4	2,691	1,392	15	FP4
<a href="#">AMD Phenom II X4 B65</a>	4	2,690	1,370	NA	AM2+/AM3
<a href="#">Intel Core2 Extreme X9770 @ 3.20GHz</a>	4	2,689	1,395	136	LGA775
<a href="#">Intel Celeron J4115 @ 1.80GHz</a>	4	2,687	1,068	NA	Unknown
<a href="#">Intel Xeon E5607 @ 2.27GHz</a>	4	2,686	1,002	80	LGA1366
<a href="#">AMD FX-4130 Quad-Core</a>	2	2,684	1,335	125	AM3+
<a href="#">Hisilicon Kirin970</a>	8	2,681	919	NA	Unknown
<a href="#">Intel Core i5-4402E @ 1.60GHz</a>	2	2,681	1,510	25	FCBGA1364
<a href="#">Intel Xeon E5530 @ 2.40GHz</a>	4	2,680	1,149	80	LGA1366
<a href="#">Qualcomm Technologies, Inc SDM710</a>	8	2,678	1,177	NA	Unknown
<a href="#">Intel Core i3-4110M @ 2.60GHz</a>	2	2,678	1,389	37	FCPGA946
<a href="#">ARM D2000/8 8 Core 2300 MHz</a>	8	2,674	589	NA	Unknown
<a href="#">ARM Phytium,D2000/8 8 Core 2300 MHz</a>	8	2,671	591	NA	Unknown
<a href="#">Intel Core i5-3320M @ 2.60GHz</a>	2	2,668	1,622	35	BGA1023
<a href="#">MediaTek MT6771V/C</a>	8	2,666	891	NA	Unknown
<a href="#">Intel Core i5-3610ME @ 2.70GHz</a>	2	2,666	1,579	35	BGA1023
<a href="#">Intel Celeron 7305E</a>	5	2,665	823	15	FCBGA1744
<a href="#">Unisoc T606</a>	8	2,663	988	NA	Unknown
<a href="#">Intel Xeon E5-2407 @ 2.20GHz</a>	4	2,658	940	80	LGA 1356

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Celeron G5900T @ 3.20GHz</a>	2	2,620	2,028	35	FCLGA1200
<a href="#">AMD Phenom II X4 965</a>	4	2,619	1,362	125	AM3
<a href="#">AMD Athlon PRO 3045B</a>	2	2,618	1,493	15	FP5
<a href="#">Intel Core i5-680 @ 3.60GHz</a>	2	2,618	1,580	73	LGA1156
<a href="#">Intel Core i7-7Y75 @ 1.30GHz</a>	2	2,617	1,571	4.5	FCBGA1515
<a href="#">AMD A8-5500B APU</a>	2	2,616	1,327	65	FM2
<a href="#">AMD Opteron 6172</a>	12	2,615	564	115	G34
<a href="#">AMD FX-7600P</a>	4	2,611	1,265	35	FP3
<a href="#">Intel Core i5-4258U @ 2.40GHz</a>	2	2,611	1,570	28	FCBGA1168
<a href="#">Intel Pentium Silver N5030 @ 1.10GHz</a>	4	2,610	1,259	6	FCBGA1090
<a href="#">AMD FX-4100 Quad-Core</a>	2	2,605	1,282	95	AM3+
<a href="#">Unisoc ums512</a>	8	2,603	1,113	NA	Unknown
<a href="#">AMD Athlon II X4 559</a>	4	2,602	1,399	NA	Unknown
<a href="#">Intel Pentium Silver N5000 @ 1.10GHz</a>	4	2,601	1,134	6	FCBGA1090
<a href="#">Qualcomm SM4250</a>	8	2,598	801	NA	Unknown
<a href="#">AMD A8-5500 APU</a>	2	2,597	1,332	65	FM2
<a href="#">Intel Core i3-5157U @ 2.50GHz</a>	2	2,593	1,392	28	FCBGA1168
<a href="#">Intel Celeron G4930 @ 3.20GHz</a>	2	2,591	1,987	54	FCLGA1151-2
<a href="#">Samsung Exynos 8890</a>	8	2,590	930	NA	Unknown
<a href="#">Intel Xeon L3426 @ 1.87GHz</a>	4	2,590	1,167	45	LGA1156
<a href="#">Intel Core i7-4510U @ 2.00GHz</a>	2	2,590	1,537	15	FCBGA1168
<a href="#">AMD PRO A10-9700B</a>	4	2,585	1,331	15	FP4
<a href="#">Intel Core i5-5350U @ 1.80GHz</a>	2	2,583	1,655	15	FCBGA1168
<a href="#">Intel Core i5-7Y57 @ 1.20GHz</a>	2	2,583	1,620	4.5	FCBGA1515
<a href="#">ARM Cortex-A76 4 Core 3400 MHz</a>	4	2,580	1,282	NA	Unknown
<a href="#">AMD PRO A12-8800B</a>	2	2,580	1,315	15	FP4
<a href="#">Unisoc T700</a>	8	2,579	1,065	NA	Unknown
<a href="#">ARM Cortex-A76 4 Core 3200 MHz</a>	4	2,579	1,291	NA	Unknown
<a href="#">Intel Pentium G4400 @ 3.30GHz</a>	2	2,578	2,004	54	FCLGA1151
<a href="#">Intel Core m3-7Y30 @ 1.00GHz</a>	2	2,577	1,400	4.5	FCBGA1515
<a href="#">Intel Xeon E5450 @ 3.00GHz</a>	4	2,575	1,284	80	LGA771

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">SDM670</a>					
<a href="#">ARM Cortex-A76 4 Core 3000 MHz</a>	4	2,541	1,300	NA	Unknown
<a href="#">AMD Phenom II X4 B97</a>	4	2,539	1,320	95	AM2+/AM3
<a href="#">AMD Phenom II X4 975</a>	4	2,536	1,350	125	AM3
<a href="#">AMD Phenom II X4 B99</a>	4	2,536	1,377	95	Unknown
<a href="#">MediaTek MT6769T</a>	8	2,534	1,105	NA	Unknown
<a href="#">Intel Core i5-750 @ 2.67GHz</a>	4	2,534	1,231	95	LGA1156
<a href="#">Intel Core i5-670 @ 3.47GHz</a>	2	2,533	1,530	73	LGA1156
<a href="#">ARM Kryo-4XX-Gold 8 Core 1804 MHz</a>	8	2,531	1,128	NA	Unknown
<a href="#">AMD Athlon II X4 651 Quad-Core</a>	4	2,530	1,294	100	FM1
<a href="#">MediaTek MT6769Z</a>	8	2,529	1,096	NA	Unknown
<a href="#">Intel Core i5-4310U @ 2.00GHz</a>	2	2,526	1,507	15	FCBGA1168
<a href="#">Intel Xeon L5530 @ 2.40GHz</a>	4	2,522	1,169	60	LGA1366
<a href="#">Intel Core i3-7102E @ 2.10GHz</a>	2	2,521	1,292	25	FCBGA1440
<a href="#">MediaTek MT8183</a>	8	2,519	895	NA	Unknown
<a href="#">Intel Xeon E5520 @ 2.27GHz</a>	4	2,519	1,050	80	LGA1366
<a href="#">Apple A9X</a>	2	2,516	1,510	NA	Unknown
<a href="#">QTI QCM4290</a>	8	2,512	798	NA	Unknown
<a href="#">AMD Phenom II X4 955</a>	4	2,511	1,294	125	AM3
<a href="#">Intel Core i3-4100M @ 2.50GHz</a>	2	2,508	1,403	37	FCPGA946
<a href="#">Mediatek MT6769V/CT</a>	8	2,501	1,009	NA	Unknown
<a href="#">Intel Celeron G4920 @ 3.20GHz</a>	2	2,500	1,960	54	FCLGA1151-2
<a href="#">AMD PRO A12-8830B</a>	4	2,499	1,323	15	BGA (FP4)
<a href="#">Intel Core i5-5200U @ 2.20GHz</a>	2	2,499	1,498	15	FCBGA1168
<a href="#">AMD Athlon II X4 555</a>	4	2,498	1,251	NA	Unknown
<a href="#">Intel Xeon L7455 @ 2.13GHz</a>	6	2,494	601	65	PGA604
<a href="#">Intel Core i5-4300U @ 1.90GHz</a>	2	2,494	1,483	15	FCBGA1168
<a href="#">ARM Cortex-A76 4 Core 3300 MHz</a>	4	2,493	1,288	NA	Unknown
<a href="#">samsung exynos7885</a>	8	2,489	1,012	NA	Unknown
<a href="#">Intel Core i5-2390T @ 2.70GHz</a>	2	2,489	1,512	35	LGA1155
<a href="#">AMD Phenom II X4 B55</a>	4	2,483	1,322	NA	AM2+/AM3
<a href="#">Intel Celeron G5920 @ 3.50GHz</a>	2	2,482	2,151	58	FCLGA1200



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">REV03C board based on EXYNOS</a>					
<a href="#">AMD A12-9700P</a>	4	2,446	1,211	15	FP4
<a href="#">Intel Core i7-4610Y @ 1.70GHz</a>	2	2,446	1,583	11.5	BGA1168
<a href="#">Qualcomm Technologies, Inc TRINKET</a>	8	2,445	901	NA	Unknown
<a href="#">AMD 3020e</a>	2	2,445	1,414	6	Unknown
<a href="#">MediaTek MT6771V/W</a>	8	2,444	878	NA	Unknown
<a href="#">Intel Celeron N4100 @ 1.10GHz</a>	4	2,442	1,006	6	FCBGA1090
<a href="#">Intel Celeron G4900 @ 3.10GHz</a>	2	2,442	1,881	54	FCLGA1151-2
<a href="#">Qualcomm Technologies, Inc BENGAL</a>	8	2,439	883	NA	Unknown
<a href="#">Intel Core i3-3250 @ 3.50GHz</a>	2	2,439	1,840	55	LGA1155
<a href="#">Hisilicon Kirin710</a>	8	2,438	943	NA	Unknown
<a href="#">Snapdragon 662</a>	8	2,431	908	NA	Unknown
<a href="#">Intel Pentium J4205 @ 1.50GHz</a>	4	2,428	913	10	FCBGA1296
<a href="#">Intel Pentium G3470 @ 3.60GHz</a>	2	2,428	2,089	53	LGA1150
<a href="#">Intel Core i5-4350U @ 1.40GHz</a>	2	2,425	1,585	15	BGA1168
<a href="#">Qualcomm Technologies, Inc SDM660</a>	8	2,424	964	NA	Unknown
<a href="#">Samsung Exynos</a>	8	2,423	868	NA	Unknown
<a href="#">Intel Core i7-2620M @ 2.70GHz</a>	2	2,423	1,459	35	BGA1023
<a href="#">AMD Athlon II X4 553</a>	4	2,418	1,204	NA	Unknown
<a href="#">Intel Atom C3558 @ 2.20GHz</a>	4	2,417	852	16	FCBGA1310
<a href="#">ARM Phytium,D2000/8 E8C 8 Core 2300 MHz</a>	8	2,415	590	NA	Unknown
<a href="#">Intel Core i7-4650U @ 1.70GHz</a>	2	2,411	1,542	15	BGA1168
<a href="#">MT8395AV/ZA</a>	8	2,410	1,200	NA	Unknown
<a href="#">Intel Core2 Extreme X9650 @ 3.00GHz</a>	4	2,410	1,262	130	LGA775
<a href="#">ARM Phytium,D2000/8 8 Core 2000 MHz</a>	8	2,409	513	NA	Unknown
<a href="#">AMD Athlon II X4 650</a>	4	2,409	1,307	95	Unknown
<a href="#">MediaTek MT6769V/CB</a>	8	2,406	1,121	NA	Unknown
<a href="#">AMD Phenom II X4 B95</a>	4	2,401	1,242	95	AM3

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">MediaTek MT6771V/WT</a>	8	2,377	898	NA	Unknown
<a href="#">AMD Phenom II X4 977</a>	4	2,377	1,368	95	Unknown
<a href="#">ARM Cortex-A76 4 Core 2700 MHz</a>	4	2,375	1,168	NA	Unknown
<a href="#">Intel Xeon E5440 @ 2.83GHz</a>	4	2,374	1,228	80	LGA771
<a href="#">Apple A8X</a>	3	2,374	934	NA	Unknown
<a href="#">Qualcomm Technologies, Inc SDM665</a>	8	2,373	898	NA	Unknown
<a href="#">Intel Celeron G6900TE</a>	2	2,373	1,393	35	FCLGA1700
<a href="#">T700-Unisoc</a>	8	2,371	998	NA	Unknown
<a href="#">Virtual @ 2.55GHz</a>	8	2,370	926	NA	Unknown
<a href="#">AArch64 rev 2 (aarch64)</a>	8	2,368	898	NA	Unknown
<a href="#">Intel Xeon E5606 @ 2.13GHz</a>	4	2,365	942	80	LGA1366
<a href="#">Intel Atom T5700 @ 1.70GHz</a>	4	2,363	906	NA	Unknown
<a href="#">AMD A8-3850 APU</a>	4	2,361	1,212	100	FM1
<a href="#">AMD Phenom II X4 850</a>	4	2,361	1,216	95	AM2+/AM3
<a href="#">Intel Xeon X3363 @ 2.83GHz</a>	4	2,358	1,240	80	LGA771
<a href="#">Intel Celeron G3920 @ 2.90GHz</a>	2	2,358	1,781	51	FCLGA1151
<a href="#">Intel Xeon L3360 @ 2.83GHz</a>	4	2,356	1,217	65	LGA775
<a href="#">Intel Core i5-2540M @ 2.60GHz</a>	2	2,354	1,403	35	BGA1023
<a href="#">Intel Pentium 6405U @ 2.40GHz</a>	2	2,352	1,383	15	FCBGA1528
<a href="#">Intel Atom C2758 @ 2.40GHz</a>	8	2,350	560	20	BGA 1283
<a href="#">Intel N50</a>	2	2,350	1,536	6	FCBGA1264
<a href="#">Intel Core i3-6102E @ 1.90GHz</a>	2	2,349	1,068	25	FCBGA1440
<a href="#">Intel Core2 Extreme X9750 @ 3.16GHz</a>	4	2,348	1,352	NA	Unknown
<a href="#">[Dual CPU] Intel Xeon 5160 @ 3.00GHz</a>	2	2,348	1,195	80	LGA771
<a href="#">AMD Athlon II X4 645</a>	4	2,347	1,259	95	AM3
<a href="#">AMD Opteron 4130</a>	4	2,347	1,149	95	F (1207)
<a href="#">Intel Xeon E5-2403 @ 1.80GHz</a>	4	2,346	789	80	LGA 1356
<a href="#">AMD Phenom II X4 940</a>	4	2,345	1,212	125	AM2+
<a href="#">AMD Phenom II X4 960T</a>	4	2,345	1,307	95	AM3
<a href="#">Intel Xeon E5-2603 @ 1.80GHz</a>	4	2,342	868	80	LGA 2011

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core m7-6Y75 @ 1.20GHz</a>	2	2,312	1,348	7	FCBGA1515
<a href="#">Intel Core i5-4210U @ 1.70GHz</a>	2	2,309	1,379	15	FCBGA1168
<a href="#">Intel Core i3-2140 @ 3.50GHz</a>	2	2,307	1,535	65	Unknown
<a href="#">Intel Core2 Extreme Q6850 @ 3.00GHz</a>	4	2,304	1,231	130	LGA775
<a href="#">AMD Phenom II X4 B70</a>	4	2,303	1,209	65	AM2+ (938-pin)
<a href="#">AMD A8-3870K APU</a>	4	2,302	1,207	100	FM1
<a href="#">AMD A10-6700T APU</a>	2	2,299	1,290	45	FM2
<a href="#">Allwinner A527</a>	8	2,297	678	NA	Unknown
<a href="#">Intel Celeron G4930T @ 3.00GHz</a>	2	2,297	1,769	35	FCLGA1151
<a href="#">Intel Celeron N4505 @ 2.00GHz</a>	2	2,295	1,515	10	FCBGA1338
<a href="#">Intel Xeon E3-1220L @ 2.20GHz</a>	2	2,295	1,604	20	LGA1155
<a href="#">AMD Phenom II X4 840T</a>	4	2,286	1,271	95	AM2+/AM3
<a href="#">Intel Xeon E5472 @ 3.00GHz</a>	4	2,286	1,211	80	LGA771
<a href="#">Intel Xeon X3430 @ 2.40GHz</a>	4	2,286	1,031	95	LGA1156
<a href="#">Intel Pentium 1403 v2 @ 2.60GHz</a>	2	2,284	1,391	80	Unknown
<a href="#">AMD Opteron 3260 HE</a>	2	2,283	900	45	AM3+
<a href="#">Intel Core i3-6006U @ 2.00GHz</a>	2	2,280	1,161	15	FCBGA1356
<a href="#">AMD Athlon X4 730</a>	2	2,278	937	65	FM2
<a href="#">Intel Xeon L5520 @ 2.27GHz</a>	4	2,274	1,001	60	LGA1366
<a href="#">Intel Core i7-4550U @ 1.50GHz</a>	2	2,272	1,290	15	BGA1168
<a href="#">AMD Phenom II X4 925</a>	4	2,271	1,151	95	AM3
<a href="#">Intel Pentium 4417U @ 2.30GHz</a>	2	2,270	1,318	15	FCBGA1356
<a href="#">AMD Phenom II X4 B45</a>	4	2,267	1,235	NA	Unknown
<a href="#">Intel Core m5-6Y54 @ 1.10GHz</a>	2	2,267	1,304	7	FCBGA1515
<a href="#">Intel Pentium 5405U @ 2.30GHz</a>	2	2,267	1,319	15	FCBGA1528
<a href="#">Intel Xeon X3350 @ 2.66GHz</a>	4	2,263	1,158	95	LGA775
<a href="#">Intel Xeon L5430 @ 2.66GHz</a>	4	2,260	1,154	50	LGA771
<a href="#">Intel Core i3-3220 @ 3.30GHz</a>	2	2,260	1,727	55	LGA1155
<a href="#">Intel Xeon E3-1220L V2 @ 2.30GHz</a>	2	2,258	1,487	17	LGA1155
<a href="#">Intel Celeron J3455 @ 1.50GHz</a>	4	2,256	812	10	FCBGA1296
<a href="#">Intel Core i5-3427U @ 1.80GHz</a>	2	2,256	1,360	17	BGA1023

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Pentium 4415U @ 2.30GHz</a>	2	2,233	1,283	15	BGA1356
<a href="#">AMD A10-8700P</a>	2	2,231	1,133	35	FP4
<a href="#">Intel Core i3-3225 @ 3.30GHz</a>	2	2,231	1,695	55	LGA1155
<a href="#">MT6769V</a>	8	2,229	1,060	NA	Unknown
<a href="#">Intel Xeon X3353 @ 2.66GHz</a>	4	2,229	1,173	80	LGA775
<a href="#">MT6969T</a>	8	2,228	1,125	NA	Unknown
<a href="#">MediaTek MT6771V/WM</a>	8	2,225	805	NA	Unknown
<a href="#">Intel Core2 Quad Q9500 @ 2.83GHz</a>	4	2,224	1,215	95	LGA775
<a href="#">Intel Pentium G3440 @ 3.30GHz</a>	2	2,224	1,917	53	LGA1150
<a href="#">Intel Core i3-3210 @ 3.20GHz</a>	2	2,221	1,706	55	LGA1155
<a href="#">Intel Celeron G3930TE @ 2.70GHz</a>	2	2,218	1,706	35	FCLGA1151
<a href="#">AMD PRO A10-8700B</a>	2	2,217	1,122	15	BGA (FP4)
<a href="#">Intel Pentium G3460 @ 3.50GHz</a>	2	2,216	1,982	53	LGA1150
<a href="#">Snapdragon 835</a>	8	2,211	1,035	9	Unknown
<a href="#">AMD Phenom II X4 920</a>	4	2,209	1,132	125	AM2+
<a href="#">AMD Athlon II X4 635</a>	4	2,206	1,156	95	AM3
<a href="#">AMD Phenom II X4 973</a>	4	2,204	1,180	NA	Unknown
<a href="#">Intel Core i3-5010U @ 2.10GHz</a>	2	2,199	1,237	15	FCBGA1168
<a href="#">Intel Core i5-8200Y @ 1.30GHz</a>	2	2,198	1,429	5	FCBGA1515
<a href="#">Intel Xeon X5472 @ 3.00GHz</a>	4	2,197	1,220	120	LGA771
<a href="#">Qualcomm SDM439</a>	8	2,195	613	NA	Unknown
<a href="#">Intel Celeron J3455E @ 1.50GHz</a>	4	2,193	846	10	FCBGA1296
<a href="#">Intel Core i3-21050 @ 3.10GHz</a>	2	2,193	1,429	NA	Unknown
<a href="#">MediaTek MT6769V/WB</a>	8	2,192	1,118	NA	Unknown
<a href="#">AMD PRO A8-8600B</a>	4	2,190	1,090	15	BGA (FP4)
<a href="#">Intel Pentium G4400TE @ 2.40GHz</a>	2	2,190	1,481	35	FCLGA1151
<a href="#">Intel Core2 Quad Q9450 @ 2.66GHz</a>	4	2,187	1,134	95	LGA775
<a href="#">Intel Core i3-5020U @ 2.20GHz</a>	2	2,185	1,239	15	FCBGA1168
<a href="#">Intel Core i5-4200U @ 1.60GHz</a>	2	2,184	1,290	15	BGA1168
<a href="#">MediaTek MT6797X</a>	10	2,182	588	NA	Unknown
<a href="#">Intel Celeron G3900 @ 2.80GHz</a>	2	2,180	1,715	51	FCLGA1151

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Qualcomm Technologies, Inc APQ8053</a>	8	2,149	567	NA	Unknown
<a href="#">ARM Cortex-A76 4 Core 2400 MHz</a>	4	2,149	1,050	NA	Unknown
<a href="#">Intel Xeon E5462 @ 2.80GHz</a>	4	2,146	1,148	80	LGA771
<a href="#">Intel Core2 Extreme Q6800 @ 2.93GHz</a>	4	2,145	1,124	75	LGA775
<a href="#">QTI MSM8937</a>	8	2,142	606	NA	Unknown
<a href="#">Intel Xeon L5420 @ 2.50GHz</a>	4	2,140	1,101	50	LGA771
<a href="#">MT6765H</a>	8	2,132	639	NA	Unknown
<a href="#">Intel Core2 Quad Q9505 @ 2.83GHz</a>	4	2,132	1,181	95	LGA775
<a href="#">AMD Phenom II X4 910e</a>	4	2,131	1,082	65	AM3
<a href="#">MediaTek MT6763V/CE</a>	8	2,130	1,104	NA	Unknown
<a href="#">AMD Athlon II X4 630</a>	4	2,129	1,124	95	AM3
<a href="#">Intel Pentium G3430 @ 3.30GHz</a>	2	2,127	1,912	54	FCLGA1150
<a href="#">Qualcomm Technologies, Inc SM4250</a>	8	2,120	733	NA	Unknown
<a href="#">Hardkernel ODROID-N2Plus</a>	6	2,115	888	NA	Unknown
<a href="#">AMD Athlon X4 640</a>	4	2,115	1,224	95	Unknown
<a href="#">Intel Core2 Quad Q9400 @ 2.66GHz</a>	4	2,114	1,137	95	LGA775
<a href="#">Intel Atom x7-E3950 @ 1.60GHz</a>	4	2,112	743	12	BGA1296
<a href="#">Intel Xeon X3330 @ 2.66GHz</a>	4	2,111	1,152	95	LGA775
<a href="#">AMD Phenom II X4 B25</a>	4	2,108	1,040	NA	AM2+/AM3
<a href="#">Intel Celeron 6305 @ 1.80GHz</a>	2	2,107	1,201	NA	FCBGA1449
<a href="#">Intel Pentium 4405U @ 2.10GHz</a>	2	2,107	1,196	15	FCBGA1356
<a href="#">Intel Pentium G3440T @ 2.80GHz</a>	2	2,107	1,615	35	LGA1150
<a href="#">Mediatek MT6765H</a>	8	2,103	625	NA	Unknown
<a href="#">Intel Celeron G3900T @ 2.60GHz</a>	2	2,102	1,578	35	Unknown
<a href="#">Intel Core2 Quad Q6700 @ 2.66GHz</a>	4	2,099	1,078	105	LGA775
<a href="#">[Dual CPU] AMD Opteron 2222</a>	2	2,098	964	95	F (1207)
<a href="#">AMD 3015Ce</a>	2	2,094	1,341	6	FT5
<a href="#">Samsung Exynos7870</a>	8	2,093	507	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">Intel Core2 Quad Q8400 @ 2.66GHz</a>	4	2,069	1,145	95	LGA775
<a href="#">Apple A9</a>	2	2,062	1,186	NA	Unknown
<a href="#">MT6797M</a>	10	2,061	879	NA	Unknown
<a href="#">AMD Opteron 3250 HE</a>	2	2,061	1,003	45	AM3+
<a href="#">AMD Opteron 4162 EE</a>	6	2,058	382	35	F (1207)
<a href="#">Intel Xeon X3230 @ 2.66GHz</a>	4	2,052	1,091	95	LGA775
<a href="#">AMD A6-3650 APU</a>	4	2,049	1,033	100	FM1
<a href="#">[Dual CPU] Intel Xeon 5150 @ 2.66GHz</a>	2	2,043	1,065	65	LGA771
<a href="#">Qualcomm Technologies, Inc SDM460</a>	8	2,041	743	NA	Unknown
<a href="#">Intel Celeron G3930T @ 2.70GHz</a>	2	2,040	1,657	35	FCLGA1151
<a href="#">SAMSUNG Exynos7420</a>	8	2,036	717	NA	Unknown
<a href="#">Intel Core i3-2130 @ 3.40GHz</a>	2	2,036	1,560	65	LGA1155
<a href="#">Intel Core i7-3517U @ 1.90GHz</a>	2	2,036	1,306	17	BGA1023
<a href="#">Intel Celeron G3900E @ 2.40GHz</a>	2	2,034	1,499	35	FCBGA1440
<a href="#">AMD A10-5750M APU</a>	4	2,033	1,159	35	FS1r2
<a href="#">Intel Core i3-2102 @ 3.10GHz</a>	2	2,029	1,400	65	FCLGA1155
<a href="#">MediaTek MT8768CT</a>	8	2,028	620	NA	Unknown
<a href="#">Intel Xeon E7- 2830 @ 2.13GHz</a>	4	2,027	559	105	LGA1567
<a href="#">Intel Core M-5Y71 @ 1.20GHz</a>	2	2,027	1,273	4.5	FCBGA1234
<a href="#">Intel Core i3-3240T @ 2.90GHz</a>	2	2,025	1,543	35	LGA1155
<a href="#">Giada JHS558 (Android)</a>	6	2,022	835	NA	Unknown
<a href="#">Intel Xeon E5420 @ 2.50GHz</a>	4	2,022	1,060	80	LGA771
<a href="#">Intel Core i3-4330TE @ 2.40GHz</a>	2	2,022	1,327	35	LGA1150
<a href="#">AMD A8-3800 APU</a>	4	2,021	1,069	65	FM1
<a href="#">Intel Core i3-5005U @ 2.00GHz</a>	2	2,020	1,144	15	FCBGA1168
<a href="#">AMD Athlon II X4 620</a>	4	2,017	1,063	95	AM3
<a href="#">Intel Core i5-655K @ 3.20GHz</a>	2	2,017	1,446	73	LGA1156
<a href="#">Intel Pentium G3450T @ 2.90GHz</a>	2	2,016	1,135	35	LGA1150
<a href="#">Intel Core i5-2415M @ 2.30GHz</a>	2	2,014	1,238	35	BGA1023
<a href="#">Intel Core i5-3317U @ 1.70GHz</a>	2	2,013	1,256	17	BGA1023

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Atom x5-E3940 @ 1.60GHz</a>	4	1,973	679	9.5	BGA1296
<a href="#">Intel Xeon X3220 @ 2.40GHz</a>	4	1,973	926	105	LGA775
<a href="#">Intel Celeron N4500 @ 1.10GHz</a>	2	1,972	1,375	6	FCBGA1338
<a href="#">AMD Phenom II X4 810</a>	4	1,971	1,032	95	AM3
<a href="#">Intel Core M-5Y51 @ 1.10GHz</a>	2	1,970	1,287	4.5	FCBGA1234
<a href="#">Intel Core2 Quad Q9300 @ 2.50GHz</a>	4	1,969	1,080	95	LGA775
<a href="#">Intel Core i7-3689Y @ 1.50GHz</a>	2	1,967	1,209	13	FCBGA1023
<a href="#">AMD FX-7500 APU</a>	4	1,966	973	19	FP3
<a href="#">AMD Athlon II X4 610e</a>	4	1,964	1,037	45	AM3
<a href="#">AMD Athlon II X4 605e</a>	4	1,963	986	45	AM3
<a href="#">Qualcomm Technologies, Inc MSM8976SG</a>	8	1,961	730	NA	Unknown
<a href="#">AMD Phenom II X4 805</a>	4	1,959	1,017	95	AM3
<a href="#">Intel Core i3-4025U @ 1.90GHz</a>	2	1,959	1,091	15	FCBGA1168
<a href="#">MT8169A</a>	6	1,953	662	NA	Unknown
<a href="#">Intel Atom E3900 @ 1.60GHz</a>	4	1,953	675	NA	Unknown
<a href="#">Intel Core i3-2120 @ 3.30GHz</a>	2	1,953	1,510	65	LGA1155
<a href="#">Intel Core i5-580M @ 2.67GHz</a>	2	1,951	1,284	35	BGA1288
<a href="#">Qualcomm Technologies, Inc QCS610</a>	8	1,949	1,407	NA	Unknown
<a href="#">Intel Core i3-4120U @ 2.00GHz</a>	2	1,948	1,177	15	FCBGA1168
<a href="#">AMD Phenom 9850B Quad-Core</a>	4	1,946	992	95	Unknown
<a href="#">Intel Core i7-840QM @ 1.87GHz</a>	4	1,945	1,132	45	PGA988A
<a href="#">Intel Xeon E5506 @ 2.13GHz</a>	4	1,944	928	80	LGA1366
<a href="#">MT6757W</a>	8	1,941	606	NA	Unknown
<a href="#">Intel Core i3-3220T @ 2.80GHz</a>	2	1,940	1,489	35	LGA1155
<a href="#">Intel Core i5-2410M @ 2.30GHz</a>	2	1,940	1,200	35	FCBGA1023,
<a href="#">Intel Pentium G3240 @ 3.10GHz</a>	2	1,938	1,747	53	FCLGA1150
<a href="#">AMD Phenom II X4 905e</a>	4	1,936	1,012	65	AM3
<a href="#">Intel Xeon X6550 @ 2.00GHz</a>	4	1,936	390	130	LGA1567
<a href="#">Intel Xeon E5603 @ 1.60GHz</a>	4	1,935	712	80	LGA1366
<a href="#">Intel Core i7-2677M @ 1.80GHz</a>	2	1,934	1,260	17	BGA1023

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">SDM630</a>					
<a href="#">AMD Opteron X2170 APU</a>	4	1,911	832	25	FT3
<a href="#">Intel Core M-5Y31 @ 0.90GHz</a>	2	1,911	1,258	4.5	FCBGA1234
<a href="#">Allwinner A523</a>	8	1,909	591	NA	Unknown
<a href="#">P22</a>	8	1,908	537	NA	Unknown
<a href="#">Intel Core i5-3439Y @ 1.50GHz</a>	2	1,907	1,197	13	BGA1023
<a href="#">Intel Core i5-4422E @ 1.80GHz</a>	2	1,907	1,048	25	FCBGA1364
<a href="#">AMD Phenom II X4 B05e</a>	4	1,906	974	NA	Unknown
<a href="#">AMD PRO A6-8570</a>	2	1,906	1,646	65	AM4
<a href="#">Intel Core M-5Y10a @ 0.80GHz</a>	2	1,905	993	4.5	FCBGA1234
<a href="#">AMD Opteron 2419 EE</a>	6	1,902	396	60	F (1207)
<a href="#">Intel Core i5-560M @ 2.67GHz</a>	2	1,902	1,245	35	BGA1288
<a href="#">Intel Core M-5Y10c @ 0.80GHz</a>	2	1,901	1,128	4.5	FCBGA1234
<a href="#">Intel Core i3-3130M @ 2.60GHz</a>	2	1,900	1,285	35	BGA1023
<a href="#">Intel Core i7-920XM @ 2.00GHz</a>	4	1,899	1,005	55	PGA988B
<a href="#">AMD Opteron 1385</a>	4	1,898	1,035	115	AM2+,AM3
<a href="#">HiSilicon Kirin 659</a>	8	1,893	670	NA	Unknown
<a href="#">Intel Pentium G2120 @ 3.10GHz</a>	2	1,892	1,715	55	FCLGA1155
<a href="#">MT6765V/WB</a>	8	1,891	613	NA	Unknown
<a href="#">Intel Pentium G3220 @ 3.00GHz</a>	2	1,891	1,701	54	FCLGA1150
<a href="#">Intel Atom C3538 @ 2.10GHz</a>	4	1,889	744	15	FCBGA1310
<a href="#">Intel Core i5-2510E @ 2.50GHz</a>	2	1,889	1,183	35	PGA988B
<a href="#">Intel Core2 Quad Q8300 @ 2.50GHz</a>	4	1,886	1,060	95	LGA775
<a href="#">AMD Phenom 9950 Quad-Core</a>	4	1,884	1,027	125	AM2+
<a href="#">Intel Core i5-2515E @ 2.50GHz</a>	2	1,882	1,189	35	BGA1023
<a href="#">AMD PRO A6-8550B</a>	1	1,882	1,631	65	FM2+
<a href="#">AMD A6-9500</a>	2	1,876	1,629	65	AM4
<a href="#">AMD Athlon II X3 455</a>	3	1,873	1,333	95	AM3
<a href="#">Intel Core i3-4030U @ 1.90GHz</a>	2	1,873	1,025	15	FCBGA1168
<a href="#">Intel Core i3-5015U @ 2.10GHz</a>	2	1,869	1,036	15	FCBGA1168
<a href="#">Intel Xeon E5345 @ 2.33GHz</a>	4	1,868	954	80	LGA771
<a href="#">AMD Athlon 5370 APU</a>	4	1,867	755	25	AM1,FS1B



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Samsung Exynos 7885</a>	8	1,838	867	NA	Unknown
<a href="#">Intel Xeon X3323 @ 2.50GHz</a>	4	1,837	1,059	80	LGA775
<a href="#">Intel Pentium G3260T @ 2.90GHz</a>	2	1,837	1,609	35	LGA1150
<a href="#">Samsung Exynos 7420</a>	8	1,836	781	NA	Unknown
<a href="#">AMD A6-7480</a>	2	1,836	1,558	65	FM2+
<a href="#">AMD Phenom 9750 Quad-Core</a>	4	1,833	946	125	AM2+
<a href="#">Intel Atom x6211E @ 1.30GHz</a>	2	1,833	1,208	6	FCBGA1493
<a href="#">Intel Core i7-2637M @ 1.70GHz</a>	2	1,831	1,126	17	BGA1023
<a href="#">AMD Athlon II X3 450</a>	3	1,827	1,298	95	AM3
<a href="#">MT6765</a>	8	1,825	615	NA	Unknown
<a href="#">AMD Phenom II X4 B15e</a>	4	1,825	1,069	NA	AM2+/AM3
<a href="#">Mediatek MT6765</a>	8	1,823	599	NA	Unknown
<a href="#">AMD Athlon II X3 445</a>	3	1,823	1,274	95	AM3
<a href="#">Intel Core i3-2330E @ 2.20GHz</a>	2	1,823	1,063	35	rPGA988
<a href="#">Intel Core M-5Y70 @ 1.10GHz</a>	2	1,823	1,081	4.5	BGA1234
<a href="#">AMD Phenom 9600B Quad-Core</a>	4	1,822	934	95	AM2+
<a href="#">Samsung Exynos 7904</a>	8	1,821	753	NA	Unknown
<a href="#">ARM Cortex-A73 4 Core 1989 MHz</a>	4	1,820	556	NA	Unknown
<a href="#">AMD A8-7410 APU</a>	4	1,819	806	25	Unknown
<a href="#">MediaTek MT6765V/CA</a>	8	1,814	615	NA	Unknown
<a href="#">AArch64 rev 4 (aarch64)</a>	8	1,813	588	NA	Unknown
<a href="#">Intel Core2 Quad Q6600 @ 2.40GHz</a>	4	1,812	952	105	LGA775
<a href="#">Intel Core i5-540M @ 2.53GHz</a>	2	1,812	1,159	35	BGA1288
<a href="#">Intel Core i7-740QM @ 1.73GHz</a>	4	1,811	1,005	45	PGA988A
<a href="#">Intel Core i3-2105 @ 3.10GHz</a>	2	1,811	1,405	65	LGA1155
<a href="#">AMD Athlon X4 620</a>	4	1,810	1,033	95	Unknown
<a href="#">Intel Celeron 4305U @ 2.20GHz</a>	2	1,807	1,365	15	FCBGA1528
<a href="#">Qualcomm Technologies, Inc MSM8953</a>	8	1,805	531	NA	Unknown
<a href="#">AMD A8-5557M APU</a>	4	1,801	1,037	35	FP2
<a href="#">Mediatek MT6762</a>	8	1,799	526	NA	Unknown
<a href="#">AMD A6-7470K</a>	1	1,799	1,576	65	FM2+

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">AMD Athlon X3 435</a>	3	1,781	1,192	95	Unknown
<a href="#">Samsung Exynos 7880</a>	8	1,780	468	NA	Unknown
<a href="#">AMD A10-5745M APU</a>	4	1,779	961	25	FP2
<a href="#">MT6765V/WA</a>	8	1,778	616	NA	Unknown
<a href="#">AMD GX-420CA SOC</a>	4	1,777	675	25	FT3 (769-BGA
<a href="#">Intel Core2 Quad Q8200 @ 2.33GHz</a>	4	1,777	999	95	LGA775
<a href="#">Intel Core i3-4000M @ 2.40GHz</a>	2	1,777	1,261	37	FCPGA946
<a href="#">AMD Phenom II X4 910</a>	4	1,776	988	95	AM3
<a href="#">Intel Core i7-820QM @ 1.73GHz</a>	4	1,774	1,022	45	PGA988A
<a href="#">AMD R-464L APU</a>	4	1,773	1,123	35	FS1r2
<a href="#">Qualcomm Technologies, Inc MSM8976</a>	8	1,772	714	NA	Unknown
<a href="#">MT6757WD</a>	8	1,771	632	NA	Unknown
<a href="#">ASUS Tinker Board 2/2S</a>	6	1,771	910	NA	Unknown
<a href="#">AMD PRO A6-9500</a>	2	1,770	1,520	65	AM4
<a href="#">Intel Xeon L5408 @ 2.13GHz</a>	4	1,769	936	40	LGA771
<a href="#">Intel Celeron G1840 @ 2.80GHz</a>	2	1,769	1,585	53	FCLGA1150
<a href="#">AMD Phenom II N830 3+1</a>	4	1,768	935	35	S1
<a href="#">AMD A8-6410 APU</a>	4	1,766	782	15	BGA769 (FT3
<a href="#">AMD Phenom II X3 B75</a>	3	1,764	1,248	95	AM3
<a href="#">MediaTek MT6757CD</a>	8	1,761	645	NA	Unknown
<a href="#">Intel Celeron 3965U @ 2.20GHz</a>	2	1,761	1,358	15	FCBGA1356
<a href="#">Spreadtrum T603</a>	8	1,759	538	NA	Unknown
<a href="#">AMD A10-4657M APU</a>	4	1,759	940	35	FP2
<a href="#">Intel Pentium G3250T @ 2.80GHz</a>	2	1,757	1,585	35	LGA1150
<a href="#">AMD A6-9500E</a>	2	1,756	1,347	35	AM4
<a href="#">Intel Pentium G2030 @ 3.00GHz</a>	2	1,748	1,608	55	FCLGA1155
<a href="#">AMD Opteron 2373 EE</a>	4	1,744	876	60	F (1207)
<a href="#">Mediatek MT6765V/WB</a>	8	1,742	602	NA	Unknown
<a href="#">HP Hexa-Core 2.0GHz</a>	4	1,741	804	NA	Unknown
<a href="#">AMD A10-7300 APU</a>	4	1,736	859	19	FP3
<a href="#">MT6752M</a>	8	1,735	398	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">2.00GHz</a>					
<a href="#">Unisoc UIS8581A</a>	8	1,704	507	NA	Unknown
<a href="#">AMD Opteron 1356</a>	4	1,703	918	75	AM2
<a href="#">Intel Pentium 4425Y @ 1.70GHz</a>	2	1,701	958	6	FCBGA1515
<a href="#">AMD Phenom FX-5200 Quad-Core</a>	4	1,699	919	65	AM3
<a href="#">Intel Celeron 4305UE @ 2.00GHz</a>	2	1,699	1,163	15	FCBGA1528
<a href="#">Intel Atom x6211E @ 1.20GHz</a>	2	1,695	1,304	6	FCBGA1493
<a href="#">QTI SDM450</a>	8	1,693	552	NA	Unknown
<a href="#">Intel Core i3-3120M @ 2.50GHz</a>	2	1,692	1,280	35	PGA988
<a href="#">Intel Pentium G2100T @ 2.60GHz</a>	2	1,691	1,460	35	LGA1155
<a href="#">MediaTek MT8768WA</a>	8	1,688	537	NA	Unknown
<a href="#">AMD A8-3550MX APU</a>	4	1,687	962	45	FS1
<a href="#">AMD Phenom II N970 Quad-Core</a>	4	1,687	904	35	S1
<a href="#">Intel Core i7-2617M @ 1.50GHz</a>	2	1,687	1,092	17	BGA1023
<a href="#">AMD A6 PRO-7400B</a>	1	1,684	1,498	65	FM2+
<a href="#">Intel Pentium G2020 @ 2.90GHz</a>	2	1,681	1,554	55	FCLGA1155
<a href="#">Intel Xeon L5335 @ 2.00GHz</a>	4	1,678	827	50	LGA771
<a href="#">AMD A8-4500M APU</a>	2	1,678	915	35	FS1r2
<a href="#">Qualcomm Technologies, Inc APQ8076</a>	8	1,673	585	NA	Unknown
<a href="#">Spreadtrum SC9863A Board</a>	8	1,671	519	NA	Unknown
<a href="#">AMD A6-6310 APU</a>	4	1,670	742	15	FT3
<a href="#">AMD Phenom II X920 Quad-Core</a>	4	1,669	944	45	S1
<a href="#">Intel Core i3-4005U @ 1.70GHz</a>	2	1,663	913	15	FCBGA1168
<a href="#">AMD A6-5200 APU</a>	4	1,662	663	25	FT3
<a href="#">AMD PRO A6-9500E</a>	2	1,662	1,493	35	AM4
<a href="#">Intel Core i3-560 @ 3.33GHz</a>	2	1,662	1,359	73	LGA1156
<a href="#">AMD A4-7210 APU</a>	4	1,661	725	25	BGA
<a href="#">[Dual CPU] Intel Xeon 5130 @ 2.00GHz</a>	2	1,660	818	65	LGA771
<a href="#">Intel Core i7-720QM @ 1.60GHz</a>	4	1,658	931	45	PGA988A
<a href="#">Qualcomm MSM8996PRO-AB</a>	4	1,658	944	NA	Unknown
<a href="#">AMD A9-9430</a>	2	1,658	1,427	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Pentium G3240T @ 2.70GHz</a>	2	1,630	1,473	35	LGA1150
<a href="#">AMD Embedded R-Series RX-216GD</a>	2	1,628	1,313	15	BGA (FP4)
<a href="#">Intel Core M-5Y10 @ 0.80GHz</a>	2	1,628	955	4.5	Unknown
<a href="#">AMD Athlon X3 445</a>	3	1,626	1,270	95	Unknown
<a href="#">AMD A6-7400K APU</a>	2	1,623	1,433	65	FM2+
<a href="#">Intel Pentium G2010 @ 2.80GHz</a>	2	1,620	1,501	55	FCLGA1155
<a href="#">Intel Core i5 E 520 @ 2.40GHz</a>	2	1,619	1,032	35	BGA1288
<a href="#">MediaTek MT6765G</a>	8	1,618	557	NA	Unknown
<a href="#">AMD A6-6400B APU</a>	1	1,616	1,608	65	FM2
<a href="#">AMD A8-3510MX APU</a>	4	1,614	890	45	FS1
<a href="#">Intel Pentium G2120T @ 2.70GHz</a>	2	1,613	1,493	35	FCLGA1155
<a href="#">High Performance Datacenter v</a>	1	1,610	1,595	NA	Unknown
<a href="#">MT6755V/W</a>	8	1,608	555	NA	Unknown
<a href="#">Intel Celeron 2000E @ 2.20GHz</a>	2	1,607	1,282	37	FCBGA1364
<a href="#">Intel Core i3-550 @ 3.20GHz</a>	2	1,606	1,337	73	LGA1156
<a href="#">MediaTek MT6797T</a>	10	1,605	523	NA	Unknown
<a href="#">AMD GX-416RA SOC</a>	4	1,604	561	NA	FT3
<a href="#">AMD A6-8550</a>	2	1,604	1,474	65	FM2+
<a href="#">Mediatek MT6765V/XBA</a>	8	1,601	594	NA	Unknown
<a href="#">AMD PRO A6-8500B</a>	2	1,601	1,340	15	FP4
<a href="#">Intel Pentium G3220T @ 2.60GHz</a>	2	1,600	1,464	35	LGA1150
<a href="#">MediaTek MT6762V/CB</a>	8	1,599	525	NA	Unknown
<a href="#">AMD Phenom FX-5000 Quad-Core</a>	4	1,599	826	65	AM2+
<a href="#">Z3-6540M@2.1GHz</a>	4	1,599	788	NA	Unknown
<a href="#">Intel Pentium 4415Y @ 1.60GHz</a>	2	1,592	874	6	FCBGA1515
<a href="#">Intel Core i5-4220Y @ 1.60GHz</a>	2	1,591	952	11.5	FCBGA1364
<a href="#">Qualcomm MSM8953</a>	8	1,589	486	NA	Unknown
<a href="#">Intel Core i5-3339Y @ 1.50GHz</a>	2	1,589	905	13	BGA1023
<a href="#">AMD Phenom II N930 Quad-Core</a>	4	1,584	817	35	S1
<a href="#">Intel Pentium G2030T @ 2.60GHz</a>	2	1,581	1,442	35	LGA1155
<a href="#">MediaTek MT6763V/V</a>	8	1,579	547	NA	Unknown
<a href="#">AMD Embedded G-Series</a>	4	1,570	826	16.1	FP4

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">GE-5060</a>					
<a href="#">Qualcomm Technologies, Inc APQ8094</a>	8	1,564	552	NA	Unknown
<a href="#">ZHAOXIN KaiXian KX-6640MA@2.2+GHz</a>	4	1,561	733	70	Unknown
<a href="#">AMD Athlon II X3 425</a>	3	1,561	1,081	95	AM3
<a href="#">Qualcomm Technologies, Inc MSM8996pro</a>	4	1,560	808	NA	Unknown
<a href="#">Intel Celeron G1620 @ 2.70GHz</a>	2	1,560	1,451	55	FCLGA1155
<a href="#">Intel Celeron G1830 @ 2.80GHz</a>	2	1,560	1,513	53	LGA1150
<a href="#">AMD Phenom II N950 Quad-Core</a>	4	1,558	856	35	S1
<a href="#">Intel Core i5-4200Y @ 1.40GHz</a>	2	1,558	944	11.5	BGA1168
<a href="#">AMD Athlon II X3 420e</a>	3	1,557	1,058	45	AM3
<a href="#">MT6755V/C</a>	8	1,554	409	NA	Unknown
<a href="#">AMD Phenom II X3 720</a>	3	1,554	1,103	95	AM3
<a href="#">AMD Phenom II X3 710</a>	3	1,551	1,070	95	AM3
<a href="#">AMD Phenom 9350e Quad-Core</a>	4	1,550	793	65	AM2+
<a href="#">Intel Celeron N4020 @ 1.10GHz</a>	2	1,550	1,149	6	FCBGA1090
<a href="#">AMD A6-6420B APU</a>	1	1,550	1,629	65	FM2
<a href="#">AMD Phenom 9500 Quad-Core</a>	4	1,549	861	95	AM2+
<a href="#">Intel Xeon E5335 @ 2.00GHz</a>	4	1,549	817	80	LGA771
<a href="#">Samsung Exynos 7884</a>	8	1,548	655	NA	Unknown
<a href="#">AMD Opteron 1352</a>	4	1,547	857	75	AM2
<a href="#">ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</a>	4	1,547	556	NA	Unknown
<a href="#">MT6763V/B</a>	8	1,544	552	NA	Unknown
<a href="#">Intel Atom x6414RE @ 1.50GHz</a>	4	1,544	608	9	FCBGA1493
<a href="#">AMD A4 PRO-7350B</a>	1	1,544	1,438	65	FM2+
<a href="#">AMD A8-5545M APU</a>	4	1,543	817	19	FP2
<a href="#">Intel Celeron G1620T @ 2.40GHz</a>	2	1,541	1,332	35	LGA1155
<a href="#">AMD R-460L APU</a>	4	1,538	928	25	BGA827 (FP2)
<a href="#">AMD Phenom II X3 B73</a>	3	1,538	1,056	95	AM3
<a href="#">Intel Core i3-540 @ 3.07GHz</a>	2	1,535	1,271	73	LGA1156
<a href="#">[Dual CPU] AMD Opteron 2220</a>	2	1,533	1,013	95	F (1207)

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Celeron G1610 @ 2.60GHz</a>	2	1,517	1,376	55	FCLGA1155
<a href="#">AMD Athlon X3 425</a>	3	1,516	845	95	Unknown
<a href="#">Intel Core i5-4302Y @ 1.60GHz</a>	2	1,516	920	11.5	FCBGA1168
<a href="#">AMD E2-7110 APU</a>	4	1,515	611	15	FP4 BGA
<a href="#">Intel Core i5-4202Y @ 1.60GHz</a>	2	1,511	966	11.5	FCBGA1168
<a href="#">[Dual CPU] Intel Xeon 3.73GHz</a>	2	1,511	776	NA	Unknown
<a href="#">AMD A9-9425</a>	2	1,510	1,315	15	BGA (FT4)
<a href="#">AMD Opteron 2354</a>	4	1,509	857	115	F (1207)
<a href="#">Intel Celeron 3955U @ 2.00GHz</a>	2	1,507	1,204	15	FCBGA1356
<a href="#">Intel Core i7-640LM @ 2.13GHz</a>	2	1,507	1,038	25	BGA1288
<a href="#">AMD Phenom II X4 900e</a>	4	1,505	917	65	AM3
<a href="#">AMD Athlon X2 370K Dual Core</a>	1	1,504	1,514	65	Unknown
<a href="#">Intel Celeron 2970M @ 2.20GHz</a>	2	1,501	1,245	37	FCPGA946
<a href="#">AMD A9-9420</a>	2	1,497	1,288	15	Unknown
<a href="#">AMD A6-6400K APU</a>	1	1,497	1,449	65	FM2
<a href="#">Intel Core i3-530 @ 2.93GHz</a>	2	1,493	1,165	73	LGA1156
<a href="#">ZHAOXIN KaiXian ZX-D D4600@2.0GHz</a>	4	1,492	602	NA	Unknown
<a href="#">AMD A4-6210 APU</a>	4	1,491	609	15	FT3b
<a href="#">Intel Core i3-2100T @ 2.50GHz</a>	2	1,488	1,088	35	LGA1155
<a href="#">[Dual CPU] Intel Xeon 5120 @ 1.86GHz</a>	2	1,486	770	65	LGA771
<a href="#">Qualcomm Technologies, Inc MSM8956</a>	6	1,480	737	NA	Unknown
<a href="#">Intel Core i5-4300Y @ 1.60GHz</a>	2	1,477	988	11.5	BGA1168
<a href="#">AMD A4 PRO-7300B APU</a>	1	1,477	1,452	65	Unknown
<a href="#">AMD Opteron X3216 APU</a>	2	1,475	1,264	15	Unknown
<a href="#">Intel Core m5-7Y54 @ 1.20GHz</a>	2	1,475	746	NA	Unknown
<a href="#">Qualcomm Technologies, Inc SDM439</a>	8	1,472	516	NA	Unknown
<a href="#">Pentium Dual-Core E6000 @ 3.46GHz</a>	2	1,472	1,542	NA	Unknown
<a href="#">MediaTek MT6762V/WA</a>	8	1,470	485	NA	Unknown
<a href="#">Intel Xeon E5320 @ 1.86GHz</a>	4	1,469	770	80	LGA771

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">AMD A6-8500P</a>	2	1,445	1,253	15	BGA (FP4)
<a href="#">AMD Phenom II X2 565</a>	2	1,442	1,376	80	AM2+/AM3
<a href="#">AMD Athlon II X3 415e</a>	3	1,441	1,028	45	AM3
<a href="#">[Dual CPU] AMD Opteron 285</a>	2	1,441	989	95	940
<a href="#">Intel Celeron 5205U @ 1.90GHz</a>	2	1,441	1,101	15	FCBGA1528
<a href="#">Intel Core i7-620LM @ 2.00GHz</a>	2	1,440	1,050	25	rPGA988A
<a href="#">Intel Core i5-2467M @ 1.60GHz</a>	2	1,439	842	17	BGA1023
<a href="#">AMD Athlon X3 440</a>	3	1,438	1,129	95	Unknown
<a href="#">MediaTek MT6762V/WB</a>	8	1,436	493	NA	Unknown
<a href="#">Spreadtrum SC9863A</a>	8	1,435	463	NA	Unknown
<a href="#">AMD A4-6300 APU</a>	1	1,434	1,405	65	FM2
<a href="#">Intel Pentium G850 @ 2.90GHz</a>	2	1,433	1,357	65	FCLGA1155
<a href="#">AMD Phenom II X2 B59</a>	2	1,431	1,395	80	AM2+/AM3
<a href="#">[Dual CPU] AMD Opteron 290</a>	2	1,430	1,046	95	940
<a href="#">Intel Pentium G2020T @ 2.50GHz</a>	2	1,430	1,298	35	FCLGA1155
<a href="#">Intel Xeon E3113 @ 3.00GHz</a>	2	1,429	1,282	65	LGA775
<a href="#">ARM Cortex-A73 6 Core 2016 MHz</a>	6	1,428	614	NA	Unknown
<a href="#">Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP</a>	8	1,426	404	NA	Unknown
<a href="#">AMD A10 Micro-6700T APU</a>	4	1,426	722	5	FT3b
<a href="#">Samsung M13 EUR OPEN REV02 board based on EXYNOS85</a>	8	1,425	516	NA	Unknown
<a href="#">Unisoc SC9863a</a>	8	1,425	485	NA	Unknown
<a href="#">Intel Atom C2558 @ 2.40GHz</a>	4	1,424	512	15	BGA 1283
<a href="#">Qualcomm MSM8996</a>	4	1,424	734	NA	Unknown
<a href="#">AMD Phenom II X3 740</a>	3	1,424	982	95	Unknown
<a href="#">Intel Celeron N4000 @ 1.10GHz</a>	2	1,423	1,039	6	FCBGA1090
<a href="#">Intel Atom C2550 @ 2.40GHz</a>	4	1,422	554	14	FCBGA1283
<a href="#">Qualcomm Technologies, Inc MSM8996</a>	4	1,421	860	NA	Unknown
<a href="#">MT6750V/C</a>	8	1,417	406	NA	Unknown
<a href="#">Unisoc T310</a>	4	1,417	1,097	NA	Unknown
<a href="#">AMD A6-3500 APU</a>	3	1,417	964	65	FM1

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Celeron G555 @ 2.70GHz</a>	2	1,388	1,289	65	LGA1155
<a href="#">AMD Phenom II P960 Quad-Core</a>	4	1,386	737	35	S1
<a href="#">Intel Pentium N3710 @ 1.60GHz</a>	4	1,385	687	6	FCBGA1170
<a href="#">Intel Xeon L5310 @ 1.60GHz</a>	4	1,385	662	50	LGA771
<a href="#">AMD E1-6050J APU</a>	2	1,385	787	10	Unknown
<a href="#">Intel Pentium G6951 @ 2.80GHz</a>	2	1,383	1,173	73	LGA1156
<a href="#">Intel Pentium 2020M @ 2.40GHz</a>	2	1,382	1,271	35	FCPGA988
<a href="#">AMD PRO A6-7350B</a>	2	1,376	1,305	15	FMA4
<a href="#">MT6763V/WT</a>	8	1,375	624	NA	Unknown
<a href="#">AMD Phenom II X2 560</a>	2	1,375	1,389	80	AM2+/AM3
<a href="#">AMD Phenom II X2 521</a>	2	1,374	1,409	65	AM2+/AM3
<a href="#">[Dual CPU] Intel Xeon 5110 @ 1.60GHz</a>	2	1,373	652	65	LGA771
<a href="#">AMD PRO A6-9500B</a>	2	1,371	1,235	15	FP4
<a href="#">Intel Core2 Duo E8600 @ 3.33GHz</a>	2	1,370	1,399	65	LGA775
<a href="#">Intel Core i3-2370M @ 2.40GHz</a>	2	1,369	1,055	35	PGA988B
<a href="#">ARM Cortex-A73 4 Core 1844 MHz</a>	4	1,368	656	NA	Unknown
<a href="#">Samsung EXYNOS5430</a>	8	1,364	594	NA	Unknown
<a href="#">AMD A4-5300 APU</a>	2	1,364	1,339	65	FM2
<a href="#">Intel Celeron 4205U @ 1.80GHz</a>	2	1,363	1,040	15	FCBGA1528
<a href="#">Intel Core i3-3217UE @ 1.60GHz</a>	2	1,362	711	17	BGA1023
<a href="#">AMD Phenom II X2 570</a>	2	1,360	1,408	80	AM3
<a href="#">Intel Celeron G1610T @ 2.30GHz</a>	2	1,358	1,233	35	LGA1155
<a href="#">Intel Core i3-4010Y @ 1.30GHz</a>	2	1,358	748	11.5	BGA1168
<a href="#">AMD Athlon II X2 280</a>	2	1,355	1,462	65	AM3
<a href="#">Intel Pentium G640 @ 2.80GHz</a>	2	1,355	1,305	65	LGA1155
<a href="#">Qualcomm</a>	8	1,354	358	NA	Unknown
<a href="#">Intel Core i3-2332M @ 2.20GHz</a>	2	1,353	936	35	rPGA988B
<a href="#">VIA QuadCore C4650@2.0GHz</a>	4	1,352	559	NA	Unknown
<a href="#">AMD A4-5100 APU</a>	4	1,346	540	15	FT3
<a href="#">AMD A9-9400</a>	2	1,346	1,219	10	FP4
<a href="#">Intel Pentium 3560M @ 2.40GHz</a>	2	1,345	1,221	37	FCPGA946
<a href="#">AMD A8-4555M APU</a>	2	1,344	701	10	FP3



CPU Name

Cores

CPU Mark

Thread Mark

TDP (W)

Socket



## CPU Benchmarks



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
<a href="#">AMD Phenom II P940 Quad-Core</a>	4	1,319	679	35	S1
<a href="#">Intel Core i5-480M @ 2.67GHz</a>	2	1,318	1,155	35	BGA1288
<a href="#">AMD Opteron 2393 SE</a>	2	1,317	1,237	105	F (1207)
<a href="#">Qualcomm Snapdragon 810</a>	8	1,316	667	NA	Unknown
<a href="#">Intel Celeron 3865U @ 1.80GHz</a>	2	1,316	1,035	15	BGA1356
<a href="#">ARM ARMv8 rev 1 (v8l) 4 Core 1984 MHz</a>	4	1,312	632	NA	Unknown
<a href="#">ARM Cortex-A73 6 Core 1992 MHz</a>	6	1,311	454	NA	Unknown
<a href="#">AMD Athlon X2 340 Dual Core</a>	2	1,307	1,296	65	FM2
<a href="#">Intel Xeon E5310 @ 1.60GHz</a>	4	1,306	640	80	LGA771
<a href="#">ARM Cortex-A15 4 Core 1500 MHz</a>	4	1,304	594	NA	Unknown
<a href="#">AMD A6-9230</a>	2	1,303	1,124	15	Unknown
<a href="#">AMD Phenom II X2 555</a>	2	1,301	1,312	80	AM2+/AM3
<a href="#">Intel Core i5-460M @ 2.53GHz</a>	2	1,299	1,129	35	BGA1288
<a href="#">AMD Phenom II N850 Triple-Core</a>	3	1,298	895	35	S1
<a href="#">AMD Phenom X4 Quad-Core GP-9500</a>	4	1,297	711	95	AM2+
<a href="#">ARM Cortex-A72 4 Core 2400 MHz</a>	4	1,295	830	NA	Unknown
<a href="#">AMD Athlon X2 450</a>	2	1,295	878	65	FM2+
<a href="#">AMD A4-5000 APU</a>	4	1,294	507	15	FT3
<a href="#">Intel Xeon X3210 @ 2.13GHz</a>	4	1,293	816	105	LGA775
<a href="#">Intel Pentium G6960 @ 2.93GHz</a>	2	1,293	1,264	73	LGA1156
<a href="#">AMD A6-3420M APU</a>	4	1,292	773	35	FS1
<a href="#">Hisilicon Kirin 935</a>	8	1,291	328	NA	Unknown
<a href="#">MT6795</a>	8	1,290	461	NA	Unknown
<a href="#">Intel Atom x7-Z8750 @ 1.60GHz</a>	4	1,289	679	4	UTFCBGA138
<a href="#">AMD Athlon II X2 270</a>	2	1,289	1,357	65	AM3
<a href="#">Intel Core i7-660UM @ 1.33GHz</a>	2	1,284	925	18	BGA1288
<a href="#">AMD Phenom 8850B Triple-Core</a>	3	1,281	972	95	Unknown
<a href="#">Unisoc UIS8581E</a>	8	1,279	498	NA	Unknown
<a href="#">AMD Phenom 9100e Quad-Core</a>	4	1,279	734	65	AM2+
<a href="#">Intel Celeron 3855U @ 1.60GHz</a>	2	1,279	955	15	FCBGA1356
<a href="#">Intel Core i3-3227U @ 1.90GHz</a>	2	1,279	942	17	BGA1023

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">AMD Phenom II X620 Dual-Core</a>	2	1,262	1,339	45	S1
<a href="#">Intel Core2 Duo E8500 @ 3.16GHz</a>	2	1,262	1,321	65	LGA775
<a href="#">AMD A6-5400K APU</a>	1	1,262	1,268	65	FM2
<a href="#">AMD A6-9210</a>	2	1,260	1,086	15	FP4
<a href="#">Intel Core i3-330E @ 2.13GHz</a>	2	1,260	934	35	BGA1288
<a href="#">Intel Core i3-2350M @ 2.30GHz</a>	2	1,257	973	35	PGA988B
<a href="#">Qualcomm MSM8992</a>	6	1,255	431	NA	Unknown
<a href="#">Intel Celeron G550 @ 2.60GHz</a>	2	1,255	1,208	65	LGA1155
<a href="#">ARM Cortex-A72 4 Core 2394 MHz</a>	4	1,254	800	NA	Unknown
<a href="#">Intel Pentium J2900 @ 2.41GHz</a>	4	1,253	734	10	FCBGA1170
<a href="#">Intel Celeron 3765U @ 1.90GHz</a>	2	1,252	1,171	15	FCBGA1168
<a href="#">AMD Phenom II P860 Triple-Core</a>	3	1,250	831	35	S1
<a href="#">MediaTek MT6762V/CA</a>	8	1,249	446	NA	Unknown
<a href="#">Intel Pentium A1020 @ 2.41GHz</a>	4	1,249	726	10	FCBGA1170
<a href="#">AMD Phenom II X2 B57</a>	2	1,247	1,273	80	Unknown
<a href="#">Rockchip RK</a>	8	1,246	654	NA	Unknown
<a href="#">Intel Core i3-390M @ 2.67GHz</a>	2	1,245	1,074	35	BGA1288
<a href="#">Intel Pentium N3700 @ 1.60GHz</a>	4	1,242	631	6	FCBGA1170
<a href="#">Intel Xeon E3110 @ 3.00GHz</a>	2	1,242	1,331	65	LGA775
<a href="#">BCM2835</a>	4	1,239	700	NA	Unknown
<a href="#">Intel Pentium G6950 @ 2.80GHz</a>	2	1,238	1,109	73	LGA1156
<a href="#">Intel Pentium G840 @ 2.80GHz</a>	2	1,238	1,267	65	FCLGA1155
<a href="#">Intel Xeon X5260 @ 3.33GHz</a>	2	1,238	1,406	80	LGA771
<a href="#">AMD Phenom 8650 Triple-Core</a>	3	1,237	870	95	AM2+
<a href="#">Intel Celeron 2950M @ 2.00GHz</a>	2	1,237	1,150	37	FCPGA946
<a href="#">Intel Atom x5-Z8500 @ 1.44GHz</a>	4	1,236	631	4	UTFCBGA138
<a href="#">Intel Core i3-2328M @ 2.20GHz</a>	2	1,235	982	35	PGA988
<a href="#">Intel Core i5-450M @ 2.40GHz</a>	2	1,234	1,041	35	PGA988A
<a href="#">Samsung A13 EUR OPEN REV02B board based on EXYNOS8</a>	8	1,230	470	NA	Unknown
<a href="#">AMD A4-5300B APU</a>	2	1,230	1,237	65	FM2
<a href="#">MT6755M</a>	8	1,229	501	NA	Unknown
<a href="#">ARM Cortex A57 4 Core 2014 MHz</a>	4	1,220	421	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">Intel Core2 Duo T9800 @ 2.93GHz</a>	2	1,216	1,236	35	BGA479
<a href="#">AMD R-272F APU</a>	2	1,215	1,087	35	FS1
<a href="#">AMD Phenom 8600 Triple-Core</a>	3	1,210	898	95	AM2+
<a href="#">Intel Pentium A1018 @ 2.10GHz</a>	2	1,210	1,085	35	FCPGA988
<a href="#">Intel Pentium N3540 @ 2.16GHz</a>	4	1,209	711	7.5	FCBGA1170
<a href="#">AMD A4-9125</a>	2	1,207	1,045	15	BGA (FT4)
<a href="#">Intel Core i3-380M @ 2.53GHz</a>	2	1,204	1,024	35	PGA988A
<a href="#">Intel Core i5-2537M @ 1.40GHz</a>	2	1,202	943	17	BGA1023
<a href="#">Intel Core i5-430M @ 2.27GHz</a>	2	1,201	982	35	BGA1288
<a href="#">Intel Core2 Duo E8400 @ 3.00GHz</a>	2	1,200	1,237	65	LGA775
<a href="#">Mediatek MT8766B</a>	4	1,198	566	NA	Unknown
<a href="#">AMD Opteron 2222</a>	2	1,198	618	95	F (1207)
<a href="#">ROC-RK3568-PC HDMI (Android)</a>	4	1,197	551	NA	Unknown
<a href="#">Intel Celeron J3355 @ 2.00GHz</a>	2	1,197	826	10	FCBGA1296
<a href="#">Intel Core i7-680UM @ 1.47GHz</a>	2	1,196	911	18	BGA1288
<a href="#">MT6762V/CR</a>	8	1,194	451	NA	Unknown
<a href="#">Intel Celeron 3965Y @ 1.50GHz</a>	2	1,194	901	6	FCBGA1515
<a href="#">AMD Athlon II X2 B26</a>	2	1,193	1,251	65	Unknown
<a href="#">Intel Celeron N3150 @ 1.60GHz</a>	4	1,191	568	6	FCBGA1170
<a href="#">AMD A6-3400M APU</a>	4	1,190	690	35	FS1
<a href="#">Intel Atom Z3795 @ 1.60GHz</a>	4	1,188	640	4	UTFCBGA138
<a href="#">AMD Phenom 8750B Triple-Core</a>	3	1,188	901	95	AM2+
<a href="#">MediaTek MT6750T</a>	8	1,187	468	NA	Unknown
<a href="#">Intel Pentium N3530 @ 2.16GHz</a>	4	1,187	699	7.5	FCBGA1170
<a href="#">ARM Cortex-A73 4 Core 2100 MHz</a>	4	1,185	570	NA	Unknown
<a href="#">ARM Cortex-A72 6 Core 1512 MHz</a>	6	1,183	533	NA	Unknown
<a href="#">AMD Phenom II X2 B55</a>	2	1,183	1,201	80	AM3
<a href="#">Intel Core i7-640UM @ 1.20GHz</a>	2	1,183	879	18	BGA1288
<a href="#">Intel Core2 Duo T9900 @ 3.06GHz</a>	2	1,183	1,176	35	BGA479,PGA
<a href="#">Intel Celeron N3160 @ 1.60GHz</a>	4	1,182	566	6	FCBGA1170
<a href="#">Intel Celeron 3755U @ 1.70GHz</a>	2	1,182	1,022	15	FCBGA1168
<a href="#">Qualcomm MSM8939</a>	8	1,180	415	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core2 Duo E7600 @ 3.06GHz</a>	2	1,164	1,261	65	LGA775
<a href="#">Intel Pentium E6800 @ 3.33GHz</a>	2	1,164	1,301	65	LGA775
<a href="#">MT6757WH</a>	8	1,161	419	NA	Unknown
<a href="#">Intel Xeon W3505 @ 2.53GHz</a>	2	1,161	1,106	130	LGA1366
<a href="#">ARM Cortex-A15 8 Core 1400 MHz</a>	8	1,160	563	NA	Unknown
<a href="#">MTK6757</a>	8	1,158	709	NA	Unknown
<a href="#">AMD Phenom II X2 550</a>	2	1,158	1,228	80	AM2+/AM3
<a href="#">AMD QC-4000</a>	4	1,155	449	15	FT3
<a href="#">AMD Athlon II X2 250e</a>	2	1,155	1,201	45	AM3
<a href="#">Intel Pentium E6500 @ 2.93GHz</a>	2	1,154	1,240	65	LGA775
<a href="#">MediaTek MT6750V/WT</a>	8	1,153	403	NA	Unknown
<a href="#">AMD A4-4000 APU</a>	1	1,153	1,150	65	FM2
<a href="#">AMD A8-7050</a>	2	1,152	945	15	Unknown
<a href="#">Intel Celeron J1900 @ 1.99GHz</a>	4	1,150	651	10	FCBGA1170
<a href="#">MediaTek MT6753T</a>	8	1,149	416	NA	Unknown
<a href="#">AMD E2-3800 APU</a>	4	1,148	436	15	FT3
<a href="#">Intel Core i3-370M @ 2.40GHz</a>	2	1,147	972	35	PGA988A
<a href="#">AMD A6 Micro-6500T APU</a>	4	1,146	630	NA	Unknown
<a href="#">Rockchip RK3399 Excavator Board edp avb (Android)</a>	6	1,143	847	NA	Unknown
<a href="#">AMD Sempron 3850 APU</a>	4	1,142	447	25	AM1,FS1b
<a href="#">AMD Phenom 8850 Triple-Core</a>	3	1,142	982	95	AM2+
<a href="#">Intel Pentium N3520 @ 2.16GHz</a>	4	1,141	663	7.5	FCBGA1170
<a href="#">AMD Athlon II X2 250</a>	2	1,139	1,178	65	AM3
<a href="#">Intel Pentium G640T @ 2.40GHz</a>	2	1,139	1,102	35	LGA1155
<a href="#">Intel Core2 Extreme X7800 @ 2.60GHz</a>	2	1,138	1,077	44	PGA478
<a href="#">AMD Phenom II X2 B53</a>	2	1,137	1,161	80	AM3
<a href="#">Intel Celeron G540T @ 2.10GHz</a>	2	1,137	995	35	LGA1155
<a href="#">Intel Core2 Duo E7500 @ 2.93GHz</a>	2	1,132	1,206	65	LGA775
<a href="#">Intel Core2 Duo P9700 @ 2.80GHz</a>	2	1,131	1,144	28	PGA478
<a href="#">AMD PRO A6-8530B</a>	2	1,127	1,149	15	FP4
<a href="#">AMD E2-6110 APU</a>	4	1,126	473	15	AM1,FT3b

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core2 Duo E8200 @ 2.66GHz</a>	2	1,108	1,144	65	LGA775
<a href="#">Rockchip RK3568 EVB7 DDR4 V10 Board</a>	4	1,106	508	NA	Unknown
<a href="#">AMD Opteron 2220</a>	2	1,106	553	95	F (1207)
<a href="#">Intel Celeron N3350 @ 1.10GHz</a>	2	1,106	800	6	FCBGA1296
<a href="#">AMD Athlon II X2 210e</a>	2	1,105	1,105	45	AM3
<a href="#">Intel Core2 Duo E8435 @ 3.06GHz</a>	2	1,104	1,223	NA	Socket P
<a href="#">Intel Core2 Extreme X7900 @ 2.80GHz</a>	2	1,104	1,085	44	PGA478
<a href="#">Intel Celeron G550T @ 2.20GHz</a>	2	1,102	1,026	35	LGA1155
<a href="#">Intel Core2 Extreme X9000 @ 2.80GHz</a>	2	1,099	1,098	44	PGA478
<a href="#">Intel Celeron 1005M @ 1.90GHz</a>	2	1,098	1,013	35	FCPGA988
<a href="#">AMD Athlon II X2 245</a>	2	1,097	1,145	65	AM2+/AM3
<a href="#">Intel Xeon 3075 @ 2.66GHz</a>	2	1,096	1,096	NA	Unknown
<a href="#">AMD A9-9420e</a>	2	1,095	948	NA	Unknown
<a href="#">AMD E2-9010</a>	2	1,093	909	15	FP4
<a href="#">Intel Celeron 2002E @ 1.50GHz</a>	2	1,091	871	25	FCBGA1364
<a href="#">MT6755V/WM</a>	8	1,090	361	NA	Unknown
<a href="#">AMD GX-412HC</a>	4	1,090	414	7	FT3b
<a href="#">Intel Pentium G630T @ 2.30GHz</a>	2	1,090	1,058	35	LGA1155
<a href="#">AMD Opteron 1222</a>	2	1,089	1,128	103	AM2
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L21</a>	8	1,088	351	NA	Unknown
<a href="#">Intel Core2 Duo P9600 @ 2.66GHz</a>	2	1,088	1,120	25	PGA478
<a href="#">Intel Celeron G1101 @ 2.27GHz</a>	2	1,086	929	73	FCLGA1156
<a href="#">Qualcomm MSM 8939 HUAWEI TEXAS-A1</a>	8	1,085	383	NA	Unknown
<a href="#">Qualcomm Technologies, Inc MSM8937</a>	8	1,084	377	NA	Unknown
<a href="#">AMD Phenom 8250e Triple-Core</a>	3	1,084	729	65	940
<a href="#">Intel Pentium E5700 @ 3.00GHz</a>	2	1,084	1,197	65	LGA775
<a href="#">AMD A4 Micro-6400T APU</a>	4	1,082	540	4.5	FT3b
<a href="#">Rockchip RK3562</a>	4	1,082	527	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">AMD Phenom II P820 Triple-Core</a>	3	1,068	717	25	S1
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L24</a>	8	1,065	344	NA	Unknown
<a href="#">ARM Cortex-A72 6 Core 1416 MHz</a>	6	1,065	462	NA	Unknown
<a href="#">Rockchip RK3568 EVB1 DDR4 V10 Board</a>	4	1,064	491	NA	Unknown
<a href="#">AMD Embedded G-Series GX-215JJ Radeon R2E</a>	2	1,064	861	10	FP4
<a href="#">Intel Pentium 2127U @ 1.90GHz</a>	2	1,064	969	17	FCBGA1023
<a href="#">AMD Phenom X4 Quad-Core GS-6560</a>	4	1,063	282	NA	Unknown
<a href="#">AMD Phenom II N660 Dual-Core</a>	2	1,063	1,076	35	S1
<a href="#">Intel Atom E3845 @ 1.91GHz</a>	4	1,058	536	10	FCBGA1170
<a href="#">AMD Athlon 7850 Dual-Core</a>	2	1,058	1,118	95	AM2+
<a href="#">Intel Pentium 3556U @ 1.70GHz</a>	2	1,058	951	15	BGA1168
<a href="#">Intel Core2 Duo E8335 @ 2.66GHz</a>	2	1,057	1,157	NA	Socket P
<a href="#">MT6592T</a>	8	1,056	354	NA	Unknown
<a href="#">Mediatek MT6761V/CAB</a>	4	1,056	554	NA	Unknown
<a href="#">Intel Celeron 2980U @ 1.60GHz</a>	2	1,056	929	15	FCBGA1168
<a href="#">Intel Celeron G530T @ 2.00GHz</a>	2	1,056	962	35	LGA1155
<a href="#">AMD A4-3420 APU</a>	2	1,054	1,113	65	FM1
<a href="#">Snapdragon 435</a>	8	1,053	346	NA	Unknown
<a href="#">AMD A6-9220C</a>	2	1,053	995	6	FT4
<a href="#">AMD Athlon II X2 B22</a>	2	1,053	1,129	65	AM3
<a href="#">Intel Core2 Duo T9500 @ 2.60GHz</a>	2	1,046	1,074	35	BGA479
<a href="#">AMD A6-1450 APU</a>	4	1,045	458	8	FT3
<a href="#">MT8168B</a>	4	1,045	537	NA	Unknown
<a href="#">AMD GX-222GC SOC</a>	2	1,044	783	15	BGA769 (FT3)
<a href="#">Qualcomm MSM8937</a>	8	1,043	350	NA	Unknown
<a href="#">MediaTek MT6750</a>	8	1,040	371	NA	Unknown
<a href="#">Intel Core2 Duo P9600 @ 2.53GHz</a>	2	1,040	1,082	25	PGA478
<a href="#">JLQ JR510</a>	8	1,039	582	NA	Unknown
<a href="#">MT8783</a>	8	1,039	353	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core i3-330M @ 2.13GHz</a>	2	1,020	813	35	BGA1288
<a href="#">Intel Core2 Duo E8235 @ 2.80GHz</a>	2	1,020	1,112	NA	Socket P
<a href="#">Qualcomm Technologies, Inc MSM8994</a>	8	1,019	524	NA	Unknown
<a href="#">MediaTek MT6753</a>	8	1,018	337	NA	Unknown
<a href="#">Samsung Exynos 7870</a>	8	1,018	336	NA	Unknown
<a href="#">Intel Pentium 2117U @ 1.80GHz</a>	2	1,018	928	17	FCBGA1023
<a href="#">Intel Pentium J2850 @ 2.41GHz</a>	4	1,016	646	10	FCBGA1170
<a href="#">Intel Celeron N2930 @ 1.83GHz</a>	4	1,015	583	7.5	FCBGA1170
<a href="#">AMD Athlon X2 240e</a>	2	1,015	1,092	45	Unknown
<a href="#">Intel Celeron B840 @ 1.90GHz</a>	2	1,015	918	35	PGA988B
<a href="#">Intel Core i5-560UM @ 1.33GHz</a>	2	1,015	898	18	BGA1288
<a href="#">AMD Phenom II N620 Dual-Core</a>	2	1,014	1,088	35	S1
<a href="#">Intel Core2 Duo E6750 @ 2.66GHz</a>	2	1,013	1,033	65	LGA775
<a href="#">AMD Turion II Ultra Dual-Core Mobile M660</a>	2	1,011	1,103	35	S1
<a href="#">Rockchip RK3566 RK817 TABLET LP4X Board</a>	4	1,010	492	NA	Unknown
<a href="#">AMD A6-7000</a>	2	1,010	857	17	FP3
<a href="#">AMD Phenom X2 Dual-Core GE-7060</a>	2	1,010	1,332	NA	Unknown
<a href="#">Intel Core i7-620UM @ 1.07GHz</a>	2	1,010	820	18	BGA1288
<a href="#">AMD A6 PRO-7050B APU</a>	2	1,009	875	17	FP3
<a href="#">ARM Cortex-A57 4 Core 1912 MHz</a>	4	1,007	388	NA	Unknown
<a href="#">AMD A6-4400M APU</a>	1	1,007	1,023	35	FS1r2
<a href="#">AMD Phenom II P920 Quad-Core</a>	4	1,006	597	25	S1
<a href="#">Rockchip RK3566</a>	4	1,006	527	NA	Unknown
<a href="#">Intel Core i3-3229Y @ 1.40GHz</a>	2	1,004	678	13	BGA1023
<a href="#">Intel Core2 Duo T9400 @ 2.53GHz</a>	2	1,004	1,044	35	BGA479
<a href="#">AMD Athlon II X2 240e</a>	2	1,002	1,100	45	AM3
<a href="#">AMD Turion II P540 Dual-Core</a>	2	1,002	944	35	S1
<a href="#">Intel Core i5-540UM @ 1.20GHz</a>	2	1,002	818	18	BGA1288
<a href="#">Intel Core2 Duo E8335 @ 2.93GHz</a>	2	1,002	1,132	NA	Socket P

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Pentium Extreme Edition 965 @ 3.73GHz</a>	2	987	818	130	PLGA775
<a href="#">Intel Core2 Duo T9300 @ 2.50GHz</a>	2	986	1,032	35	BGA479
<a href="#">ARM ARMv7 rev 3 (v7l) 4 Core 2065 MHz</a>	4	984	593	NA	Unknown
<a href="#">AMD E2-9030</a>	2	983	860	NA	BGA (FT4)
<a href="#">Intel Xeon 3060 @ 2.40GHz</a>	2	983	957	65	LGA775
<a href="#">AMD Opteron 1218 HE</a>	2	979	940	65	AM2
<a href="#">AMD Athlon 7750 Dual-Core</a>	2	978	1,037	95	AM2+
<a href="#">AMD Athlon II X2 4400e</a>	2	978	1,069	37	Unknown
<a href="#">Intel Core i3-2340UE @ 1.30GHz</a>	2	976	620	17	BGA-1023
<a href="#">Intel Core2 Duo T7800 @ 2.60GHz</a>	2	976	1,034	35	BGA479
<a href="#">Intel Core2 Duo E8135 @ 2.40GHz</a>	2	973	1,028	NA	Unknown
<a href="#">Intel Pentium E5400 @ 2.70GHz</a>	2	973	1,084	65	LGA775
<a href="#">Amlogic AMLT982</a>	4	972	531	NA	Unknown
<a href="#">Unisoc ums312</a>	4	972	1,078	NA	Unknown
<a href="#">AMD Athlon 64 FX-74</a>	2	972	617	125	F (1207)
<a href="#">Intel Core2 Duo T9550 @ 2.66GHz</a>	2	972	1,068	35	BGA479
<a href="#">AMD A6-9220e</a>	2	971	857	NA	Unknown
<a href="#">MT6795M</a>	8	968	377	NA	Unknown
<a href="#">AMD E2-9000</a>	2	968	817	10	Unknown
<a href="#">Intel Pentium B960 @ 2.20GHz</a>	2	968	966	35	PGA988
<a href="#">AMD Athlon II X2 215</a>	2	966	1,027	65	AM3
<a href="#">AMD Phenom II N640 Dual-Core</a>	2	965	1,039	35	S1
<a href="#">Mediatek MT8766A</a>	4	964	553	NA	Unknown
<a href="#">Intel Core2 Duo E7300 @ 2.66GHz</a>	2	963	1,073	65	LGA775
<a href="#">Intel Core2 Duo P8700 @ 2.53GHz</a>	2	963	1,028	25	BGA479
<a href="#">Intel Xeon 5160 @ 3.00GHz</a>	2	963	1,134	80	LGA771
<a href="#">AMD A4-3300 APU</a>	2	962	992	65	FM1
<a href="#">Intel Atom C2538 @ 2.40GHz</a>	4	960	491	15	FCBGA1283
<a href="#">Qualcomm Technologies, Inc MSM8939</a>	8	959	352	NA	Unknown
<a href="#">Rockchip RK3566 EVB2 LP4X V10</a>	4	958	491	NA	Unknown



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">Intel Celeron J1850 @ 1.99GHz</a>	4	942	455	10	FCBGA1170
<a href="#">AMD Athlon X2 255</a>	2	938	1,095	65	AM2+/AM3
<a href="#">Intel Core2 Duo E6600 @ 2.40GHz</a>	2	937	946	65	PLGA775
<a href="#">Intel Celeron E3500 @ 2.70GHz</a>	2	935	1,154	65	LGA775
<a href="#">MT6750V/WS</a>	8	934	383	NA	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 6000+</a>	2	934	1,036	89	AM2
<a href="#">AMD Phenom II P650 Dual-Core</a>	2	933	985	35	S1
<a href="#">Pentium Dual-Core T4500 @ 2.30GHz</a>	2	932	915	NA	Unknown
<a href="#">AMD Sempron X2 198 Dual-Core</a>	2	930	1,070	65	FM1
<a href="#">Intel Pentium E5300 @ 2.60GHz</a>	2	929	1,036	65	LGA775
<a href="#">Samsung J7 Max LTE SWA board based on MT6757V/WL</a>	8	928	282	NA	Unknown
<a href="#">Intel Atom x5-E3930 @ 1.30GHz</a>	2	928	642	6.5	BGA1296
<a href="#">Intel Xeon L3406 @ 2.27GHz</a>	2	928	647	30	LGA1156
<a href="#">ARM Cortex-A72 4 Core 1416 MHz</a>	4	927	491	NA	Unknown
<a href="#">Intel Pentium E5200 @ 2.50GHz</a>	2	927	999	65	LGA775
<a href="#">Intel Xeon 5150 @ 2.66GHz</a>	2	924	1,023	65	LGA771
<a href="#">ARM Cortex-A15 4 Core 2000 MHz</a>	4	923	524	NA	Unknown
<a href="#">AMD Athlon X2 240</a>	2	921	1,017	65	Unknown
<a href="#">ARM Cortex-A72 4 Core 2300 MHz</a>	4	915	669	NA	Unknown
<a href="#">AMD Athlon Dual Core 5400B</a>	2	914	985	65	AM2
<a href="#">AC8259V/WAB</a>	8	912	510	NA	Unknown
<a href="#">AMD Turion II Dual-Core Mobile M540</a>	2	912	967	35	S1
<a href="#">Intel Xeon 5148 @ 2.33GHz</a>	2	912	868	40	LGA771
<a href="#">MT6761V/CBB</a>	4	910	522	NA	Unknown
<a href="#">AMD Opteron 1218</a>	2	910	962	103	AM2
<a href="#">AMD Opteron 2220 SE</a>	2	909	519	119	F (1207)
<a href="#">Intel Core i5-520UM @ 1.07GHz</a>	2	908	699	18	BGA1288
<a href="#">AMD Athlon 64 X2 Dual Core 5400+</a>	2	907	999	65	AM2
<a href="#">AMD Athlon 64 X2 Dual Core</a>	2	907	1,024	89	AM2

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">Intel Atom x5-Z8350 @ 1.44GHz</a>	4	891	472	4	UTFCBGA592
<a href="#">SAMSUNG Exynos7580</a>	8	889	268	NA	Unknown
<a href="#">MT8365</a>	4	889	489	NA	Unknown
<a href="#">Rockchip RK3528 DEMO4 DDR4 V10 Board</a>	4	888	435	NA	Unknown
<a href="#">Intel Celeron 1017U @ 1.60GHz</a>	2	888	808	17	FCBGA1023
<a href="#">Intel Xeon 5133 @ 2.20GHz</a>	2	887	838	40	LGA771
<a href="#">Intel Core2 Duo E6550 @ 2.33GHz</a>	2	885	906	65	LGA775
<a href="#">AMD Phenom X2 Dual-Core GP-7730</a>	2	884	1,047	NA	Unknown
<a href="#">ARM FT-2000/4 4 Core 2200 MHz</a>	4	881	565	NA	Unknown
<a href="#">AMD Sempron X2 190</a>	2	879	977	45	AM2+/AM3
<a href="#">Intel Pentium P6100 @ 2.00GHz</a>	2	879	831	35	PGA988
<a href="#">Samsung Exynos 7580</a>	8	878	308	NA	Unknown
<a href="#">Intel Pentium N3510 @ 1.99GHz</a>	4	878	534	7.5	FCBGA1170
<a href="#">AMD Turion II P560 Dual-Core</a>	2	878	1,001	25	S1
<a href="#">AMD Turion II N550 Dual-Core</a>	2	877	891	35	S1
<a href="#">Intel Celeron 2955U @ 1.40GHz</a>	2	877	781	15	FCBGA1168
<a href="#">QTI QCM2290</a>	4	875	532	NA	Unknown
<a href="#">Athlon 64 Dual Core 5600+</a>	2	875	993	65	AM2
<a href="#">Qualcomm Technologies, Inc MSM8992</a>	6	873	566	NA	Unknown
<a href="#">AMD Athlon 5000 Dual-Core</a>	2	872	898	65	AM2,AM2+
<a href="#">rockchip_rk3368</a>	8	870	347	NA	Unknown
<a href="#">AMD Athlon 5200 Dual-Core</a>	2	869	915	75	AM2
<a href="#">Intel Core2 Duo P7550 @ 2.26GHz</a>	2	869	967	25	PGA478
<a href="#">MT8168M</a>	4	868	486	NA	Unknown
<a href="#">AMD Athlon II X2 4450e</a>	2	867	1,066	45	AM2
<a href="#">Intel Xeon 3065 @ 2.33GHz</a>	2	867	836	65	LGA775
<a href="#">AMD Turion 64 X2 Mobile TL-68</a>	2	866	882	35	S1
<a href="#">Intel Core2 Duo E4600 @ 2.40GHz</a>	2	865	936	65	LGA775
<a href="#">Intel Pentium B940 @ 2.00GHz</a>	2	863	857	35	PGA988
<a href="#">Synaptics VS640</a>	4	862	550	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">MT6750V/W</a>	8	845	342	NA	Unknown
<a href="#">MT9950</a>	4	845	653	NA	Unknown
<a href="#">Intel Core2 Duo P7570 @ 2.26GHz</a>	2	845	930	25	PGA478
<a href="#">AMD Turion II Dual-Core Mobile M520</a>	2	844	923	35	S1
<a href="#">ARM ARMv7 rev 1 (v7l) 4 Core 1800 MHz</a>	4	843	487	NA	Unknown
<a href="#">Intel Core i3-2367M @ 1.40GHz</a>	2	843	620	17	BGA1023
<a href="#">[Dual CPU] Intel Xeon 3.40GHz</a>	1	843	723	103	PPGA604
<a href="#">MTK8257</a>	8	842	404	NA	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 5200+</a>	2	842	930	65	AM2
<a href="#">Intel Core2 Duo P8400 @ 2.26GHz</a>	2	842	919	25	BGA479
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-85</a>	2	841	686	35	S1
<a href="#">Intel Celeron E1600 @ 2.40GHz</a>	2	840	916	65	LGA775
<a href="#">Thor</a>	6	839	387	NA	Unknown
<a href="#">AMD Opteron 275</a>	2	839	445	95	940
<a href="#">Intel Celeron E3200 @ 2.40GHz</a>	2	839	970	65	LGA775
<a href="#">Intel Celeron 1007U @ 1.50GHz</a>	2	838	771	17	FCBGA1023
<a href="#">Intel Xeon E5205 @ 1.86GHz</a>	2	838	788	65	LGA771
<a href="#">AMD A4-9120e</a>	2	837	735	NA	FT4
<a href="#">Intel Xeon E5502 @ 1.87GHz</a>	2	837	799	80	LGA1366
<a href="#">ARM Cortex-A72 4 Core 2200 MHz</a>	4	834	609	NA	Unknown
<a href="#">Intel Pentium P6300 @ 2.27GHz</a>	2	834	772	35	PGA988
<a href="#">AArch64</a>	4	833	362	NA	Unknown
<a href="#">Intel Core i3-2377M @ 1.50GHz</a>	2	833	613	17	BGA1023
<a href="#">Intel Celeron P4600 @ 2.00GHz</a>	2	832	777	35	PGA988A
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-85</a>	2	828	864	35	S1
<a href="#">Intel Pentium T4500 @ 2.30GHz</a>	2	828	910	35	PGA478
<a href="#">Rockchip RK3368</a>	8	827	329	NA	Unknown
<a href="#">MT8766B</a>	4	827	511	NA	Unknown
<a href="#">AMD Sempron X2 180</a>	2	826	865	45	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">AMD A4-4355M APU</a>	2	806	813	17	FP2
<a href="#">AMD Opteron 1214 HE</a>	2	806	811	65	AM2
<a href="#">Intel Pentium P6000 @ 1.87GHz</a>	2	806	732	35	PGA988
<a href="#">MT8173</a>	4	804	597	NA	Unknown
<a href="#">Intel Xeon E5503 @ 2.00GHz</a>	2	804	845	80	LGA1366
<a href="#">nxp IMX8MQ</a>	4	803	389	NA	Unknown
<a href="#">AMD Athlon64 X2 Dual Core 4600+</a>	2	803	755	110	AM2
<a href="#">Intel Atom Z3580 @ 1.33GHz</a>	4	802	587	NA	Unknown
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-84</a>	2	802	787	35	S1
<a href="#">MT6761V/CAB</a>	4	801	515	NA	Unknown
<a href="#">AMD Turion II P520 Dual-Core</a>	2	801	875	25	S1
<a href="#">Intel Core2 Duo T7600 @ 2.33GHz</a>	2	801	869	34	PBGA479, PP
<a href="#">AMD Turion X2 Dual-Core Mobile RM-76</a>	2	799	761	35	S1
<a href="#">hi6210sft</a>	8	796	269	NA	Unknown
<a href="#">Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board</a>	4	795	508	NA	Unknown
<a href="#">Intel Celeron E3300 @ 2.50GHz</a>	2	795	967	65	LGA775
<a href="#">Intel Core2 Duo P7450 @ 2.13GHz</a>	2	795	839	25	PGA478
<a href="#">Intel Xeon 5130 @ 2.00GHz</a>	2	795	796	65	LGA771
<a href="#">Intel Atom Z3775D @ 1.49GHz</a>	4	794	646	4.4	UTFCBGA138
<a href="#">AMD A6-4455M APU</a>	1	793	786	17	FP2
<a href="#">Intel Core2 Duo P7370 @ 2.00GHz</a>	2	790	793	25	PGA478
<a href="#">Intel Xeon 3040 @ 1.86GHz</a>	2	790	621	65	LGA775
<a href="#">AMD Athlon 7450 Dual-Core</a>	2	789	853	95	AM2+
<a href="#">AC8257V/WAB</a>	8	788	485	NA	Unknown
<a href="#">Intel Core i3-2357M @ 1.30GHz</a>	2	788	601	17	Unknown
<a href="#">Intel Core2 Duo L9600 @ 2.13GHz</a>	2	788	849	17	BGA956
<a href="#">Intel Core2 Duo T6600 @ 2.20GHz</a>	2	786	858	35	PGA478
<a href="#">[Dual CPU] Intel Xeon 3.20GHz</a>	1	786	673	103	PPGA604
<a href="#">Qualcomm MSM8994</a>	8	785	412	NA	Unknown
<a href="#">Mediatek MT8168B</a>	4	784	501	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">Athlon Dual Core 4850e</a>	2	769	861	45	AM2
<a href="#">Intel Core2 Duo T8100 @ 2.10GHz</a>	2	768	833	35	BGA479
<a href="#">AMD Athlon II N350 Dual-Core</a>	2	767	945	35	Unknown
<a href="#">Intel Core2 Duo P7350 @ 2.00GHz</a>	2	766	802	25	BGA479
<a href="#">AMD A4-5150M APU</a>	2	765	800	35	FS1r2
<a href="#">AMD Opteron 280</a>	2	765	430	95	940
<a href="#">Intel Core2 Duo E6400 @ 2.13GHz</a>	2	765	821	65	LGA775
<a href="#">Intel Pentium T4300 @ 2.10GHz</a>	2	764	821	35	PGA478
<a href="#">Intel Xeon 5120 @ 1.86GHz</a>	2	763	748	65	LGA771
<a href="#">Intel Pentium T4400 @ 2.20GHz</a>	2	762	839	35	PGA478
<a href="#">rockchip,rk3328</a>	4	761	356	NA	Unknown
<a href="#">Intel Core2 Duo T7400 @ 2.16GHz</a>	2	761	757	34	BGA479
<a href="#">Intel Core2 Duo E6420 @ 2.13GHz</a>	2	760	785	65	PLGA775
<a href="#">Qualcomm Technologies, Inc SCUBAIOT</a>	4	759	532	NA	Unknown
<a href="#">Intel Core2 Duo SL9400 @ 1.86GHz</a>	2	759	786	17	BGA956
<a href="#">MT6797D</a>	10	758	326	NA	Unknown
<a href="#">M7221</a>	4	758	672	NA	Unknown
<a href="#">AMD A4-3330MX APU</a>	2	756	908	45	FS1 uPGA
<a href="#">AMD Turion II Dual-Core Mobile M500</a>	2	756	847	35	S1
<a href="#">Celeron Dual-Core T3500 @ 2.10GHz</a>	2	756	863	35	PGA478
<a href="#">ARM Cortex-A72 4 Core 1900 MHz</a>	4	755	562	NA	Unknown
<a href="#">Intel Core2 Duo T6570 @ 2.10GHz</a>	2	755	842	35	PGA478
<a href="#">AMD GX-218GL SOC</a>	2	754	627	15	BGA769 (FT3
<a href="#">Intel Celeron 887 @ 1.50GHz</a>	2	754	703	17	BGA1023
<a href="#">MediaTek MT6761V/WE</a>	4	751	444	NA	Unknown
<a href="#">Rockchip RK3566 EVB1 DDR4 V10 Board</a>	4	751	466	NA	Unknown
<a href="#">Intel Atom Z3560 @ 1.00GHz</a>	4	749	486	NA	Unknown
<a href="#">Spreadtrum SC9853I-IA</a>	8	748	467	NA	Unknown
<a href="#">Dual-Core AMD Opteron 1220 SE</a>	2	748	900	103	AM2

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">Intel Pentium D 3.40GHz</a>	2	736	723	NA	Unknown
<a href="#">Intel Celeron E1400 @ 2.00GHz</a>	2	735	758	65	LGA775
<a href="#">ARM Cortex-A72 6 Core 1008 MHz</a>	6	734	394	NA	Unknown
<a href="#">AMD A4-3305M APU</a>	2	734	824	35	FS1
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-82</a>	2	733	770	35	S1
<a href="#">MT8735A</a>	4	731	333	NA	Unknown
<a href="#">Qualcomm Technologies, Inc APQ8096pro</a>	4	730	435	NA	Unknown
<a href="#">AMD Athlon II P360 Dual-Core</a>	2	730	861	25	S1g4
<a href="#">AMD Athlon Dual Core 4850B</a>	2	727	887	45	AM2+
<a href="#">AMD Opteron 1216 HE</a>	2	727	847	65	AM2
<a href="#">Intel Celeron B815 @ 1.60GHz</a>	2	727	703	35	PGA988B
<a href="#">AMD E2-3000 APU</a>	2	726	547	15	FT3
<a href="#">Intel Core2 Duo T6400 @ 2.00GHz</a>	2	726	797	35	PGA478
<a href="#">Intel Pentium E2200 @ 2.20GHz</a>	2	725	817	65	LGA775
<a href="#">Qualcomm MSM8974</a>	4	724	431	NA	Unknown
<a href="#">MT3561S</a>	4	723	335	NA	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 4600+</a>	2	720	835	65	AM2
<a href="#">Intel Core2 Duo E6320 @ 1.86GHz</a>	2	717	712	65	PLGA775
<a href="#">AMD Athlon 64 X2 Dual Core 4200+</a>	2	716	801	89	AM2
<a href="#">Qualcomm Technologies, Inc SDA429W</a>	4	715	516	NA	Unknown
<a href="#">AMD Athlon II X2 260u</a>	2	713	716	25	AM3
<a href="#">MediaTek MT8168A</a>	4	712	448	NA	Unknown
<a href="#">AMD Athlon Dual Core 4450B</a>	2	711	792	45	AM2+
<a href="#">Intel Pentium T4200 @ 2.00GHz</a>	2	711	777	35	PGA478
<a href="#">AMD A4-3300M APU</a>	2	710	788	65	FM1
<a href="#">AMD Athlon 64 FX-60 Dual Core</a>	2	709	912	110	939
<a href="#">Rockchip RK3288</a>	4	708	766	NA	Unknown
<a href="#">AMD Turion X2 Dual-Core Mobile RM-75</a>	2	708	770	35	S1

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-86</a>	2	695	820	35	S1
<a href="#">Samsung EXYNOS5420</a>	4	693	465	NA	Unknown
<a href="#">MT6738</a>	8	692	430	NA	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 4000+</a>	2	692	737	65	AM2
<a href="#">Intel Celeron 877 @ 1.40GHz</a>	2	692	643	17	BGA1023
<a href="#">AMD Athlon II P340 Dual-Core</a>	2	691	837	25	S1g4
<a href="#">AMD Turion X2 Dual Core Mobile RM-76</a>	2	691	729	35	S1
<a href="#">Intel Atom Z3560 @ 1.83GHz</a>	4	690	476	NA	Unknown
<a href="#">Intel Core2 Duo L9300 @ 1.60GHz</a>	2	690	703	17	BGA956
<a href="#">Intel Pentium E2180 @ 2.00GHz</a>	2	690	739	65	LGA775
<a href="#">Intel Celeron P4505 @ 1.87GHz</a>	2	689	820	35	BGA1288
<a href="#">Celeron Dual-Core T3000 @ 1.80GHz</a>	2	687	748	35	PGA478
<a href="#">Intel Core2 Duo T5850 @ 2.16GHz</a>	2	687	787	NA	Socket P
<a href="#">Rockchip RK3566 RK817 TABLET RKG11 LP4 Board</a>	8	686	314	NA	Unknown
<a href="#">Qualcomm MSM8974PRO-AB</a>	4	686	371	NA	Unknown
<a href="#">AMD Turion II Neo K685 Dual-Core</a>	2	684	729	15	BGA812
<a href="#">Intel Celeron 2961Y @ 1.10GHz</a>	2	684	634	11.5	Unknown
<a href="#">Qualcomm APQ 8084 (Flattened Device Tree)</a>	4	683	439	NA	Unknown
<a href="#">AMD Opteron 175</a>	2	682	773	110	939
<a href="#">ARM Cortex-A53 8 Core 1512 MHz</a>	8	681	165	NA	Unknown
<a href="#">Athlon Dual Core 4450e</a>	2	681	792	45	AM2
<a href="#">Intel Pentium D 950 @ 3.40GHz</a>	2	681	695	130	PLGA775
<a href="#">Intel Core2 Duo L7800 @ 2.00GHz</a>	2	680	622	NA	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 4800+</a>	2	679	876	65	AM2
<a href="#">Intel Core2 Duo T7300 @ 2.00GHz</a>	2	678	761	35	BGA479
<a href="#">AMD Athlon 64 X2 Dual Core 4400+</a>	2	677	766	65	AM2
<a href="#">AMD Athlon II X2 270u</a>	2	675	791	25	AM3

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">Intel Celeron N3060 @ 1.60GHz</a>	2	661	629	6	Unknown
<a href="#">ARM Cortex-A55 4 Core 2100 MHz</a>	4	659	304	NA	Unknown
<a href="#">AMD Turion Dual-Core RM-75</a>	2	659	444	35	S1
<a href="#">Rockchip (Device Tree)</a>	4	656	478	NA	Unknown
<a href="#">AMD Turion X2 Dual-Core Mobile RM-74</a>	2	655	738	35	S1
<a href="#">Intel Pentium 987 @ 1.50GHz</a>	2	655	621	17	FCBGA1023
<a href="#">AMD Athlon 64 X2 Dual Core 5800+</a>	2	653	746	89	Unknown
<a href="#">AMD Turion X2 Dual-Core Mobile RM-72</a>	2	653	756	35	S1
<a href="#">Intel Pentium T3400 @ 2.16GHz</a>	2	653	732	35	PPGA478
<a href="#">Intel Celeron B800 @ 1.50GHz</a>	2	652	637	35	PGA988B
<a href="#">Intel Core2 Duo T5900 @ 2.20GHz</a>	2	652	768	NA	Socket P
<a href="#">AMD Athlon 64 X2 QL-65</a>	2	651	697	35	S1
<a href="#">AMD GX-412TC SOC</a>	4	650	250	6	FT3b
<a href="#">Qualcomm MSM8917</a>	4	649	368	NA	Unknown
<a href="#">AMD Turion 64 X2 Mobile TL-62</a>	2	649	724	35	S1
<a href="#">AMD Turion Dual-Core RM-72</a>	2	649	725	35	S1
<a href="#">AMD Opteron 170</a>	2	648	715	110	939
<a href="#">Broadcom STB (Flattened Device Tree)</a>	4	646	403	NA	Unknown
<a href="#">AMD GX-212JC SOC</a>	2	646	452	6	FT3b
<a href="#">Qualcomm MSM8974PRO-AC</a>	4	645	382	NA	Unknown
<a href="#">Intel Pentium 967 @ 1.30GHz</a>	2	643	616	17	FCBGA1023
<a href="#">AMD Athlon 64 X2 QL-66</a>	2	641	751	35	S1
<a href="#">Intel Core2 Duo L7500 @ 1.60GHz</a>	2	641	646	17	BGA479
<a href="#">AMD Turion 64 X2 Mobile TL-60</a>	2	639	703	31	S1
<a href="#">ARM Cortex-A53 4 Core 1908 MHz</a>	4	638	274	NA	Unknown
<a href="#">Intel Core2 Duo E6300 @ 1.86GHz</a>	2	638	698	65	LGA775, PLG
<a href="#">Intel Pentium E2160 @ 1.80GHz</a>	2	638	677	65	LGA775
<a href="#">AMD E2-7015</a>	2	637	491	NA	Unknown
<a href="#">ARM Cortex-A72 4 Core 1500 MHz</a>	4	635	452	NA	Unknown



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">2.00GHz</a>					
<a href="#">MT6795MM</a>	8	618	567	NA	Unknown
<a href="#">AMD Turion II Neo K625 Dual-Core</a>	2	618	631	15	S1
<a href="#">AMD Athlon 64 X2 QL-64</a>	2	617	728	35	S1
<a href="#">Allwinner H618</a>	4	616	391	NA	Unknown
<a href="#">Intel Celeron N3000 @ 1.04GHz</a>	2	616	566	4	FCBGA1170
<a href="#">Intel Atom Z3740D @ 1.33GHz</a>	4	614	459	4.4	UTFCBGA138
<a href="#">AMD Turion X2 Dual-Core Mobile RM-70</a>	2	612	672	31	S1
<a href="#">MediaTek MT6762V/CN</a>	4	611	421	NA	Unknown
<a href="#">Intel U4100 @ 1.30GHz</a>	2	610	554	NA	Unknown
<a href="#">ARM Cortex-A72 4 Core 1000 MHz</a>	4	608	354	NA	Unknown
<a href="#">Intel Core2 Duo L7700 @ 1.80GHz</a>	2	607	748	17	Unknown
<a href="#">MediaTek MT8163</a>	4	606	345	NA	Unknown
<a href="#">Intel Core2 Duo T7100 @ 1.80GHz</a>	2	604	688	35	BGA479
<a href="#">Qualcomm APQ8084</a>	4	603	357	NA	Unknown
<a href="#">AMD Turion X2 Dual Core L510</a>	2	603	593	20	ASB1
<a href="#">AMD Turion II Neo N40L Dual-Core</a>	2	602	620	15	BGA812
<a href="#">Generic DT based system</a>	4	600	442	NA	Unknown
<a href="#">AMD E1 Micro-6200T APU</a>	2	600	498	3.95	FT3b
<a href="#">Intel Atom Z3745D @ 1.33GHz</a>	4	599	415	4.4	Unknown
<a href="#">Samsung GrandPrimePlus LTE LTN DTV rev04 board bas</a>	4	599	336	NA	Unknown
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-87</a>	2	599	770	35	S1
<a href="#">Celeron Dual-Core T3100 @ 1.90GHz</a>	2	599	637	35	BGA479
<a href="#">AMD Athlon II X2 250u</a>	2	597	638	25	AM3
<a href="#">Intel Celeron N3010 @ 1.04GHz</a>	2	597	584	4	FCBGA1170
<a href="#">AMD Sempron 150</a>	1	597	1,117	45	AM3
<a href="#">rk3566</a>	4	595	460	NA	Unknown
<a href="#">AMD E1-2500 APU</a>	2	595	459	15	FT3
<a href="#">Intel Celeron J1750 @ 2.41GHz</a>	2	595	659	10	FCBGA1170
<a href="#">AMD Athlon 64 X2 Dual Core</a>	2	594	624	45	AM2

CPU Name

Cores

CPU Mark

Thread Mark

TDP (W)

Socket



## CPU Benchmarks



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
<a href="#">Intel Atom C2358 @ 1.74GHz</a>	2	578	391	7	FCBGA1283
<a href="#">Intel Core2 Duo T5450 @ 1.66GHz</a>	2	578	598	35	PGA478
<a href="#">AMD Athlon 64 X2 Dual-Core TK-42</a>	2	577	537	20	Unknown
<a href="#">Intel Core2 Duo U9600 @ 1.60GHz</a>	2	577	659	10	BGA956
<a href="#">Intel Celeron 1019Y @ 1.00GHz</a>	2	576	521	10	FCBGA1023
<a href="#">ARM Cortex-A72 4 Core 1700 MHz</a>	4	574	454	NA	Unknown
<a href="#">AMD Sempron 2650 APU</a>	2	574	477	25	AM1,FSB1
<a href="#">AMD Athlon 64 X2 Dual Core BE-2350</a>	2	573	674	45	AM2
<a href="#">MT8735P</a>	4	572	242	NA	Unknown
<a href="#">Intel Celeron J1800 @ 2.41GHz</a>	2	572	658	10	FCBGA1170
<a href="#">Intel Celeron @ 1.30GHz</a>	1	572	610	NA	Unknown
<a href="#">AMD E1-6015 APU</a>	2	571	448	NA	BGA769 (FT3
<a href="#">AMD Athlon X2 Dual Core BE-2300</a>	2	570	644	45	AM2
<a href="#">MediaTek MT6735</a>	4	569	319	NA	Unknown
<a href="#">Intel Celeron 857 @ 1.20GHz</a>	2	569	476	17	BGA1023
<a href="#">Intel Pentium T2390 @ 1.86GHz</a>	2	568	651	35	PPGA478
<a href="#">Intel Celeron G470 @ 2.00GHz</a>	1	568	844	35	LGA1155
<a href="#">Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre</a>	4	566	219	NA	Unknown
<a href="#">AMD Athlon 64 X2 3800+</a>	2	566	745	89	939
<a href="#">Intel Pentium T2410 @ 2.00GHz</a>	2	566	712	NA	Unknown
<a href="#">ap201</a>	4	565	385	NA	Unknown
<a href="#">Intel Atom Z3530 @ 1.33GHz</a>	4	565	368	NA	FC-MB5T1064
<a href="#">Mediatek MT8765WA</a>	4	564	371	NA	Unknown
<a href="#">AMD Athlon X2 Dual Core 6850e</a>	2	564	623	22	Unknown
<a href="#">AMD Sempron Dual Core 2200</a>	2	563	649	65	Unknown
<a href="#">AMD Turion X2 Dual-Core Mobile RM-77</a>	2	562	735	35	S1
<a href="#">Intel Celeron 867 @ 1.30GHz</a>	2	562	584	17	BGA1023
<a href="#">AMD Turion Dual-Core RM-70</a>	2	561	548	31	S1
<a href="#">Intel Pentium E2140 @ 1.60GHz</a>	2	561	608	65	LGA775, PLG

CPU Name

Cores

CPU Mark

Thread Mark

TDP (W)

Socket



## CPU Benchmarks



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
<a href="#">Intel Pentium T2370 @ 1.73GHz</a>	2	543	588	35	PPGA478
<a href="#">Intel Atom Z3735F @ 1.33GHz</a>	4	542	387	4.4	UTFCBGA592
<a href="#">Intel Pentium D 830 @ 3.00GHz</a>	2	541	561	95	PLGA775
<a href="#">Intel Pentium D 940 @ 3.20GHz</a>	2	540	596	130	PLGA775
<a href="#">Intel Pentium T2310 @ 1.46GHz</a>	2	539	563	35	PPGA478
<a href="#">mt6762m</a>	4	538	350	NA	Unknown
<a href="#">Intel Pentium T2330 @ 1.60GHz</a>	2	538	573	35	PPGA478
<a href="#">Intel Pentium U5400 @ 1.20GHz</a>	2	538	503	18	BGA1288
<a href="#">AMD TurionX2 Dual Core Mobile RM-70</a>	2	536	674	31	S1
<a href="#">AMD Turion 64 X2 Mobile TL-52</a>	2	534	564	31	S1
<a href="#">MT6739CH</a>	4	533	305	NA	Unknown
<a href="#">AMD Sempron Dual Core 2100</a>	2	533	596	65	Unknown
<a href="#">[Dual CPU] Intel Xeon 3.06GHz</a>	1	533	600	NA	Unknown
<a href="#">SAMSUNG JF</a>	4	532	334	NA	Unknown
<a href="#">AMD Athlon 64 X2 Dual Core 3400+</a>	2	531	505	89	754
<a href="#">AMD Opteron 165</a>	2	531	638	110	939
<a href="#">MT6737H</a>	8	530	322	NA	Unknown
<a href="#">Qualcomm Technologies, Inc APQ8017</a>	4	530	329	NA	Unknown
<a href="#">AMD E1-6010 APU</a>	2	530	423	10	FT3b
<a href="#">Intel Core2 Duo T5300 @ 1.73GHz</a>	2	530	533	34	PGA478
<a href="#">AMD Athlon Neo X2 Dual Core L335</a>	2	529	570	18	Unknown
<a href="#">AMD Athlon II Neo K345 Dual-Core</a>	2	527	552	12	Unknown
<a href="#">Intel Atom S1260 @ 2.00GHz</a>	2	526	313	8.5	FCBGA1283
<a href="#">Intel Core2 Duo T5500 @ 1.66GHz</a>	2	526	600	34	PGA478
<a href="#">Spreadtrum SC9832E</a>	4	525	293	NA	Unknown
<a href="#">AMD Athlon 64 X2 QL-62</a>	2	525	623	35	S1
<a href="#">Qualcomm Technologies, Inc MSM8917</a>	4	522	310	NA	Unknown
<a href="#">Intel Core2 Duo U7300 @ 1.30GHz</a>	2	522	531	10	BGA956
<a href="#">MT6592</a>	8	521	211	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">Intel Celeron N2808 @ 1.58GHz</a>	2	510	586	4.5	FCBGA1170
<a href="#">MT8161P</a>	4	508	261	NA	Unknown
<a href="#">Rockchip RK3288 (Flattened Device Tree)</a>	4	508	403	NA	Unknown
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-80</a>	2	506	618	32	S1
<a href="#">AMD Sempron 145</a>	1	506	1,001	45	AM3
<a href="#">Intel Celeron N2807 @ 1.58GHz</a>	2	505	572	4.3	FCBGA1170
<a href="#">Intel Celeron N2820 @ 2.13GHz</a>	2	502	602	7.5	FCBGA1170
<a href="#">ARM Cortex-A53 4 Core 2016 MHz</a>	4	500	220	NA	Unknown
<a href="#">Unisoc SC9832e</a>	4	498	316	NA	Unknown
<a href="#">Intel Core Duo T2700 @ 2.33GHz</a>	2	498	652	31	BGA479
<a href="#">AMD Turion X2 Dual Core Mobile RM-70</a>	2	497	504	31	S1
<a href="#">Intel Atom Z3736F @ 1.33GHz</a>	4	496	423	4.4	UTFCBGA592
<a href="#">MT8735</a>	4	495	299	NA	Unknown
<a href="#">Intel Celeron N2815 @ 1.86GHz</a>	2	495	560	7.5	FCBGA1170
<a href="#">Rockchip RK3328 box liantong avb</a>	4	491	239	NA	Unknown
<a href="#">AMD E2-2000 APU</a>	2	490	537	18	BGA413,FT1
<a href="#">ARM Cortex-A55 4 Core 1416 MHz</a>	4	489	237	NA	Unknown
<a href="#">Intel Atom Z3770D @ 1.49GHz</a>	4	488	361	4.4	BGA1380
<a href="#">AMD Athlon II Neo N36L Dual-Core</a>	2	487	524	12	Unknown
<a href="#">AMD E-350D APU</a>	2	486	523	18	Unknown
<a href="#">AMD Sempron 140</a>	1	486	1,037	45	AM3
<a href="#">Intel Celeron 847 @ 1.10GHz</a>	2	485	477	17	BGA1023
<a href="#">Intel Celeron N2806 @ 1.60GHz</a>	2	485	534	4.5	FCBGA1170
<a href="#">Intel Pentium SU4100 @ 1.30GHz</a>	2	485	522	10	BGA956
<a href="#">AMD G-T56N</a>	2	484	528	18	FT1
<a href="#">AMD Athlon 64 3100+</a>	1	484	600	89	754
<a href="#">Intel Celeron SU2300 @ 1.20GHz</a>	2	482	507	10	BGA956
<a href="#">MT8167A</a>	4	478	285	NA	Unknown
<a href="#">Intel Xeon 3.20GHz</a>	1	478	696	103	PPGA604
<a href="#">Intel Celeron 925 @ 2.30GHz</a>	1	477	910	35	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">AMD Opteron 154</a>	1	457	534	104	939
<a href="#">MediaTek MT6737</a>	4	456	268	NA	Unknown
<a href="#">AMD Athlon Neo X2 Dual Core 6850e</a>	2	456	566	22	Unknown
<a href="#">Qualcomm Technologies, Inc QM215</a>	4	454	308	NA	Unknown
<a href="#">Intel Pentium D 915 @ 2.80GHz</a>	2	454	528	95	PLGA775
<a href="#">ARM Cortex-A53 4 Core 1600 MHz</a>	4	453	210	NA	Unknown
<a href="#">QCT APQ8064 DEB</a>	4	453	278	NA	Unknown
<a href="#">AMD Opteron 254</a>	1	451	578	68	940
<a href="#">ARM Cortex-A53 4 Core 1300 MHz</a>	4	447	289	NA	Unknown
<a href="#">AMD E2-1800 APU</a>	2	447	525	18	FT1
<a href="#">Intel Atom N2800 @ 1.86GHz</a>	2	444	319	6.5	BGA559
<a href="#">AMD G-T56E</a>	2	442	522	18	FT1
<a href="#">Intel Core2 Duo U9300 @ 1.20GHz</a>	2	440	502	10	BGA956
<a href="#">MediaTek MT6739WW</a>	4	436	292	NA	Unknown
<a href="#">AMD Turion 64 X2 Mobile TL-58</a>	2	436	546	31	S1
<a href="#">AMD E-450 APU</a>	2	434	498	18	FT1
<a href="#">Intel Atom D2560 @ 2.00GHz</a>	2	433	353	10	Unknown
<a href="#">AMD Turion Neo X2 Dual Core L625</a>	2	432	486	18	ASB1
<a href="#">AMD Athlon LE-1640</a>	1	430	489	45	AM2
<a href="#">MT8127</a>	4	429	253	NA	Unknown
<a href="#">AMD G-T48E</a>	2	429	458	18	FT1
<a href="#">Intel Core2 Duo U7700 @ 1.33GHz</a>	2	429	442	10	Unknown
<a href="#">Sony Mobile fusion3</a>	4	428	234	NA	Unknown
<a href="#">AMD Opteron 152</a>	1	428	487	104	939
<a href="#">MediaTek MT6737M</a>	4	427	222	NA	Unknown
<a href="#">Intel Core2 Duo T5270 @ 1.40GHz</a>	2	427	535	35	PGA478
<a href="#">Intel Celeron G440 @ 1.60GHz</a>	1	425	743	35	LGA1155
<a href="#">Intel Xeon 3.00GHz</a>	1	425	607	103	PPGA604
<a href="#">Qualcomm MSM8916</a>	4	424	314	NA	Unknown
<a href="#">AMD E-350 APU</a>	2	423	490	18	FT1 BGA

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">QCM2150</a>					
<a href="#">Intel Atom D2550 @ 1.86GHz</a>	2	409	322	10	BGA559
<a href="#">Intel Core Duo T2500 @ 2.00GHz</a>	2	408	613	31	BGA479
<a href="#">ARM Cortex-A53 4 Core 1199 MHz</a>	4	407	178	NA	Unknown
<a href="#">MediaTek MT6739WA</a>	4	406	260	NA	Unknown
<a href="#">AMD A4-1250 APU</a>	2	406	329	8	FT3
<a href="#">Intel Atom D510 @ 1.66GHz</a>	2	406	293	13	BGA559
<a href="#">Intel Atom E3805 @ 1.33GHz</a>	2	406	376	3	FCBGA1170
<a href="#">Intel Xeon 5110 @ 1.60GHz</a>	2	405	423	65	LGA771
<a href="#">Qualcomm Technologies, Inc APQ8016</a>	4	404	247	NA	Unknown
<a href="#">Intel Core Duo L2500 @ 1.83GHz</a>	2	404	578	15	BGA479
<a href="#">AMD Athlon 64 FX-55</a>	1	404	505	104	939
<a href="#">ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz</a>	4	403	272	NA	Unknown
<a href="#">Intel Xeon 3.60GHz</a>	1	403	643	110	PPGA604
<a href="#">Qualcomm Technologies, Inc MSM8916</a>	4	400	250	NA	Unknown
<a href="#">AMD E1-2100 APU</a>	2	400	321	9	FT3
<a href="#">Intel Atom D525 @ 1.80GHz</a>	2	400	305	13	BGA559
<a href="#">Intel Core i7-2630UM @ 1.60GHz</a>	2	400	221	NA	Unknown
<a href="#">VIA Nano X2 U4025 @ 1.2 GHz</a>	2	400	298	NA	BGA400
<a href="#">AMD Geode NX 2400+</a>	1	400	634	NA	Unknown
<a href="#">AMD Turion 64 Mobile ML-42</a>	1	400	455	35	754
<a href="#">ARM ARMv7 rev 4 (v7l) 4 Core 1400 MHz</a>	4	399	273	NA	Unknown
<a href="#">QCT APQ8064 MAKO</a>	4	399	254	NA	Unknown
<a href="#">Rockchip rk3326 863 rkisp1 board</a>	4	399	334	NA	Unknown
<a href="#">AMD E1-1500 APU</a>	2	398	458	18	FT1
<a href="#">AMD V140</a>	1	397	819	25	S1
<a href="#">Intel Celeron 900 @ 2.20GHz</a>	1	396	822	34.8	PGA478
<a href="#">AMD Athlon 64 3700+</a>	1	394	435	89	939
<a href="#">AMD Opteron 150</a>	1	393	471	85.3	939
<a href="#">Intel Xeon 3.80GHz</a>	1	393	594	110	PPGA604

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">Intel Xeon 3.40GHz</a>	1	375	519	103	PPGA604
<a href="#">Intel Pentium D 805 @ 2.66GHz</a>	2	374	497	95	PLGA775
<a href="#">Intel Celeron D 360 @ 3.46GHz</a>	1	372	712	65	PLGA775
<a href="#">MT6735P</a>	4	371	222	NA	Unknown
<a href="#">Intel Celeron 827E @ 1.40GHz</a>	1	371	674	17	FCBGA1023
<a href="#">AMD A4-1200 APU</a>	2	369	303	3.9	FT3
<a href="#">Intel Celeron 440 @ 2.00GHz</a>	1	368	444	35	LGA775
<a href="#">Qualcomm MSM8928</a>	4	367	226	NA	Unknown
<a href="#">AMD Sempron 3600+</a>	1	364	377	62	AM2
<a href="#">Intel Atom 330 @ 1.60GHz</a>	2	363	255	8	BGA437
<a href="#">Intel Core Duo T2400 @ 1.83GHz</a>	2	362	527	31	BGA479
<a href="#">AMD Turion 64 Mobile MK-38</a>	1	362	801	31	S1
<a href="#">Intel Atom N2600 @ 1.60GHz</a>	2	360	289	3.5	BGA559
<a href="#">AMD Sempron 3800+</a>	1	360	422	62	AM2
<a href="#">AMD Athlon II 160u</a>	1	358	717	20	Unknown
<a href="#">Intel Pentium 4 3.80GHz</a>	1	358	671	65	Unknown
<a href="#">AMD Athlon X2 Dual Core 3250e</a>	2	357	458	22	Unknown
<a href="#">Manta</a>	2	356	426	NA	Unknown
<a href="#">Mobile AMD Athlon 64 3700+</a>	1	356	485	81.5	Unknown
<a href="#">ARM Cortex-A7 4 Core 1368 MHz</a>	4	354	266	NA	Unknown
<a href="#">AMD V120</a>	1	352	806	25	S1
<a href="#">Intel Core Duo T2250 @ 1.73GHz</a>	2	350	530	31	PGA478
<a href="#">AMD Sempron LE-1200</a>	1	349	551	45	AM2
<a href="#">Intel Core Duo L2400 @ 1.66GHz</a>	2	348	501	15	BGA479
<a href="#">Intel Core2 Duo U7600 @ 1.20GHz</a>	2	347	429	10	BGA479
<a href="#">AMD Opteron 146</a>	1	346	400	67	939
<a href="#">Intel Celeron 570 @ 2.26GHz</a>	1	344	431	31	PGA478
<a href="#">Mobile Intel Pentium 4 3.33GHz</a>	1	344	552	NA	Unknown
<a href="#">ARM Cortex-A7 4 Core 1300 MHz</a>	4	343	247	NA	Unknown
<a href="#">ARM Cortex-A53 4 Core 1152 MHz</a>	4	342	151	NA	Unknown
<a href="#">Intel 2.8GHz</a>	2	341	456	NA	Unknown
<a href="#">Intel Atom N570 @ 1.66GHz</a>	2	341	273	8.5	BGA559

Showing 1 to 5,238 of 5,238 entries

**Notes:**

<sup>1</sup> Price is obtained from our affiliates. <sup>2</sup> CPU Value is calculated by taking CPU Mark / Price. <sup>3</sup> Single Thread Value is calculated by taking Single Thread Mark / Price. <sup>4</sup> Price notes the last seen price for products

<sup>2</sup> CPU Value is calculated by taking CPU Mark / Price.

<sup>3</sup> Single Thread Value is calculated by taking Single Thread Mark / Price.

Management Console

CPU Name  Cores  - CPU Mark  - Thread Mark  - TDP (W)  - Socket

CPU Benchmarks ▼

- [ARM Cortex-A53 4 Core 1296 MHz](#)
- [AMD A™ CPU Benchmarks](#)
- [AMD Turion 64 Mobile ML-36](#)
- [AMD Turion 64 Mobile ML-37](#)
- [Intel Celeron 550 @ 2.00GHz](#)
- [Intel Core Duo T2050 @ 1.60GHz](#)
- [AMD Athlon 2850e](#)
- [Mobile AMD Athlon 64 3400+](#)
- [Qualcomm APQ8026](#)
- [Qualcomm MSM8226](#)
- [Intel Pentium T2000 @ 1.60GHz](#)
- [Intel Pentium T2000 @ 1.60GHz](#)
- [ARM Cortex-A35 4 Core 1200 MHz](#)
- [VIA Eden X2 U7200 @ 1.0+ GHz](#)
- [Mobile AMD Athlon 64 3200+](#)
- [Intel Core Duo T2300 @ 1.66GHz](#)
- [ARM Cortex-A53 4 Core 1368 MHz](#)
- [Qualcomm MSM8226](#)
- [Rockchip RK8088](#)
- [AMD Turion 64 Mobile ML-34](#)
- [ARM Cortex-A57 2 Core 1479 MHz](#)
- [AMD Athlon 64 3400+](#)
- [Intel Pentium 4 3.00GHz](#)

**Benchmarks**

**USB Benchmarks**

**Video Card Benchmarks**

**Hard Drive Benchmarks**

**RAM Benchmarks**

**PC Systems Benchmarks**

**Software Marketshare**

**Database Benchmarks**

**Android Benchmarks**

**iOS Benchmarks**

**Internet Bandwidth**

**Services**

**Store**

**Support**

**Forums**

**About Us**

[Company](#)

[Contact Us](#)

[The Press Room](#)

**International**

**Disclaimer**

**Refunds**

**Privacy**

**Social**



<a href="#">AMD Opteron 144</a>	1	316	376	67	939
<a href="#">AMD C-70 APU</a>	2	315	364	9	Unknown
<a href="#">AMD Athlon II Neo K125</a>	1	315	615	12	S1
<a href="#">AMD Sempron 3300+</a>	1	315	394	62	754
<a href="#">AMD Sempron LE-1100</a>	1	315	509	45	AM2
<a href="#">Intel Pentium 4 3.60GHz</a>	1	315	447	115	Unknown
<a href="#">ARM Cortex-A72 4 Core 2800 MHz</a>	4	314	243	NA	Unknown
<a href="#">Intel Celeron D 420 @ 1.60GHz</a>	1	313	388	35	LGA775
<a href="#">Mobile AMD Athlon 64 4000+</a>	1	313	338	62	Unknown

Copyright © 2024 PassMark® Software





CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------



## CPU Benchmarks



<a href="#">Intel Atom Z2760 @ 1.80GHz</a>	2	298	206	NA	FC-MB4760
<a href="#">AMD Athlon II Neo K145</a>	1	298	592	12	S1
<a href="#">AMD Sempron 3100+</a>	1	298	383	62	754
<a href="#">ARM Cortex-A53 4 Core 1400 MHz</a>	4	297	229	NA	Unknown
<a href="#">Spreadtrum SC7731e</a>	4	296	205	NA	Unknown
<a href="#">AMD Athlon 64 2800+</a>	1	295	375	89	754
<a href="#">Intel Pentium 4 3.46GHz</a>	1	295	512	110.7	Unknown
<a href="#">Qualcomm MSM8626</a>	4	294	185	NA	Unknown
<a href="#">Mobile AMD Sempron 3300+</a>	1	294	391	NA	Socket 754
<a href="#">Qualcomm Technologies, Inc MSM8216</a>	4	292	155	NA	Unknown
<a href="#">AMD Athlon 64 3800+</a>	1	292	461	45	AM2
<a href="#">AMD Sempron 3400+</a>	1	292	346	62	AM2
<a href="#">Intel Pentium M 2.10GHz</a>	1	292	353	21	H-PBGA479, F
<a href="#">AMD Athlon 2800+</a>	1	291	439	89	754
<a href="#">AMD C-60</a>	2	290	354	9	Unknown
<a href="#">AMD G-T40E</a>	2	289	313	6.4	FT1
<a href="#">AMD Sempron SI-40</a>	1	288	631	25	S1
<a href="#">Qualcomm Technologies, Inc MSM8909</a>	4	286	188	NA	Unknown
<a href="#">AMD Sempron 3000+</a>	1	286	462	62	AM2
<a href="#">AMD Turion 64 Mobile MT-32</a>	1	286	367	24	754
<a href="#">ARM Cortex-A53 4 Core 1200 MHz</a>	4	285	206	NA	Unknown
<a href="#">AMD Turion 64 Mobile ML-32</a>	1	285	321	35	754
<a href="#">Mobile AMD Sempron 3600+</a>	1	284	618	25	S1
<a href="#">Intel Atom N550 @ 1.50GHz</a>	2	283	239	8.5	BGA559
<a href="#">AMD Athlon XP 3100+</a>	1	282	431	NA	Unknown
<a href="#">AMD Athlon XP 3200+</a>	1	281	430	62	AM2
<a href="#">Intel Celeron 430 @ 1.80GHz</a>	1	280	615	35	LGA775
<a href="#">Intel Pentium M 1.80GHz</a>	1	280	389	21	H-PBGA479, F
<a href="#">ARM Cortex-A72 4 Core 800 MHz</a>	4	279	214	NA	Unknown
<a href="#">AMD Turion 64 Mobile MT-34</a>	1	279	328	24	754
<a href="#">VIA Nano L2100@1800MHz</a>	1	279	182	25	BGA400

CPU Name

Cores

CPU Mark

Thread Mark

TDP (W)

Socket



## CPU Benchmarks



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
<a href="#">AMD C-50</a>	2	265	312	9	FT1
<a href="#">AMD Athlon TF-20</a>	1	265	454	15	Unknown
<a href="#">Intel Celeron 3.33GHz</a>	1	263	528	NA	Unknown
<a href="#">VIA Eden C1050@1.06GHz</a>	1	263	283	NA	Unknown
<a href="#">AMD Z-60 APU</a>	2	262	318	4.5	FT1
<a href="#">AMD Athlon XP 3000+</a>	1	262	396	62	Socket A
<a href="#">AMD Athlon XP 2800+</a>	1	260	408	89	754
<a href="#">Intel Xeon 2.80GHz</a>	1	260	384	103	PPGA604
<a href="#">Mobile AMD Sempron 3500+</a>	1	259	535	NA	S1
<a href="#">AMD Athlon XP 2700+</a>	1	256	398	NA	Unknown
<a href="#">Mobile AMD Sempron 2600+</a>	1	256	316	NA	Socket 754
<a href="#">Intel Core Duo U2400 @ 1.06GHz</a>	2	255	342	9	BGA479
<a href="#">AMD Turion 64 Mobile ML-28</a>	1	254	314	25	754
<a href="#">AMD Sempron 2600+</a>	1	253	325	NA	Socket A
<a href="#">Intel Core Solo T1400 @ 1.83GHz</a>	1	253	525	27	PGA478
<a href="#">Intel Celeron M 1.70GHz</a>	1	252	370	NA	Unknown
<a href="#">Intel Core2 Solo U3500 @ 1.40GHz</a>	1	252	546	5.5	BGA956
<a href="#">AMD Sempron 3200+</a>	1	251	456	62	AM2
<a href="#">AMD Sempron LE-1150</a>	1	251	477	45	AM2
<a href="#">Intel Celeron D 356 @ 3.33GHz</a>	1	251	619	86	PLGA775
<a href="#">Intel Pentium 4 3.06GHz</a>	1	249	551	81.8	PGA478
<a href="#">AMD GX-210JA SOC</a>	2	248	231	6	FT3 (769-BGA
<a href="#">AMD Sempron M120</a>	1	247	559	25	S1
<a href="#">Intel Atom D2500 @ 1.86GHz</a>	2	246	326	10	BGA559
<a href="#">AMD Turion 64 Mobile MT-30</a>	1	246	294	25	754
<a href="#">AMD Sempron SI-42</a>	1	245	637	25	S1
<a href="#">Mobile AMD Sempron 3200+</a>	1	245	525	NA	S1
<a href="#">Rockchip RK3229</a>	4	244	165	NA	Unknown
<a href="#">AMD Athlon 64 2600+</a>	1	243	292	15	Unknown
<a href="#">AMD Athlon XP2400+</a>	1	243	390	NA	Unknown
<a href="#">AMD Sempron 2800+</a>	1	243	408	62	AM2
<a href="#">AMD Athlon XP 2600+</a>	1	242	380	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks 

<a href="#">Intel Core2 Solo U2100 @ 1.06GHz</a>	1	233	258	5.5	Unknown
<a href="#">Mobile AMD Athlon 4 2400+</a>	1	233	358	NA	Unknown
<a href="#">AMD Sempron 3500+</a>	1	232	264	62	AM2
<a href="#">Intel Celeron D 347 @ 3.06GHz</a>	1	232	565	86	PLGA775
<a href="#">Mobile Intel Pentium 4 3.20GHz</a>	1	232	468	82	PGA478
<a href="#">AMD Athlon XP 2500+</a>	1	231	353	NA	Unknown
<a href="#">Intel Celeron 2.93GHz</a>	1	230	396	NA	Unknown
<a href="#">Intel Celeron M 450 @ 2.00GHz</a>	1	230	598	27	PPGA478
<a href="#">ARM Cortex-A7 4 Core 900 MHz</a>	4	228	163	NA	Unknown
<a href="#">Intel Pentium SU2700 @ 1.30GHz</a>	1	228	480	10	Unknown
<a href="#">Intel Pentium M 2.26GHz</a>	1	227	508	27	H-PBGA479, F
<a href="#">Mobile AMD Athlon XP-M 2500+</a>	1	226	355	NA	Unknown
<a href="#">ARM Cortex-A7 4 Core 1296 MHz</a>	4	225	162	NA	Unknown
<a href="#">Intel Pentium M 1.40GHz</a>	1	225	264	22	H-PBGA479, F
<a href="#">Mobile AMD Athlon XP-M 2400+</a>	1	225	355	NA	Unknown
<a href="#">Intel Atom N470 @ 1.83GHz</a>	1	224	308	6.5	BGA559
<a href="#">Intel Core Duo U2500 @ 1.20GHz</a>	2	223	361	9	BGA479
<a href="#">Intel Celeron 2.53GHz</a>	1	222	396	NA	Unknown
<a href="#">Intel Pentium M 1.86GHz</a>	1	222	499	27	H-PBGA479, F
<a href="#">Intel Celeron M 360 1.40GHz</a>	1	221	305	21	H-PBGA479, F
<a href="#">ARM Cortex-A53 4 Core 600 MHz</a>	4	220	137	NA	Unknown
<a href="#">Mobile Intel Pentium 4 3.06GHz</a>	1	220	423	81.8	PGA478
<a href="#">Intel Celeron M 1500MHz</a>	1	217	297	NA	Unknown
<a href="#">Intel Celeron M 1.50GHz</a>	1	216	280	21	PPGA478, H-F
<a href="#">ARM Cortex-A53 4 Core 1000 MHz</a>	4	215	169	NA	Unknown
<a href="#">Intel Pentium 4 2.60GHz</a>	1	215	494	69	PGA478
<a href="#">AMD Athlon XP 2200+</a>	1	214	335	NA	Unknown
<a href="#">ARM Cortex-A53 4 Core 1536 MHz</a>	4	213	198	NA	Unknown
<a href="#">Intel Celeron 723 @ 1.20GHz</a>	1	213	460	10	BGA956
<a href="#">AMD Athlon XP 2100+</a>	1	210	327	NA	Unknown
<a href="#">Intel Core Solo T1300 @ 1.66GHz</a>	1	210	518	27	PGA478
<a href="#">Intel Celeron 220 @ 1.20GHz</a>	1	200	255	10	BGA479

CPU Name

Cores  
 -

CPU Mark  
 -

Thread Mark  
 -

TDP (W)  
 -

Socket



## CPU Benchmarks ▼

<a href="#">Intel Pentium M 1300MHz</a>	1	197	271	22	H-PBGA479, F
<a href="#">Intel Pentium M 1.30GHz</a>	1	196	250	22	H-PBGA479, F
<a href="#">Mobile AMD Athlon XP-M 2000+</a>	1	196	301	NA	Unknown
<a href="#">AMD Athlon XP 1800+</a>	1	195	301	66	Socket A
<a href="#">AMD Athlon XP 2000+</a>	1	195	311	70	Socket A
<a href="#">AMD E-240</a>	1	195	403	18	FT1
<a href="#">Intel Core Solo T1350 @ 1.86GHz</a>	1	194	413	31	Unknown
<a href="#">Intel Pentium III 1400S @ 1400MHz</a>	1	194	278	32.2	Socket 370
<a href="#">Intel Pentium M 1.60GHz</a>	1	194	427	24.5	H-PBGA479, F
<a href="#">Intel Atom N455 @ 1.66GHz</a>	1	193	266	6.5	BGA559
<a href="#">Intel Pentium III 1400 @ 1400MHz</a>	1	193	272	31.2	Socket 370
<a href="#">Intel Pentium M 1600MHz</a>	1	193	313	24.5	H-PBGA479, F
<a href="#">Mobile AMD Athlon XP-M 1800+</a>	1	193	291	45	Socket A
<a href="#">Mobile AMD Athlon MP-M 2400+</a>	1	192	314	NA	Unknown
<a href="#">AMD Athlon 1500+</a>	1	191	275	NA	Unknown
<a href="#">Intel Celeron 2.80GHz</a>	1	190	425	68.4	PPGA478
<a href="#">Intel Celeron M 1.60GHz</a>	1	190	433	NA	Unknown
<a href="#">Intel Atom N2100 @ 1.60GHz</a>	1	188	310	NA	BGA559
<a href="#">Intel Pentium M 1500MHz</a>	1	188	251	24.5	H-PBGA479, F
<a href="#">Google R11 BtWifi Evt1.1</a>	2	187	240	NA	Unknown
<a href="#">VIA Nano U2250 (1.6GHz Capable)</a>	1	187	256	8	BGA400
<a href="#">AMD Sempron 2200+</a>	1	184	279	NA	Socket A
<a href="#">AMD V105</a>	1	184	452	9	BGA812
<a href="#">Intel Atom E3815 @ 1.46GHz</a>	1	184	266	5	FCBGA1170
<a href="#">Intel Pentium M 1.10GHz</a>	1	184	218	NA	Unknown
<a href="#">VIA Nano U3500@1000MHz</a>	1	184	286	5	BGA400
<a href="#">AMD Athlon XP1600+</a>	1	183	272	NA	Unknown
<a href="#">Intel Atom Z530 @ 1.60GHz</a>	1	183	161	2	BGA441
<a href="#">Mobile Intel Celeron 1333MHz</a>	1	183	248	NA	Unknown
<a href="#">Intel Celeron 2.26GHz</a>	1	182	382	NA	Unknown
<a href="#">Mobile Intel Pentium 4 2.66GHz</a>	1	182	425	66.1	PGA478
<a href="#">Intel Atom D410 @ 1.66GHz</a>	1	180	244	10	BGA559

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Celeron 2.50GHz</a>	1	164	431	NA	Unknown
<a href="#">Intel Core Solo U1500 @ 1.33GHz</a>	1	164	375	5.5	Unknown
<a href="#">Intel Pentium III Mobile 1133MHz</a>	1	164	218	NA	Unknown
<a href="#">Intel XEON 2.20GHz</a>	1	164	351	NA	Unknown
<a href="#">Mobile AMD Sempron 2100+</a>	1	164	203	8	S1
<a href="#">Intel Pentium 4 2.53GHz</a>	1	162	442	61.5	PGA478
<a href="#">Intel Pentium 4 2.50GHz</a>	1	160	385	61	PGA478
<a href="#">Intel Pentium III Mobile 1066MHz</a>	1	160	210	NA	Unknown
<a href="#">Intel Celeron 1200MHz</a>	1	159	212	NA	Unknown
<a href="#">Intel Celeron 2.70GHz</a>	1	159	386	NA	Unknown
<a href="#">Intel Atom Z670 @ 1.50GHz</a>	1	158	95	3	BGA518
<a href="#">Intel Atom N280 @ 1.66GHz</a>	1	157	234	2.5	BGA437
<a href="#">Intel Pentium 4 2.20GHz</a>	1	157	379	57.1	PGA478
<a href="#">Intel Pentium 4 2.66GHz</a>	1	157	431	66.1	PGA478
<a href="#">Intel Pentium III Mobile 1200MHz</a>	1	156	216	NA	Unknown
<a href="#">Intel Pentium M 1000MHz</a>	1	156	222	7	Unknown
<a href="#">Intel Pentium M 1200MHz</a>	1	155	166	12	Unknown
<a href="#">AMD Athlon 64 2000+</a>	1	154	173	8	Unknown
<a href="#">Intel Pentium 4 3.83GHz</a>	1	154	237	NA	Unknown
<a href="#">Mobile Intel Celeron 2.40GHz</a>	1	154	376	NA	Unknown
<a href="#">Intel Atom N435 @ 1.33GHz</a>	1	153	220	NA	Unknown
<a href="#">Intel Xeon 2.00GHz</a>	1	152	259	NA	Unknown
<a href="#">Intel Pentium 4 2.26GHz</a>	1	151	409	58	PGA478
<a href="#">Intel Pentium 4 2.93GHz</a>	1	150	269	NA	Unknown
<a href="#">VIA C7-D 1800MHz</a>	1	150	147	20	BGA400
<a href="#">Intel Celeron M 1.00GHz</a>	1	149	197	NA	Unknown
<a href="#">Intel Celeron 2.30GHz</a>	1	148	364	NA	Unknown
<a href="#">Mobile Intel Celeron 2.20GHz</a>	1	147	355	NA	Unknown
<a href="#">Mobile Intel Pentium III - M 1200MHz</a>	1	146	185	22	BGA2, microP
<a href="#">VIA C7-M 6300MHz</a>	1	145	121	NA	Unknown
<a href="#">Intel Celeron 2.40GHz</a>	1	143	397	NA	Unknown
<a href="#">Intel Celeron 2.60GHz</a>	1	143	352	NA	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket
----------	-------	----------	-------------	---------	--------

 CPU Benchmarks ▼

<a href="#">Intel Core Solo U1400 @ 1.20GHz</a>	1	130	365	5.5	PBGA479
<a href="#">Mobile Intel Pentium III - M 933MHz</a>	1	130	177	20.1	BGA2, microP
<a href="#">Intel Core Solo U1300 @ 1.06GHz</a>	1	127	340	6	PBGA479
<a href="#">AMD Sempron 200U</a>	1	125	311	8	Unknown
<a href="#">Intel Celeron 2.00GHz</a>	1	125	338	52.8	PPGA478
<a href="#">Intel Celeron M 443 @ 1.20GHz</a>	1	125	288	5.5	PBGA479
<a href="#">Intel Celeron M 410 @ 1.46GHz</a>	1	123	301	27	PPGA478
<a href="#">Intel Celeron M 900MHz</a>	1	123	155	NA	Unknown
<a href="#">Intel Atom Z520 @ 1.33GHz</a>	1	122	151	2	BGA441
<a href="#">Mobile Intel Celeron 1.80GHz</a>	1	121	280	66.1	PPGA478
<a href="#">Mobile Intel Pentium 4 - M 1.70GHz</a>	1	121	297	NA	Unknown
<a href="#">AMD G-T40R</a>	1	120	327	5.5	FT1
<a href="#">AMD G-T44R</a>	1	120	302	9	FT1
<a href="#">Intel Pentium III Mobile 800MHz</a>	1	119	155	NA	Unknown
<a href="#">Mobile Intel Pentium 4 - M 1.80GHz</a>	1	119	297	NA	Unknown
<a href="#">Mobile Intel Celeron 1.70GHz</a>	1	118	254	NA	Unknown
<a href="#">Intel Pentium 4 Mobile 1.60GHz</a>	1	116	254	NA	Unknown
<a href="#">VIA C7-M 1600MHz</a>	1	116	124	15	BGA400
<a href="#">Intel Pentium 4 1.80GHz</a>	1	115	318	68.1	PGA478
<a href="#">Intel Pentium 4 1800MHz</a>	1	114	317	68.1	PGA478
<a href="#">Intel Pentium 4 Mobile 1.80GHz</a>	1	114	195	NA	Unknown
<a href="#">Intel Celeron 1100MHz</a>	1	113	183	NA	Unknown
<a href="#">VIA C7-M 1200MHz</a>	1	112	93	NA	Unknown
<a href="#">ARM Cortex-A7 2 Core 960 MHz</a>	2	111	160	NA	Unknown
<a href="#">Intel Celeron B710 @ 1.60GHz</a>	1	106	101	35	rPGA988B
<a href="#">Intel Pentium 4 1.90GHz</a>	1	104	292	69.2	PGA423
<a href="#">Intel Celeron 1.70GHz</a>	1	101	190	NA	Unknown
<a href="#">VIA Nehemiah</a>	1	101	75	NA	Unknown
<a href="#">Intel Pentium 4 1700MHz</a>	1	100	266	64	PGA423
<a href="#">Intel Pentium III Mobile 866MHz</a>	1	99	132	NA	Unknown
<a href="#">Intel Celeron 1.80GHz</a>	1	96	307	66.1	PPGA478
<a href="#">VIA Esther 1000MHz</a>	1	95	82	NA	Unknown