

Zestawienie_stali_budynek_

nr pręta	#	długość	ilość szt.	długość ogólna					
				6	8	10	12	16	20
Stopy fundamentowe									
SF-1*									
1	12	0,60	8				4,80		
SF-1									
1	12	0,60	8				4,80		
SF-2*									
1	12	0,90	10				9,00		
SF-2									
1	12	0,90	10				9,00		
SF-3*									
1	12	1,00	12				12,00		
SF-4									
1	12	0,80	10				8,00		
SF-5									
1	12	0,70	8				5,60		
SF-6									
1	12	0,90	4				3,60		
2	12	0,60	5				3,00		
SF-7									
1	12	0,90	4				3,60		
2	12	0,60	5				3,00		
SF-8									
1	12	0,70	32				22,40		
2	12	1,29	16				20,64		
S	6	0,90	36	32,40					
Ławy fundamentowe									
ŁF-1									
-	12	154,00	1				154,00		
S	6	1,18	176	207,68					
ŁF-2									
-	12	31,00	1				31,00		
S	6	1,18	36	42,48					
ŁF-3									
-	12	29,00	1				29,00		
S	6	1,30	34	44,20					
ŁF-4									
-	12	20,00	1				20,00		
S	6	1,10	19	20,90					
ŁF-5									
-	12	63,00	1				63,00		
S	6	1,00	73	73,00					
Słupy									
S2									
1	12	2,59	8				20,72		
2	12	2,58	8				20,64		

Zestawienie_stali_budynek_

S	6	0,86	72	61,92					
S2.1									
1	12	2,19	4				8,76		
2	12	2,58	4				10,32		
S	6	0,86	33	28,38					
S3*									
1	12	2,39	4				9,56		
2	12	3,40	4				13,60		
S	6	0,86	40	34,40					
S3									
1	12	2,19	4				8,76		
2	12	3,40	4				13,60		
S	6	0,86	39	33,54					
S4									
1	12	2,19	12				26,28		
2	12	4,24	12				50,88		
S	6	0,86	141	121,26					
S5									
1	12	2,19	4				8,76		
2	12	2,38	4				9,52		
S	6	0,86	31	26,66					
S6									
1	12	2,19	4				8,76		
2	12	2,38	4				9,52		
S	6	0,86	31	26,66					
S7									
1	12	1,58	4				6,32		
S	6	0,86	9	7,74					
Nadproża									
NŻ-1									
1	10	1,60	10			16,00			
S	6	1,04	70	72,80					
NŻ-2									
1	12	3,95	4				15,80		
2	12	3,45	2				6,90		
S	6	0,98	32	31,36					
NŻ-3									
1	12	3,89	4				15,56		
2	12	3,39	2				6,78		
S	6	0,98	31	30,38					
Wieńce									
W-1									
-	12	385,00	1				385,00		
S	6	0,88	585	514,80					
W-2									
-	12	135,50	1				135,50		
S	6	0,88	138	121,44					
W-3									
-	12	64,50	1				64,50		

Zestawienie_stali_budynek_

S	6	0,88	76	66,88					
PZ									
-	12	43,50	1				43,50		
S	6	0,78	67	52,26					
Strop									
1	10	7,45	32			238,40			
2	10	1,16	21			24,36			
3	10	2,04	21			42,84			
4	10	1,26	21			26,46			
5	10	2,20	16			35,20			
6	10	2,08	24			49,92			
7	10	1,75	3			5,25			
8	10	1,35	3			4,05			
9	10	2,13	3			6,39			
10	10	2,73	37			101,01			
11	10	2,36	37			87,32			
12	10	7,22	2			14,44			
S	6	6,24	54	336,96					
S	6	7,22	10	72,20					

Σ	2060,30	0,00	651,64	1305,98	0,00	0,00
	0,222	0,395	0,617	0,888	1,578	2,466
	457,3866	0	402,0619	1159,71	0	0
	2019					