

KRATA "K2":

pręt stalowy poziomy Ø12mm


pręt stalowy pionowy Ø12mm

Dimensions (mm):

- Overall width: 75,0
- Overall height: 150,0
- Grid width: 45,0
- Grid height: 105,0 (45,0 + 45,0 + 15,0)
- Horizontal spacing: 8,0 (x5), 14,2 (x2)
- Vertical spacing: 24,0 (x5), 29,1 (x2)
- Reinforcement diameter: Ø12mm

pręt stalowy pionowy Ø12mm

Diagrama de uma reta numérica com pontos marcados em 14,2, 45,0 e 75,0. O ponto 45,0 é o ponto médio entre 14,2 e 75,0.



K6

[illegible]

pręt stalowy pionowy Ø12mm

blaskownia stalowy 45x6mm

	kotwa stalowa min. Ø18mm
--	--------------------------

Diagrama de uma barra horizontal com segmentos de 24,2, 45,0, 45,0 e 24,2, totalizando 140,0.

UWAGA: W jednym pomieszczeniu musi znajdować się jedna kratka rozwieralna, zamykana na atestowaną kłódkę klasy nie niższej niż 5 (PN-EN-12320)

Zamawiający: Rejonowy Zarząd Infrastruktury w Krakowie ul. Mogilska 85, 30-901 Kraków		Tytuł rysunku: 	
---	--	--	--