

POZ. W

Nr3 #12

130

24

75

5

30

5

10

96

28

24

28

80

Technical drawing of a reinforced concrete column cross-section. The column has a total height of 130 cm, with a top section of 24 cm and a main section of 75 cm. The base is 5 cm thick. The column is 24 cm wide. The reinforcement includes 2 longitudinal bars (Nr2 #6 co 25 cm) and 12 transverse bars (Nr1 #12 l=Lc). The drawing shows the column's position relative to a wall and a floor slab.

Technical drawing of a rectangular plate with the following specifications:

- Overall width: 18
- Overall length: 35
- Reinforcement:
 - Nr5 #6 co 15 cm (top and bottom longitudinal bars)
 - Nr1 #12 (vertical bars, 2 on each side)

Nr2 #6 co 15 cm

Nr1 #12

24

24

Technical drawing showing the reinforcement details for a slab and column. The slab is 180 cm long and 35 cm high. It features 7 longitudinal bars (Nr 7 2#12 l=2,07) and 5 transverse bars (Nr 5 #6 co 15 cm). The column is 18 cm wide and 35 cm high, with 2 longitudinal bars (2Nr 7 #12 l=Lc) and 2 transverse bars (2Nr 7 #12).

Technical drawing of a reinforced concrete wall cross-section. The wall has a total height of 130 units and a total width of 80 units. The base is 30 units thick. The wall is reinforced with vertical bars (Nr3 #12) and horizontal bars (Nr3 #12). The drawing shows the reinforcement layout and dimensions.

1,0 m + 10%

24

75

130

30

5

31 18 31

80

Nr4 #6 co 25 cm

Nr12 #12 I=Lc

Nr1 #12 I=Lc

Nr2 #6 co 25 cm

143#6 L=1,00 co 25 cm

Diagram of a house-shaped polygon with dimensions: top-left slanted side 28, top-right slanted side 5, right vertical side 28, bottom horizontal side 17, and left vertical side 28.

Diagram of a reinforced concrete column cross-section. The column has a total height of 35 units and a diameter of 18 units. It features 2N1 #12 top bars and 2Nr1 #6 bottom bars. The bottom bars are spaced at 25 cm.

- BETON C20/25 W8
- STAL AIIIIN
- ŁAWY POSADOWIONE NA POZIOMIE -1,3 M
- ŁAWY PRZY BUDYNKU NA POZIOMIE ISTNIEJĄCYCH
- WIEŃCE W1, W2 WIEŃCZĄCE ŚCIANY FUNDAMENTOWE
- POZ. S1, S2 - ZBROJENIE STARTOWE