

Architectural cross-section of a house with a chimney and a gabled roof. The drawing shows the internal structure, including the roof truss, chimney, and foundation. Key dimensions and labels are provided:

- Roof and Chimney:**
  - Chimney height: 60
  - Roof slope: 45°
  - Roof truss height: 92
  - Roof truss width: 205
  - Roof truss depth: 297
- Internal Structure:**
  - Label **D** points to the roof truss.
  - Label **S** points to the chimney.
  - Label **P** points to the foundation.
- Foundation and Ground:**
  - Foundation width: 483
  - Foundation depth: 548
  - Ground level: 2%
- Labels and Dimensions:**
  - Labels **A** and **B** are at the bottom corners.
  - Label **nadproża I19 o długości 1,2m** points to the roof truss.

S	ŚCIANA ZEWNĘTRZNA	
	tynk cem.-wapienny	1cm
	Styropian EPS 0,036	15cm
	Porotherm 25 P+W	25cm
	tynk cem.-wapienny	1cm

Projektant: br. architektoniczna	mgr inż. arch. Joanna Drzygała	27/07/DOIA DS-1217		Data: 26.06.2023r.
Temat:	"Budowa automatycznej dwustanowiskowej toalety publicznej na dz. nr 92/84 obręb 0007 Sokołowsko gm. Mieroszów."			Stadium:  PAB
Inwestor:	Gmina Mieroszów Pl. Niepodległości 1, 58-350 Mieroszów			Skala: 1:50
Tytuł rys.:	PRZEKRÓJ A-A			Nr rys.: A-2